



PT-E550WVP Industrial Labeller

LABELS THAT STICK.

P-touch

brother.com.au

PT-E550WVP

Create durable labels for electrical or datacom installations, via the easy-to-use built-in labelling functions, PC software or from your smartphone or tablet with the Brother cable labelling app.



Key Features:



Large backlit graphic display



Advanced cutter (including half cutter) for easy-to-peel labels



Includes 1 tape cassettes, AC adapter, Li-ion battery, USB cable, hand strap and carry case



Prints 3.5, 6, 9, 12, 18 and 24mm labels and heat shrink tube

Brother TZe laminated labels - designed to last

Brother P-touch laminated TZe tapes consist of seven layers of materials, resulting in a thin, extremely strong label. Characters are formed with a thermal transfer ink and sandwiched between two protective layers of PET (polyester film). The result is a virtually indestructible label that can withstand even the harshest conditions.



Abrasion Resistant



Chemical Resistant



Easy Peel



Fade Resistant



Laminated



Temperature Resistant



Water Resistant



Packed with features

Compatible with Brother P-Touch Editor

Prints labels 3.5 to 24mm in width

Large backlit graphic LCD

Sequential numbering

384 built-in symbols

Print Preview

Specialist label functions

Database search/merge/print

USB & Wi-Fi

Brother iLink&Label App

Connects project data in Fluke Networks Linkware™ Live with Brother PT-E550WVP Labelling Tool to dramatically simplify and streamline cable label printing. The industry's first and only jobsite workflow solution for printing labels virtually from a tester. Eliminates duplicate data entry into both devices, helps reduce human input errors, and makes labelling large data centres faster and easier than ever.

For more information, contact the Brother Commercial Team on:
corporatesales@brother.com.au
corpsolutions.brother.com.au



Technical Specifications for the PT-E550WVP

Hardware

Display Type	16 characters x 3 lines backlit graphic LCD with print preview
Interfaces	USB 2.0, Wi-Fi, Wireless Direct
Print Speed	30mm / second (maximum)
Maximum Tape Width	24mm
Maximum Print Height	18mm
Cutter Type	Automatic (Full & Half)
Battery Type	BA-E001 Li-ion rechargeable battery (supplied), 6 x AA alkaline/rechargeable batteries (LR6/HR6 - not supplied)

Label Creation

Dedicated Labelling Functions	General, Faceplate, Patch panel, Punch block, Cable wrap, Cable flag, Heat shrink tube Serialise (automatic number incrementation)
Fonts	14 fonts; 10 styles; 6-48 point size
Max. Lines per Label	7 (on 24mm width tape cassette)
Max. text blocks	99
Symbols	384
Frames	7
Barcodes	9 protocols
Automatic numbering	1-99
Copy Printing	1-99
Vertical Text Printing	Yes
Rotated text printing	Rotate once, Rotate and repeat

Memory

Maximum Characters per Label	1,500
Label Memory Locations	99

PC Software Main Features

Supported Operating Systems	Windows Vista®, Windows® 7, 8, 10 / Mac OS X 10.6 or greater
Cable Labelling Wizard	Yes
Font Faces	All installed true-type fonts
Font Styles	12
Image Import	JPG, BMP, TIFF and other popular types
Screen Capture	Yes
Frames	153
Barcodes	21 protocols including 1D/2D barcodes

Carton Contents

Includes	PT-E550WVP, 12mm black on white Flexible ID tape (8m), Li-ion rechargeable battery, AC adapter, Label design software and printer driver, CD-ROM, USB cable, wrist strap and user guide
----------	---

Supplies

TZe Tape Cassette Widths	3.5mm, 6mm, 9mm, 12mm, 18mm, and 24mm
HSe Tube Cassette Widths	5.8mm, 8.8mm, 11.7mm, 17.7mm, and 23.6mm

Optional Accessories

Batteries	BA-E001 Li-ion rechargeable battery AA alkaline/rechargeable batteries (LR6/HR6)
AC Adapter	AD-E001 AC adapter


Weight and dimensions

Size	126mm (W) x 250mm (H) x 94mm (D)
Weight	1.05kg



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.



brother
at your side

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.