

15 needles

Tubular, flat cap frame embroidery 270°

Available in 13 languages


Includes table and stand with wheels

SW-1501-SH


EMBROIDERY INDUSTRIAL MACHINE



USB port



Thread tension adjustment knobs



Centering laser

GENERAL INFORMATION:

Industrial compact and lightweight embroidery machine equipped with 1 head and 15 needles with a maximum speed of 1.000 PPM.

Functions:
Flat embroidery, finished garment embroidery, cap embroidery, etc.

Multi-language support:
Spanish, French, Portuguese, German, Italian, Dutch, English, Polish, Thai, Chinese, Arabic, Turkish, Russian, etc.

USB input and output suitable for formats, such as DSB, DST, etc.

Memory capacity:
Maximum 400 designs or 16 million stitches.

7 inch (20.32 cm) HD LCD touch screen panel.

WIFI, LAN.

EQUIPPED WITH:

- Round double-hoops of 9, 12, 15 y 20 cm, square of 29x29 cm (x2 of each) and rectangular of 39x54 cm (x1)
- Hat hoop (x2)
- Frame 63x43 cm (x1)
- Centering laser.
- USB port.
- Automatic thread trimmer and thread wiper.
- Auto start.
- Auto change of color.
- Auto lubricating part.
- Thread break detectors.
- Stand with wheels.



Auto bobbin winder (included)



SW-1501-SH with the finished garment frame set




SW-1501-SH with the hat hoop set

STANDARD ACCESSORIES:

- Hat frame driver: 1 set, hat frame: 2 pcs, hat holder: 1 set.
- Round frame measurements (2 sets): 90 mm, 120 mm, 150 mm, 200 mm.
- Oval frame 390 x 540 mm (1 set)
- Square frame 290 x 290 mm (2 sets)
- Frame 630 x 430 mm: 1 set.


- Auto bobbin winder device: 1 set.
- Standard accessories tool box: 1 set.
- Border aluminum frame and extended table.
- Movable stand with wheel.
- Machine parts list book and USB file with operational manual.
- Aluminum poly bag and wooden case package.












90 mm (x2) 120 mm (x2) 150 mm (x2) 200 mm (x2) 290 x 290 mm (x2) 390 x 540 mm (x1) 630 x 430 mm (x1) Hat hoop (x2)

TECHNICAL DETAILS

Computer	DAHAO 285MODEL
Control panel	8-inch HD LCD touch screen panel
Main motor	Servo motor
XY motor	Stepping motor
Rotary hook	Japanese rotary hook
Max. speed	1000RPM
Voltage	Universal adaptive wide voltage AC90V-240V input
Power consumption	Max. 150 W



LCD touch screen panel

								
SW-1501-SH	x15	1.000	√	√	max. 150 W	80x80x80 cm	100 kg	60 x 40 cm

