

LED Module Light String

FILES SERIES

16 AWG

08-00508 - 20,000 Lumen/160 Watt U-GROUND Light String

FEATURES

- 100ft/10 Modules
- 2,000 Lumen (16 Watt) Per Module
- 125 Lumen per Watt
- 5-15 Female Receptacle to Connect Additional Lights
- High Impact Poly Carbonate Lens
- Carabiner Hooks Included
- Magnets Included
- Suitable for Wet Locations
- Jobsite Tough

SPECIFICATIONS

- 100 foot, 16/3 AWG
- 300V SJTW Cable
- 20,000 Lumen/160 Watt
- 5-15 Plug
- 5-15 Receptacle with Cover
- LED Driver Capable of 120-277V
- 2,000 Volt Surge Protection
- 5000 Kelvin Color Temperature
- Black PC Joints
- Carabiner Hooks Included
- Magnets Included
- cETLus

PACK QUANTITY/UPC

- Pack Quantity = 2
- UPC# 8-03058-1508-4











LED Temporary Light String 08-00507 & 08-00508





BASIC INFO

08-00508	08-00507	Model
160W	80W	Power
AC 120V 10 units	AC 120V 5 units	Voltage
10 units	5 units	QTY
20,000lm	10,000lm	Lumen
16/3 cable	16/3 cable	Cable
Suitable for Wet Locations		

Application: Suitable for construction sites or any other location requiring a temporary light string

CAUTION!!

- reinforce or double insulation. · Make sure the distances between live part and metal part of the device can satisfy
- prevent electric shock. · Before installation and maintenance of the device, please disconnect the power to
- operating in harsh environments may shorten the lifespan or even damage the device. The LED temporary light string must be installed in an appropriate environment,
- · Please keep the device away from any corrosive substance, clean with dry cloth only
- when install on high places. · To ensure personal safety, please make sure the device is staying firmly and securely

LINKABLE

80W - Connect up to 8 bunches 160W - Connect up to 4 bunches

- LPW is Lumen Per Watt
- CCT (Kelvin) is the correlated color temperature
- CRI (Color Rendering Index) is the ability to represent the original color of a substance
- PF (Power Factor) is the ratio of the actual power consumed to the power supply capacity
- Lift (L70) is service life of LED chips