



Certificate of Analysis
Compliance Test

Client Information:

DOZO
3400 COTTAGE WAY
STE G2-6023
SACRAMENTO, CA 95825

Batch # 11525
Batch Date: 2024-01-15
Extracted From: Hemp

Test Reg State: Florida

Production Facility: DOZO
Production Date: 2024-01-15

Order # DOZ240122-100001
Order Date: 2024-01-22
Sample # AAFF638

Sampling Date: 2024-01-24
Lab Batch Date: 2024-01-24
Completion Date: 2024-01-29

Initial Gross Weight: 61.690 g

Number of Units: 2
Net Weight per Unit: 2500.000 mg



Potency Tested

Product Image

Potency 25 (LCUV)
Specimen Weight: 501.830 mg

| Analyte | Dilution (1:n) | LOD (%) | LOQ (%) | Result (mg/g) | SOP13.001 (LCUV) (%) |
|-----------------------|----------------|---------|---------|---------------|----------------------|
| Delta-8 THC | 50.000 | 2.60E-5 | 0.015 | 268.6900 | 26.8690 |
| CBN | 50.000 | 1.40E-5 | 0.015 | 126.5500 | 12.6550 |
| CBC | 50.000 | 1.80E-5 | 0.015 | 124.3600 | 12.4360 |
| Delta9-THCP * | 5000.000 | 1.17E-5 | 0.012 | 104.4000 | 10.4400 |
| Delta8-THCP * | 50.000 | 3.75E-4 | 0.015 | 2.6770 | 0.2677 |
| Delta-8 THCV | 50.000 | 4.00E-5 | 0.015 | 2.3840 | 0.2384 |
| CBT | 50.000 | 2.00E-4 | 0.015 | 2.0350 | 0.2035 |
| CBCA | 50.000 | 1.07E-4 | 0.015 | 1.0650 | 0.1065 |
| CBNA | 50.000 | 9.50E-5 | 0.015 | 0.8004 | 0.0800 |
| CBGA | 50.000 | 8.00E-5 | 0.015 | 0.6500 | 0.0650 |
| CBD | 50.000 | 5.40E-5 | 0.015 | 0.5600 | 0.0560 |
| CBG | 50.000 | 2.48E-4 | 0.015 | 0.4500 | 0.0450 |
| CBDA | 50.000 | 1.00E-5 | 0.015 | <LOQ | <LOQ |
| CBDV | 50.000 | 6.50E-5 | 0.015 | <LOQ | <LOQ |
| CBDVA | 50.000 | 1.40E-5 | 0.015 | <LOQ | <LOQ |
| CBL | 50.000 | 3.50E-5 | 0.015 | <LOQ | <LOQ |
| Delta-8 THC-O Acetate | 50.000 | 2.70E-5 | 0.025 | <LOQ | <LOQ |
| Delta-9 THC | 50.000 | 1.30E-5 | 0.015 | <LOQ | <LOQ |
| Delta-9 THC-O Acetate | 50.000 | 7.70E-5 | 0.025 | <LOQ | <LOQ |
| Exo-THC | 50.000 | 2.30E-4 | 0.015 | <LOQ | <LOQ |
| THCA-A | 50.000 | 3.20E-5 | 0.015 | <LOQ | <LOQ |
| THCB * | 50.000 | 1.80E-4 | 0.0163 | <LOQ | <LOQ |
| THCH * | 50.000 | 3.50E-4 | 0.0163 | <LOQ | <LOQ |
| THCV | 50.000 | 7.00E-6 | 0.015 | <LOQ | <LOQ |
| THCVA | 50.000 | 4.70E-5 | 0.015 | <LOQ | <LOQ |
| Total Active CBD | 50.000 | | | 0.560 | 0.056 |
| Total Active THC | 50.000 | | | <LOQ | <LOQ |

Potency Tested

Potency Summary

| | |
|---|---|
| Total Active THC None Detected | Total Active CBD 0.056% 1.400 mg |
| Total CBG 0.102% 2.550 mg | Total CBN 12.725% 318.125 mg |
| Other Cannabinoids 23.679% 591.975 mg | Total Cannabinoids 63.431% 1,585.775 mg |
| Total DELTA-8-THC 26.869% 671.725 mg | |

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.