

COMMERCIAL KITCHEN EQUIPMENT WAREHOUSE

SALE



PRICES BELOW OUR COST
on hundreds of items!





HUGE SAVINGS ON OVERSTOCK INVENTORY:

Cooking Equipment | Refrigerators & Freezers
Countertop Equipment | Ice Machines | Food Prep
Sinks & Worktables | Smallwares & Tabletop
and much more!






WAREHOUSE SALE PRODUCT LIST






FREE DELIVERY!
Of Sale Merchandise
To 9 Bay Area Counties + Sacramento County





All sales final. Cash or credit card only. Inventory is subject to availability and is while supplies last. Sale pricing cannot be applied to previous purchases. Must take delivery of equipment within one week of purchase.




Item	Qty	Description	List	Sell Total
405571	1 ea	CORDLESS STICK MIXER W/2; BAT PKS Waring Model No. WSB38X2 (405571) Bolt® Immersion Blender, medium duty, cordless/rechargeable, 7" stainless steel removable shaft, stainless steel blade, variable speed, brushless DC motor, includes: (2) 10.8 volt Lithium Ion battery packs, charging station & storage/transport case, cETLus, ETL-Sanitation Dimensions 15.63(h) x 5(w) x 9.88(d) Weight: 4.85 lbs total Cube: 0.446	\$862.63	\$258.15
				
540501	1 ea	MIXER 40 QT FLOOR MODEL;220V/1PH Globe Model No. SP40 (540501) Planetary Mixer, floor model, 42 qt. (40 liter) capacity, 3-speed (fixed), #12 attachment hub, includes: stainless steel removable bowl guard with built-in ingredient chute, 40 qt. stainless steel bowl, aluminum spiral dough hook, stainless steel wire whip & aluminum flat beater, interlocked bowl lift, gear driven motor, thermal overload protection, front-mounted touchpad controls with 60-minute digital timer & last batch recall, non-slip rubber feet, cast iron body, 2 HP, cord, NSF, cETLus Dimensions 58(h) x 28.5(w) x 32(d) Class 85 Weight: 653 lbs total	\$22,978.00	\$7,028.70
				
540601	1 ea	8 QUART MIXER; Globe Model No. SP08 Planetary Mixer, 8 qt., countertop model, 3-speed (fixed), gear-driven transmission, front-mounted touchpad controls with 15-minute digital timer, safety interlocked bowl lift, thermal overload protection, includes: polycarbonate bowl guard with chute, stainless steel bowl & whip, aluminum beater & spiral dough hook, cast aluminum body, 1/4 HP, 115v/60/1-ph, 5.0 amps, cord, NEMA 5-15P, NSF, cETLus Dimensions 25(h) x 13.5(w) x 19.5(d) Class 85 Weight: 61 lbs total	\$2,954.00	\$903.70
				
433141	1 ea	GAS FLOOR FRYER Imperial Model No. IFS-40 (551801) Fryer, gas, floor model, 40lb. capacity, tube fired cast iron burners, snap action thermostat, millivolt temperature control, includes: wire mesh crumb screen & (2) nickel-plated baskets, stainless steel front, door, sides, basket hanger & frypot, 6" legs, 105,000 BTU, CSA Flame, CSA Star, NSF, CE Dimensions 45.75(h) x 15.5(w) x 30.5(d) 1 ea Limited one year parts and labor warranty, standard	\$12,487.00	\$1,564.94
				




Item	Qty	Description	List	Sell Total
	1 ea	Gas type to be specified		
	Class 92.5	Weight: 221 lbs total		
433241	1 ea	MIXER, THERMAL Julabo Model No. P504 Hot Mix Pro Gastro Food Processor, 2 liter, temperature range up to 374°F, (23) speed including turbo, pulse and zero, (78) programmed functions, SD card pre-loaded with (168) classic recipes, LCD display with icons, black rubber lid, stainless steel, 2300 watt	\$3,468.75	\$1,151.50
		Weight: 40 lbs total		
563201	1 ea	RICE / GRAIN COOKER Panasonic Model No. SR-GA721L Commercial Rice Cooker, electric, (80) cups cooked rice capacity, serves approximately (168) 3 oz. portion servings, double handles, push button start, automatic shut-off, sheathed heating element with triple safety thermal fuse built in, anodized aluminum pan with stainless steel lid, silver exterior, 208v/60/1-ph, 10.8 amps, 2235 watts, cord with NEMA 6-20P, ULus, ETLus, NSF Dimensions 14(h) x 22(w) x 19(d)	\$570.00	\$570.00
	1 ea	1 year parts & labor warranty		
	Class ups	Weight: 30 lbs total		Cube: 3.51
592801	1 ea	FRESH-O-MATIC BY NEMCO; Nemco Food Equipment Model No. 6625B (592801) Fresh-O-Matic Countertop Steamer, electric, electronic control panel, water level indicator, self-contained water reservoir, 20 minute preheat, WearGuard™ coated tray liner, indicator lights, cast aluminum well, heat-insulated handles, stainless steel exterior, 1500 watts, NEMA 5-15P, 120v/60/1-ph, 12.5 amps, cETLus Dimensions 11.63(h) x 16.5(w) x 12(d)	\$3,634.00	\$1,144.71
		Weight: 40 lbs total		
592301	1 ea	EZ ONION SLICER II - 1/4; IN Nemco Food Equipment Model No. 56750-2 (592301) Easy Onion Slicer II™, 1/4" slice, process up to 4" diameter onions, top-down drive slices in one stroke, pretensioned cartridge blade assembly, pusher assembly comes off for easy cleaning, slices many fruits and vegetables Dimensions 30(h) x 10(w) x 19(d)	\$981.00	\$309.02
	Class ups	Weight: 24 lbs total		
435881	1 ea	FOOD PROCESSING MACHINE, PARTS & ACCESSORIES Pacojet USA Model No. 139177-E05-00 (435881) Pacotizing® Blade (compatible with Pacojet 2 PLUS & Pacojet 4) Dimensions 0.9(h) x 2.3(w) x 3.75(d)	\$570.00	\$570.00
	Class 92.5	Weight: 1 lbs total		
626301	1 ea	COMMERCIAL POWER MIXER 2;4"	\$1,932.00	\$946.68




Item	Qty	Description	List	Sell Total
		Robot Coupe Model No. MP600 (626301) Commercial Power Mixer, hand held, 24" stainless steel shaft, removable stainless steel foot & blade, includes: (1) stainless steel wall support & (1) blade disassembly tool, 300 liter processing capacity, automatic single speed 12,000 RPM, 1.5 HP, 120v/60/1-ph, 7.7 amps, 920 watts, NEMA 5-15P, "Easy plug" system with detachable power cord, cETLus, ETL-Sanitation Dimensions 38(h) x 5(w)		
	Class 100	Weight: 17 lbs total	Cube: 1.43	
403611	1 ea	64 OZ S/S INSULATED GROW;LER Service Ideas Model No. GRW64BS Packed 6 ea Thermo-Craft® Growler, 1.89 L (64 oz.), 5-1/8" dia. x 10-3/8"H, molded handle, lid and tether, vacuum insulated, temperature retention for 4-6 hours, dishwasher safe, for alcohol or coffee, 18/8 stainless steel, brushed finish (Priced per each, packed 6 each per case) Dimensions 10.38(h) x 5.13(w) Weight: 2.25 lbs total	\$63.50	\$20.01
				
652801	1 ea	CONVEYOR TOASTER - 240V; Star Model No. QCS2-600H Holman QCS® Conveyor Toaster, electric, 600 slices/hr., horizontal conveyor, analog speed, standby switch, independent controls for top & bottom quartz sheathed heater elements, 3" opening x 10" W belt (2 slice) with loading rack, stainless steel construction with smooth cool touch exterior, cULus, UL EPH Classified, Made in USA Dimensions 15.63(h) x 14.5(w) x 22.38(d)	\$5,608.00	\$1,501.54
				
	Class 85	Weight: 64 lbs total		
736301	1 ea	BELGIAN WAFFLE BAKER 120;V Wells Model No. BWB-1SE (736301) Belgian Waffle Baker, single, round, cast aluminum grid, electronic controls & automatic timer, stainless steel construction, cULus Dimensions 10.63(h) x 10.13(w) x 14(d)	\$6,581.00	\$1,576.22
				
	Class 85	Weight: 29 lbs total	Cube: 2.93	
425791	1 ea	ELECTRIC COUNTERTOP FRYER Wells Model No. LLF-14 (737001) Fryer, electric, countertop, single fry pot, 14 lb. capacity, thermostatic controls, (2) half size baskets, stainless steel fry pot, front, top & sides, 1/2" adjustable legs, UL EPH Classified, Made in USA Dimensions 12.63(h) x 11(w) x 21.88(d)	\$3,122.00	\$1,326.85
				
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	Note: Must specify voltage and phase		
	1 ea	208-240v/60/1-ph, 3.4-4.5kW, 16.3-18.8 amps, NEMA 6-30P		
	Class 85	Weight: 34 lbs total	Cube: 4.95	
HOSHI AM50 BAJAD	1 ea	U/C ICE MACHINE;	\$5,840.00	\$1,696.75

Item	Qty	Description	List	Sell Total
		Hoshizaki Model No. AM-50BAJ-AD Ice Maker With Bin, Cube-Style, air-cooled, self-contained condenser, production capacity up to 55 lb/24 hours at 70°/50° (34 lb AHRI certified at 90°/70°), 22 lb. storage capacity, full-length stainless steel handle, Top Hat style full cube, 115v/60/1-ph, 3.8 amps, NSF, UL, ADA Compliant Dimensions 31.5(h) x 14.88(w) x 22.63(d) Class 150 Weight: 110 lbs total		
240291	1 kt	STATIONARY GAS CONNECTOR;KIT 1" INSIDE DIA. 48" Dormont Manufacturing Model No. 16100NPKIT48 (240291) Packed 1 kt Dormont Stationary Gas Connector Kit, 1" inside dia., 48" long, coated with yellow antimicrobial PVC, (1) full port valve, (2) 90° elbows, NPFS Connector, 451,000 BTU/hr minimum flow capacity, limited lifetime warranty Weight: 5.15 lbs total	\$264.82	\$63.74
				
245531	1 ea	COMMERCIAL POWER MIXER ;HAND HELD 18" SS SHAFT Robot Coupe Model No. MP450 (245531) Commercial Power Mixer, hand held, 18" stainless steel shaft, removable stainless steel foot & blade, includes: (1) stainless steel wall support & (1) blade disassembly tool, 100 liter processing capacity, automatic single speed 12,000 RPM, 1.1 HP, 120v/60/1-ph, 6.0 amps, 720 watts, NEMA 5-15P, "Easy plug" system with detachable power cord, cETLus, ETL-Sanitation Dimensions 32.48(h) x 6.94(w) x 7.38(d) Class 100 Weight: 15 lbs total Cube: 1.43	\$1,005.00	\$492.45
				
649601	1 ea	48" HOTPLATE 8 OB NAT G;AS Southbend Model No. HDO-48 (649601) Hotplate, gas, countertop, 48", (8) 33,000 BTU open burners, manual controls, removable cast iron grates & crumb tray, stainless steel front, sides & 4" adjustable legs, 264,000 BTU, CSA, NSF (Note: Qualifies for Southbend's Service First™ Program, see Service First document for details) Dimensions 11(h) x 48(w) x 33.75(d) Class 92.5 Weight: 299 lbs total	\$9,907.00	\$1,912.93
				
648001	1 ea	36" RNG 4 OB/12" FRYTO;P LFT NAT Southbend Model No. 4361D-1GL (648001) Ultimate Restaurant Range, gas, 36", (4) non-clog burners, standard grates, (1) 12" griddle left, standing pilot, (1) standard oven with battery spark ignition, includes (1) rack, 22-1/2" flue riser with shelf, stainless steel front, sides, shelf & 6" adjustable legs, 195,000 BTU, cCSAus, CSA Flame, CSA Star, NSF (Note: Qualifies for Southbend's Service First™ Program, see Service First document for details) Dimensions 59.5(h) x 36.5(w) x 34(d) Class 92.5 Weight: 660 lbs total	\$16,176.00	\$3,341.82
				
439551	2 ea	HOTPLATE, COUNTERTOP, GAS	\$6,026.00	\$4,662.80






Item	Qty	Description	List	Sell Total
		Vulcan Model No. VHP424 Achiever Hotplate, gas, countertop, 24", (4) 30,000 BTU (27,500 BTU for LP) open burners, with lift-off burner heads, protected standing pilots, cast iron top grates, infinite heat controls, stainless steel front with "Cool Bullnose", sides & backsplash, aluminized pull out crumb tray, 4" adjustable legs, CSA, NSF, 120,000 BTU Dimensions 16.63(h) x 24(w) x 31.38(d)		
	2 ea	1 year limited parts & labor warranty, standard		
	2 ea	Gas type to be specified		
	Class 85	Weight: 448 lbs total		
439561	1 ea	HOTPLATE, COUNTERTOP, GAS Vulcan Model No. VHP636 Achiever Hotplate, gas, countertop, 36", (6) 30,000 BTU (27,500 BTU for LP) open burners, with lift-off burner heads, protected standing pilots, cast iron top grates, infinite heat controls, stainless steel front with "Cool Bullnose", sides & backsplash, aluminized pull out crumb tray, 4" adjustable legs, CSA, NSF, 180,000 BTU Dimensions 16.63(h) x 36(w) x 31.38(d)	\$8,517.00	\$2,306.61
				
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	Gas type to be specified		
	Class 85	Weight: 291 lbs total		
439581	1 ea	WALL MOUNT BRACKETS / RB; Vulcan Model No. WALLMNT-CHRBKR Wall mount brackets, stainless steel (set) (stainless steel bottom panel required)	\$817.00	\$181.45
				
	Class 85	Weight: 7 lbs total		
406441	1 cs	HEATER PROOFER 25 UNV PA;N SLIDES Winholt Equipment Model No. NHPL-1825-UNC Non-Insulated Universal Runner Heater/Proofer Cabinet, mobile, full height, 24"W x 32"D x 70"H, aluminum construction, forced air, removable chrome wire pan slides can be adjusted on 2" increments, accommodates (28) 18" x 26" pans, dual proof/heat control, field reversible clear door with magnetic door latch, removable analog drawer, digital control, circuit breaker, LED digital thermometer display, corner bumpers, (4) casters, 120v/60/1-ph, NEMA 5-15P, cETLus, NSF (order #684641) Dimensions 70(h) x 24(w) x 32(d)	\$3,641.00	\$1,144.49
	Class 100	Weight: 235 lbs total		
750701	1 cs	ECONOMY HEATER PROOFER 3;5 PAN Winholt Equipment Model No. NHPL-1836-ECOC (750701) Non-Insulated Economy Heater/Proofer Cabinet, mobile, full height, 21"W x 30-3/4"D x 66-1/2"H, aluminum construction, forced air, accommodates (35) 18" x 26" pans, dual proof/heat control, lift-off clear door, removable analog control drawer, LED thermometer display, (2) swivel plate casters & (2) swivel/brake plate casters with polyurethane tread, NEMA 5-15P, 14.0 amps, 1440 watts, 120v/60/1-ph,	\$3,340.00	\$1,047.54
				




Item	Qty	Description	List	Sell Total
		cETLus, NSF (order #684668) Dimensions 66.5(h) x 21(w) x 30.75(d) Class 250 Weight: 136 lbs total		
BEVER DW49 HCB	1 ea	BOTTLE COOLER  Beverage Air Model No. DW49HC-B Bottle Cooler, flat top, 50"W x 26-1/2"D x 33-3/4"H, 13.7 cu. ft., (2) sliding lids, (3) adjustable epoxy coated wire dividers, case capacity: 17-1/2 cases (12 oz. bottles) or 23-3/4 cases (12 oz. cans), deep well design, bottle cap opener & cap catcher, black painted steel exterior, galvanized interior, stainless steel top, self-contained refrigeration system, R290 Hydrocarbon refrigerant, 1/4 HP, cULus, UL EPH Classified, UL-Sanitation, Made in USA Dimensions 33.75(h) x 50(w) x 26.5(d) 1 ea 3 years parts & labor warranty (excludes maintenance items) 1 ea Self-Contained refrigeration 1 ea Additional 4 years compressor warranty (part only), standard 1 ea 115v/60/1-ph, 2.5 amps, cord with NEMA 5-15P Class 150 Weight: 272 lbs total	\$8,027.00	\$2,347.90
TRUEF TBR48 RISZ	1 ea	BACK BAR CABINET, REFRIGERATED  True Mfg. – Premier Bar Model No. TBR48-RISZ1-L-B-SS-1 Refrigerated Back Bar Cooler, two-section, 48"W, (76) 6-pack cans or (43) 6-pack bottles capacity, side mounted self-contained refrigeration, (2) solid hinged doors (locking), (6) adjustable shelves, LED interior lighting, stainless steel countertop, black powder coated exterior, stainless steel interior (sides & floor), R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 1.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA Dimensions 34.75(h) x 48(w) x 24.88(d) 1 ea NOTE: Commonly stocked model in black exterior; verify availability with factory 1 ea 115v/60/1-ph, NEMA 5-15P 1 ea Standard refrigerator (33°F-38°F/2°C) 1 ea 7 year compressor warranty, 5 year parts and labor warranty, standard 1 ea Self-contained refrigeration, standard 1 ea Leg levelers, standard (34-15/16" overall cabinet height) Weight: 405 lbs total	\$8,777.00	\$2,032.11
409321	1 ea	DRAFT BEER COOLER  True Mfg. – Premier Bar Model No. TDR52-RISZ1-L-B-SG-1 (409321) Refrigerated Draft Bar Cooler, two-section, 52"W, side mounted self-contained refrigeration, stainless steel countertop, (1) solid & (1) glass hinged door (locking), (3) PVC coated adjustable wire shelves, (1) 3" dia. insulated beer column with single faucet draft arm and 2-way manifold, (1) 15" surface mounted drip tray, LED interior lighting, black powder coated exterior, stainless steel interior sides & floor, R290 Hydrocarbon refrigerant, cULus, 1/5 HP, 115v/60/1-ph, 1.8 amps, NEMA	\$11,261.00	\$2,802.30


Item	Qty	Description	List	Sell Total
		5-15P, UL EPH Classified, Made in USA Dimensions 34.75(h) x 52(w) x 24.88(d)		
	1 ea	NOTE: Commonly stocked model in black exterior; verify availability with factory		
	1 ea	115v/60/1-ph, 1.8 amps, NEMA 5-15P		
	1 ea	Standard refrigerator (33°F-38°F/2°C)		
	1 ea	7 year compressor warranty, 5 year parts and labor warranty, standard		
	1 ea	Self-contained refrigeration, standard		
	1 ea	Draft Beer Single Faucet, chrome handle, standard		
	1 ea	Leg levelers, standard (34-15/16" overall cabinet height)		
BUNN O2058 00001	1 cs	20580.0001 LPG LOW PROFILE GRINDER PORTION CON	\$1,613.56	\$508.27
		BUNN Model No. 20580.0001 20580.0001 LPG Low Profile Grinder, portion control, single 6 lbs. hopper capacity, 15.1" high, stainless decor, 120v/60/1-ph, 3amp, 360watts, NEMA 5-15P, cord attached, UL Dimensions 15.1(h) x 8.64(w) x 10(d)		
	Class 85	Weight: 22.55 lbs total	Cube: 1.959	
STREIC HOOD 326	1	CT2 75 48 48 20.5 CON HO;OD		\$1,035.10
		Streivor Inc Model No. CHOOD326 Condensate Hood		
243590	1 ea	CONVECTION OVEN SINGLE;GAS STD DEPTH	\$28,110.00	\$4,007.50
		Blodgett Model No. ZEPH-100-G SGL (243590) Zephaire Convection Oven, gas, single-deck, standard depth, capacity (5) 18" x 26" pans, (SSI-M) solid state infinite controls with 60 min. manual timer, two speed fan, dependent glass doors, interior light, stainless steel front, sides and top, 25" stainless steel legs, 50,000 BTU, ETL, NSF Dimensions 57(h) x 38.25(w) x 36.88(d)		
	Class 92.5	Weight: 535 lbs total	Cube: 49.0	
RATIO 607193 6	1 ea	60.71.936 - STACKING KIT;	\$4,935.00	\$1,167.24
		RATIONAL Model No. 60.71.936 Combi-Duo Stacking kit, bottom unit 62 gas, closed kit, mobile, top unit 62 electric or gas Dimensions 10.25(h) x 42(w) x 44.63(d)		
	Class 85	Weight: 118.8 lbs total		
695201	3 cs	GAS HOSE 3/4"X48 W/ QD;AND KITS	\$551.50	\$533.67
		T&S Brass Model No. HG-4D-48K (695201) Packed 1 kt Safe-T-Link Gas Connector Kit, 3/4" connection, 48" hose, stainless steel braiding with extruded coating, (1) Quick-Disconnect, (1) street "EL", ball valve, restraining cable adjustable for 3'to 5', 180,000 BTU / hr minium flow capacity		


Item	Qty	Description	List	Sell Total
Class 77.5		Weight: 19.2 lbs total		
544901	1 ea	DISHMACH U/C HI TMP PUMP;S ADVANS Hobart Model No. LXER-2 (544901) Advansys™ Dishwasher, undercounter, 120/208-240(3W)/60/1, accommodates optional two-level racking accessory, 23-15/16"W x 26-13/16"D x 32-1/2"H, high temperature sanitizing, Energy Recovery, 30, 24, 13 Racks/Hour, Fresh Water Rinse, .62 gal/rack, Automated Delime Cycle, 3 selectable cycles - light, normal, heavy (Pot & Pan cycle on heavy cycle), Advanced Service Diagnostics, , Detergent, Rinse Aid & Delimer Pump, cULus, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office Dimensions 32.5(h) x 23.94(w) x 26.81(d) Weight: 165 lbs total Cube: 12.1	\$12,703.00	\$6,224.47
				
HOBRT LXGEP R3	1 ea	DISHWASHER, UNDERCOUNTER Hobart Model No. LXGEP-3 - ADA COMPLIANT (Kickplate ADA) Designed to fit under an ADA counter height of 34", Advansys™ Undercounter Dishwasher/Glasswasher with Puri Rinse, cold water sanitization, 1.14 gal per rack, 38 or 29 Racks/Hour, Auto Delime notification & cycle, Auto Chemical Priming, with detergent, rinse aid, sanitizer & delime Pumps, 2 Programmable Cycles, Advanced Service Diagnostics, electric tank heat, 120/60/1, Must be installed in accordance with ADA guidelines to be compliant, Includes one peg rack and one combination rack, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office Dimensions 31(h) x 23.94(w) x 26.69(d) 1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours Weight: 170 lbs total	\$11,523.00	\$4,687.34
				
HATC OGRC D3PD1 2	1 cs	DISPLAY CASE, HEATED DELI, COUNTERTOP Hatco Model No. GRCD-3PD-120-QS (QUICK SHIP MODEL) Glo-Ray® Designer Heated Display Case, tempered curved glass, countertop design, (3) pan Designer dual shelves, incandescent lighting, stainless steel interior, 4" adjustable counter legs, 1710 watts, 120v/60/1, cULus, UL EPH Classified Dimensions 31.82(h) x 45.5(w) x 26(d) 1 cs NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details 1 cs NOTE: Includes 24/7 parts & service assistance, call 414-671-6350 1 cs 2-Yr Warranty on Metal Sheathed Heating Elements against burnout or breakage, standard	\$8,590.00	\$2,577.25
				


Item	Qty	Description	List	Sell Total
	1 cs	1-Yr Warranty on Blanket Heating Elements against burnout, standard		
	Class 100	Weight: 210 lbs total		
STRUC HV74R	1	76"W ENCORE SERVICE REF; BAKERY		\$7,285.31
		Structural Concepts Model No. HV74R Encore® Service Refrigerated Bakery Merchandiser, 76"W, Breeze with EnergyWise self-contained refrigeration system with evaporator pan, curved lift-up front glass, flat front panel, (3) LED top & glass shelves, sheet metal deck, sliding glass rear doors, black interior, black trim, (2) full end panels with mirror, cETLus, ETL-Sanitation		
ADMIR BDPM 60	1 ea	60 QT. BLACK DIAMOND PLANETARY MIXER FLOOR MODE		\$3,418.62
		Admiral Craft Equipment Corp. Model No. BDPM-60 Black Diamond Planetary Mixer, 60 qt., 3-speed, floor model, gear driven transmission, #12 attachment hub, manual 60-minute timer, stainless steel wire bowl guard, includes: stainless steel mixing bowl with clamps, wire whisk, dough hook, & flat beater attachments, rubber feet, 3 HP, 220v/60/3-ph, 2.2kW, 10.0 amps, cord, NEMA 6-20P, cETLus, ETL-Sanitation (NET) Dimensions 52(h) x 26(w) x 30.3(d)		
	Class 85	Weight: 734 lbs total		
CLEVE KET3T	1 ea	KETTLE ELECTRIC COUNTERTOP TILTING 3-GALLON	\$14,274.00	\$4,057.92
		Cleveland Range Model No. KET3T Tilting Kettle, electric, countertop, 3-gallon (11L) capacity, 2/3 steam jacket design, self-contained, lever style tilting, anti-drip pour spout, IPX6 water protection controls, self-locking marine style safety latch, reinforced rolled rim, support console on right, stainless steel construction with 316 series stainless steel liner, 50 PSI rated		
	Class 85	Weight: 95 lbs total		
WSTER LITV2C	1	TWO VALVE TOWER WITHLIGHTED MEDALLION	\$1,200.00	\$490.00
		Crysalli Model No. CBR-VC2-SSX		
GOOD NX1EG 260	1	X1 PRESS JUICER W/EG260 GRINDER		\$19,379.50
		Good Nature Model No. X1EG260 The X-1 is a professional juicer capable of producing a thousand bottles of juice per day. Now in its third generation, the X-1 is used by successful cold press juice producers, nut milk producers, and cider producers in more than 60 countries. Recommended for: Apple, kale, pineapple, spinach, almonds and other nuts, beet, celery, carrot, herbs, lemon, and hundreds more		
HOBRT 64601	1 ea	VEGETABLE PEELER 50-60 LB. POTATOES IN 1-3 MINUT	\$15,187.00	\$7,441.63




Item	Qty	Description	List	Sell Total
		Hobart Model No. 6460-1 Vegetable Peeler, 50-60 lb. potatoes in 1-3 minute capacity, synchronous timer adjustable from 1/2 min. increment up to 4 min., V-belt drive, removable abrasive silicon carbide disc & lexan liner, welded stainless steel construction, 115/60/1-ph, 1 hp Weight: 164 lbs total Cube: 13.0		
INSINS S200	1 ea	DISPOSER BASIC UNIT ONLY 2-HP MOTOR STAINLESS ST	\$4,162.00	\$1,335.99
		InSinkErator Model No. SS-200 SS-200™ Disposer, basic unit only, 2 HP motor, stainless steel construction, includes mounting gasket, adjustable leg kit Dimensions 18.5(h) Class 85 Weight: 70 lbs total		
INTER C545N SU	1 ea	C5 4 SERIES WITH INSULATION ARMOUR PLUS MOBILE	\$4,857.00	\$1,529.96
		Metro Model No. C545N-SU C5™ 4 Series Transport Cabinet, mobile, half height, with Insulation Armour™ Plus, for hot or cold food transport, insulated solid door, universal wire slides 3" OC, adjustable on 1-1/2" increments, (8) 18" x 26" or (16) 12" x 20" x 2-1/2" pan capacity, polyurethane panels over stainless steel, 5" casters, NSF Dimensions 37.75(h) x 30(w) x 33(d) Class 125 Weight: 230 lbs total Cube: 28.5		
ROTIS FB116 06GS	1 ea	FLAMBOYANT INFRARED ROTI;SSERIE	\$16,545.00	\$6,359.50
		Rotisol USA Model No. FB1160-6G-SS FlamBoyant Infrared Rotisserie Oven, gas, countertop, 45-1/8" W, (6) stainless steel V-shaped spits, 24-30 chicken capacity, (6) individual motors, drip pan with drain plug, halogen lamp, tempered glass doors, stainless steel finish, 77,000 BTU, 0.53 kW, 208-230v/60/1-ph, 3 amps,cETLus, ETL-Sanitation Dimensions 78.25(h) x 45.13(w) x 26.63(d) Weight: 515 lbs total		
SOUTB SPR2JF B	1 ea	STOCK POT RANGE 18 (2) CAST IRON BURNERS DOU	\$9,227.00	\$2,745.04
		Southbend Model No. SPR-2J-FB Stock Pot Range, 18", (2) cast iron burners, double, manual controls, one-piece tray, stainless steel front, front rail & sides, legs with adjustable feet, 90,000 BTU, CSA, NSF (Note: Qualifies for Southbend's Service First™ Program, see Service First document for details) Dimensions 40.5(h) x 18(w) x 22.5(d) Class 92.5 Weight: 175 lbs total		
STAR MRTW 14E	1 ea	14" ROLLING TORTILLA WAR;MER	\$15,093.00	\$4,041.15





Item	Qty	Description	List	Sell Total
		Star Model No. RTW14EA Rolling Tortilla Warmer, electric, (900) 6-inch tortillas per hour, adjustable thermostat up to 480°F, Sunology™ coated drum, includes removable stainless steel upper inlet & lower output trays, 4" legs, cULus, UL EPH Classified, Made in USA Dimensions 13(h) x 19.6(w) x 21.3(d) Weight: 69 lbs total		
STAR M615T F	1 ea	15"X21" GAS GRIDDLE;	\$4,311.00	\$1,086.61
		Star Model No. 615TF Star-Max® Heavy Duty Griddle, gas, countertop, 15" W x 21" D cooking surface, 1" thick polished steel griddle plate, embedded modulating thermostat every 12", heavy duty knobs, wrap-around stainless steel splash guard, grease trough & stainless steel drawer, welded steel frame with stainless steel front, 4" legs, 28,300 BTU, cULus, UL EPH Classified, Made in USA, (ships Natural gas includes LP conversion kit) Dimensions 15.5(h) x 15(w) x 29(d) Weight: 126 lbs total		
	Class 85			
VOLLR 40722	1 ea	CAYENNE 24 GAS FLAT TOP GRIDDLE SHIPPED SET U	\$3,285.70	\$1,035.00
		Vollrath Model No. 40722 CAYENNE® Griddle, gas, countertop, 24"W x 27"D x 17-1/2"H, 3/4" thick polished steel griddle plate, (2) thermostatically controlled metal control knobs, 12"W heating zone per control, 19" cooking surface depth, 2-3/4"H backsplash & tapered sidesplashes, stainless & aluminized steel construction, gas regulator valve, 4" adjustable legs, 56,000 BTU, CSA, imported (ships natural gas includes LP conversion kit) (model FTG1024) (Refer to vollrathfoodservice.com for full warranty policy) Dimensions 17.5(h) x 24(w) x 27(d) Weight: 187 lbs total Cube: 8.519		
	Class 100			
425761	1 ea	48 IN SANDWICH PREP TABL;E	\$12,985.00	\$3,231.32
		True Mfg. - General Foodservice Model No. TSSU-48-08-HC (425761) Sandwich/Salad Unit, (8) 1/6 size (4"D) poly pans, stainless steel insulated cover, 11-3/4"D cutting board, (2) full doors, (4) PVC coated adjustable wire shelves, stainless steel top/front/sides, GalFan coated steel back, aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 5.8 amps, NEMA 5-15P, cULus, UL EPH Classified Made in USA Dimensions 36.75(h) x 48.38(w) x 30.13(d) Weight: 295 lbs total Cube: 49.0		
	Class 150			
CHEFT 16801	1 ea	TRUE TSSU-48-18M-B-HC2 DOOR MEGA PREP FRIDGE	\$14,323.00	\$2,607.12






Item	Qty	Description	List	Sell Total
		True Mfg. - General Foodservice Model No. TSSU-48-18M-B-HC (689501) Mega Top Sandwich/Salad Unit, (18) 1/6 size (4"D) poly pans, stainless steel insulated cover, 8-7/8"D cutting board, (2) full doors, (4) PVC coated adjustable wire shelves, stainless steel top, front, sides, GalFan coated steel back, aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 5.8 amps, NEMA 5-15P, cULus, UL EPH Classified Made in USA Dimensions 40.38(h) x 48.38(w) x 34.88(d)		
	Class 150	Weight: 310 lbs total	Cube: 55.0	
242361	1 ea	FOOD PROCESSOR, BENCHTOP / COUNTERTOP Robot Coupe Model No. R2NCLR (242361) Commercial Food Processor, 3 liter clear polycarbonate bowl with handle, vegetable prep attachment with external ejection, kidney-shaped opening, includes: (1) "S" blade (27055), (1) 2mm grating disc (27577), (1) 4mm slicing disc (27566), continuous feed, bowl attachment designed for vertical cutting & mixing, on/off & pulse switch, single speed, 1725 RPM, 120v/60/1-ph, 7.0 amps, 1 HP, NEMA 5-15P, cETLus, ETL-Sanitation Dimensions 19.25(h) x 8.75(w) x 15.75(d)	\$1,574.00	\$771.26
	1 ea	1 year parts & labor warranty		
	Class 100	Weight: 33 lbs total	Cube: 2.52	
429951	1	3 WELL NAT. GAS STEAMTAB;LE DUKE MFG. CO. Model No. E303		\$471.37
429981	1	2 WELL ELECTRIC STEAMTAB;LE 120V DUKE MFG. CO. Model No. E302 120V		\$388.21
686701	1 ea	2 DOOR REFRIGERATOR W/;CASTERS True Mfg. - General Foodservice Model No. T-49-HC (686701) Refrigerator, reach-in, two-section, (2) stainless steel doors, (6) PVC coated adjustable wire shelves, interior lighting, stainless steel front, aluminum sides, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.4 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR® Dimensions 78.38(h) x 54.13(w) x 29.5(d)	\$15,888.00	\$3,953.73
	Class 150	Weight: 400 lbs total	Cube: 101.0	
617201	1 ea	FRYER 40 LBS S/S POT NAT; GAS Pitco Frialator Model No. SG14-S (617201) Essentials Fryer, Solstice™ Fryer, gas, floor model, full frypot, 40-50 lb. oil capacity, millivolt control ONLY, includes drain line cleanout rod & drain extension, stainless steel tank, front, door & sides, 110,000 BTU, NSF, CE, CSA Flame, CSA Star, AuGA (free standing, stand alone only fryer - special price) (Cannot be configured for use with other controllers, accessories or options)	\$13,222.93	\$1,741.10
	Class 85	Weight: 200 lbs total	Cube: 17.0	
520401	1 ea	MOBILE HEATED CABINET	\$11,928.00	\$1,183.83

Item	Qty	Description	List	Sell Total
		Cres Cor Model No. H138S1834D (520401) Cabinet, Mobile Heated, insulated, top-mount heater assembly, recessed push/pull handle, magnetic latch, channel pan slides hold (32) 18" x 26" pans on 1-1/2" centers, anti-microbial latches, reversible dutch doors, (4) heavy duty 5" swivel casters (2) braked, stainless steel construction, NSF, cCSAus, ENERGY STAR® Dimensions 73(h) x 28.75(w) x 32.75(d)		
	1 ea	Standard Warranty: 1 year labor with 3 year parts warranty		
	1 ea	120v/60/1-ph, 1.5 kW, 12.0 amp, 10 ft power cord, NEMA 5-15P, standard		
	1 ea	Right-hand door swing (top & bottom doors), standard		
	Class 100	Weight: 326 lbs total		
STOEL VB120 109A	1 ea	BATCH FREEZER Stoelting Model No. VB120-109A Batch Freezer, vertically oriented, floor model, 23-5/8"W x 30-3/4"D x 49-1/4"H, water cooled, 45 quart cylinder capacity, time/temp controlled freezing, (2) 4.8 hp semi-hermetic compressor, 9.1 hp beater motor, 208-240v/60/3-ph, 48.0 amps, hard wired, ETL, NSF Dimensions 49.25(h) x 23.63(w) x 30.75(d)		
	1 ea	2 year warranty on freezing cylinder, compressor, drive motor, gearbox & agitator shaft. 1 year warranty on remaining parts & labor (North America Only)		
	1 ea	VB120-109A/START-UP FEE Factory Start-up, for VB120-109A (net)		
	Class 85	Weight: 864 lbs total		
549101	1 ea	ICE CUBER 556 LB 22" WI;DE 115V Hoshizaki Model No. KM-520MAJ (549101) Ice Maker, Cube-Style, 22"W, air-cooled, self-contained condenser, production capacity up to 556 lb/24 hours at 70°/50° (480 lb AHRI certified at 90°/70°), stainless steel finish, crescent cube style, R-404A refrigerant, 115v/60/1-ph, 10.6 amps, NSF, UL, ENERGY STAR® Dimensions 28(h) x 22(w) x 27.38(d)	\$8,560.00	\$2,486.77
	Class 92.5	Weight: 175 lbs total		
548801	1 ea	ICE CUBER / BIN 230 LB;115V Hoshizaki Model No. KM-231BAJ (548801) Ice Maker With Bin, Cube-Style, 24"W, air-cooled, self-contained condenser, production capacity up to 213 lb/24 hours at 70°/50° (147 lb AHRI certified at 90°/70°), 80 lb built-in ice storage capacity, crescent style cube, front opening bin, stainless steel exterior, 6" painted legs, ice bin opening is ADA compliant, 115v/60/1-ph, 7.1 amps, NEMA 5-15P, NSF, cETLus, UL Dimensions 39(h) x 24(w) x 28(d)	\$6,780.00	\$1,969.07
	Class 150	Weight: 180 lbs total		
549401	1 ea	ICE MAKER 442 LBS. 115V;/1PH	\$8,700.00	\$2,504.73




Item	Qty	Description	List	Sell Total
		Hoshizaki Model No. KML-500MAJ (549401) Ice Maker, Cube-Style, 30"W, air-cooled, self-contained condenser, production capacity up to 442 lb/24 hours at 70°/50° (400 lb AHRI certified at 90°/70°), stainless steel finish, crescent cube style, R-404A refrigerant, 115v/60/1-ph, 7.6 amps, NSF, UL Dimensions 22(h) x 30(w) x 27.38(d)		
	Class 92.5	Weight: 185 lbs total		
547201	1 ea	ICE BIN FOR ICE MACHINES Hoshizaki Model No. B-300SF Ice Bin, 22"W, top-hinged front-opening door, 300-lb ice storage capacity, for top-mounted ice maker, stainless steel exterior, 6" painted flange legs included, protected with H-GUARD Plus Antimicrobial Agent, ETL, ETL-Sanitation Dimensions 46(h) x 22(w) x 32.5(d)	\$2,750.00	\$790.02
	1 ea	Warranty: 3-Year parts & labor for bin		
	Class 92.5	Weight: 125 lbs total		
NORM SGEM- 0450A	1 ea	NUGGET ICE MAKER Ice-O-Matic Model No. GEM0450A Pearl Ice® Maker, soft, chewable ice crystals, air-cooled, self-contained condenser, approximately 464 lb/210 kg production/24 hours, durable stainless finish, cULus, NSF, CE Dimensions 27(h) x 21(w) x 24(d)	\$11,681.00	\$1,967.99
	1 ea	3 yr. parts & labor warranty, standard		
	1 ea	5 yr. parts on the compressor warranty, standard		
	1 ea	115v/60/1-ph, 16.0 amps, standard		
	Class 92.5	Weight: 205 lbs total		
434281	1 ea	ICE CUBER 460LB 115V HAL;F DICE Manitowoc Model No. IYT0420A (434281) Indigo NXT™ Series Ice Maker, cube-style, air-cooled, self-contained condenser, 22"W x 24-1/2"D x 21-1/2"H, production capacity up to 460 lb/24 hours at 70°/50° (375 lb AHRI certified at 90°/70°), easyTouch display with 13 different language options, date/time stamp display, automatic reminder/alert icon, one touch asset information, automatic detection of accessories, continuous operating status, programmable production options (time, weight, day or night), one touch cleaning with displayed instructions, Alpha-San anti-microbial protection, acoustical ice sensing probe, self-diagnostic technology, DuraTech™ exterior, half-dice size cubes, R410A refrigerant, NSF, cULus, CE, ENERGY STAR® Dimensions 21.5(h) x 22(w) x 24.5(d)	\$8,242.00	\$2,136.11
	Class 92.5	Weight: 136 lbs total		
434341	1 ea	ICE MAKER WITH BIN, CUBE-STYLE	\$6,436.00	\$1,721.61


Item	Qty	Description	List	Sell Total
		Manitowoc Model No. UYF0240A NEO® Undercounter Ice Maker, cube-style, air-cooled, self contained, 26"W x 28"D x 38-1/2"H, production capacity up to 219 lb/24 hours at 70°/50° (160 lb AHRI certified at 90°/70°), 90 lbs ice 90 lb ice storage capacity, electronic controls, full bin and service indicators, production delay of (4, 12, or 24 hours), Alpha-San anti-microbial protection, forward sliding storage bin for access to refrigeration components, sealed foodzone with removable water trough, distribution tube and damper door, half-dice size cubes, 6" adjustable legs with flanged feet (painted gray), 1/3 HP, NSF, cULus Dimensions 38.5(h) x 26(w) x 28.5(d)		
	1 ea	WARRANTY-ICE-SC 3 year parts & labor (Machine), 5 year parts & labor (Evaporator), 5 year parts & 3 years labor (Compressor), standard		
	1 ea	(-161B) 115v/60/1-ph, 7.0 amps, cord with NEMA 5-15P		
	Class 92.5	Weight: 159 lbs total		
434331	1 ea	ICE MAKER WITH BIN, CUBE-STYLE	\$5,888.00	\$1,581.57
		Manitowoc Model No. UYF0190A NEO® Undercounter Ice Maker, cube-style, air-cooled, self contained, 26"W x 28"D x 38-1/2"H, production capacity up to 193 lb/24 hours at 70°/50° (140 lb AHRI certified at 90°/70°), 90 lb ice storage capacity, electronic controls, full bin and service indicators, production delay of (4, 12, or 24 hours), Alpha-San anti-microbial protection, forward sliding storage bin for access to refrigeration components, sealed foodzone with removable water trough, distribution tube and damper door, half-dice size cubes, 6" adjustable legs with flanged feet (painted gray), 0.42 HP, NSF, cULus, CE (Replaces UY-0190A; CONTACT DISTRIBUTOR FOR AVAILABILITY) Dimensions 38.5(h) x 26(w) x 28.5(d)		
	1 ea	WARRANTY-ICE-SC 3 year parts & labor (Machine), 5 year parts & labor (Evaporator), 5 year parts & 3 years labor (Compressor), standard		
	1 ea	(-161B) 115v/60/1-ph, 6.0 amps, cord with NEMA 5-15P		
	Class 92.5	Weight: 153 lbs total		
MANIT USE00 50A16 1	1 ea	MANITOWOC SQUARE CUBE MACHINE	\$7,700.00	\$1,983.91
		Manitowoc Model No. USE0050A CrystalCraft™ Premier Ice Maker, cube-style, air-cooled, self-contained condenser, 14.75"W x 22-4/5"D x 3-1/2"H, production capacity up to 45 lb/24 hours at 70°/50° (35 lb AHRI certified at 90°/70°), stainless steel cabinet, 1.5" x 1.5" crystal clear square cube, R134 refrigerant, ice storage capacity 25 lbs, AR-2800 water filter integrated into unit, 6'/1.8 M power cord included, with NEMA plug, not compatible with iAuCS or Luminice, use metal save 00000084 descaler		
	Class 92.5	Weight: 121 lbs total		
TRIME SOCKET 601101	3 ea	MCD1800 HERITAGE INDUCTION RANGE DROP-IN SINGL	\$2,657.40	\$1,531.17





Item	Qty	Description	List	Sell Total
		CookTek Model No. 601101 (MCD1800) Heritage Induction Range, drop-in, single hob, glass-ceramic top, control knob, microprocessor with (20) power cook settings & auto shut-off, self-diagnostics, automatic pan detection, LED display, integral cooling fan, stainless steel exterior, 100-120v/50/60/1-ph, 1800 watts, 15.0 amps, 6 ft. cord, NEMA 5-15P, cETLus, NSF, CE, Made in USA Dimensions 3.7(h) x 13.75(w) x 13.75(d) Class 250 Weight: 54 lbs total		
919580	1 ea	COUNTERTOP GAS CHARBROILER;ER 47 13/20" 4 BURNERS TriMark Model No. KCBR48 (919580) Kintera® Charbroiler, gas, countertop, 48"W, (4) burners, manual, 47-11/16"W x 20-3/4"D cooking surface, 10 gauge stainless steel radiants, reversible cast iron cooking racks with (3) height positions, 4"H backsplash & side splash, removable stainless steel grease catch pan, extended cool to touch front edge, large chrome knobs, front access pilots, adjustable non-skid stainless steel legs, includes: LP conversion kit & pressure regulator, stainless steel, 140,000 BTU, ETL-Sanitation, cETLus (919580) Dimensions 15.19(h) x 47.65(w) x 29.5(d) Class 85 Weight: 290 lbs total Cube: 12.307	\$1,044.00	\$423.50
				
919586	1 ea	RANGE 60" 10 OPEN BURNERS 2 STANDARD OVENS TriMark Model No. KR10 (919586) Kintera® Range, gas, 60"W, (10) burners, heavy duty 12" x 12" removable cast iron grates, instant light flame adjustable chrome control knobs, individual pilot lights, (2) standard ovens, with 250°F - 550°F temperature range, (4) removable oven racks, flame failure safety device, cool to touch oven door handle, steel frame, stainless steel front, backriser & shelf, 6" adjustable stainless steel legs, includes: LP conversion kit & pressure regulator, 1" NPT rear gas connection, 360,000 BTU, ETL-Sanitation, cETLus (919586) Dimensions 60.5(h) x 60(w) x 32.63(d) Class 85 Weight: 737 lbs total Cube: 67.833	\$2,683.00	\$1,306.90
				
919572	1 ea	COUNTERTOP GAS GRIDDLE ;24 1/16" MANUAL CONTROL TriMark Model No. KGR24M (919572) Kintera® Griddle, gas, countertop, 24"W, (2) burners, manual, 24-1/16"W x 20-11/16"D cooking surface, 3/4" highly polished griddle plate, 4"H welded backsplash & side splash, 3-1/4" front grease trough, removable stainless steel grease catch pan, double wall construction, insulated side panels, extended cool to touch front edge, large chrome temperature knobs, front access pilots, adjustable non-skid stainless steel legs, includes: LP conversion kit & pressure regulator, stainless steel, 3/4" NPT (19mm) rear gas connection, 60,000 BTU, ETL-Sanitation, cETLus (919572) Dimensions 15.19(h) x 24.06(w) x 30.44(d) Class 85 Weight: 198 lbs total Cube: 6.413	\$604.00	\$363.00
				
300017	1 ea	494 LB/24 HR MODULAR;ICE MACHINE 120V	\$3,161.00	\$1,881.00

Item	Qty	Description	List	Sell Total
		TriMark Model No. KFM500-1A (300017) Kintera® Ice Maker, full dice, self-contained refrigeration, air-cooled condenser, 30"W, 495 lb. production per 24 hr, smart electronic control board, smart water distributor, removable panels, dual switch, 304 stainless steel construction, vertical plate evaporator, 115v/60/1-ph, R290, cETLus, NSF Dimensions 19.75(h) x 30(w) x 24.38(d) Class 92.5 Weight: 207 lbs total Cube: 11.72		
919610	1 ea	REFRIGERATOR MERCHANDISE; R TWO-SECTION 48 CU FT	\$2,254.00	\$1,329.30
		TriMark Model No. KGD48R (919610) Kintera® Refrigerator Merchandiser, two-section, 48 cu. ft., bottom mount self-contained refrigeration, 33°F to 41°F temperature range, solid state thermostat, with digital display, (2) hinged triple pane locking glass doors, with heat reflecting film, LED lighting, (8) adjustable heavy duty PVC coated shelves, removable door gaskets, stainless steel floor, black enamel coated steel top & sides, aluminum back & interior walls, R290 Refrigerant , 1/4 HP, 115v/60/1-ph, 4.5 amps, NEMA 5-15, cETLus, ETL-Sanitation (919610) Dimensions 82.75(h) x 53.13(w) x 33.25(d) Class 150 Weight: 540 lbs total Cube: 75.746		
919602	1 ea	BOTTOM MOUNT REACH-IN RE;FRIGERATOR THREE-SECTIO	\$4,399.00	\$1,533.70
		TriMark Model No. KBM3R (919602) Kintera® Refrigerator, reach-in, three-section, 72 cu. ft., bottom mounted self-contained refrigeration, solid state thermostat, with digital display, (3) self-closing solid doors, stainless steel front & sides, aluminum back exterior, 1/2 HP, 115v/60/1-ph, 7 amps, NEMA 5-15, cETLus, ETL-Sanitation (919602) Dimensions 82.5(h) x 80.88(w) x 32.25(d) Class 150 Weight: 669 lbs total Cube: 130.64		
955404	1 ea	REFRIGERATED CHEF BASE ;72 3/8"	\$2,529.00	\$1,134.00
		TriMark Model No. KCB72 (955404) Kintera® Refrigerated Chef Base, 72-3/8"W, 15 cu. ft. capacity, side mounted self-contained refrigeration, electronic controls, with digital temperature display, 34° to 41°F temperature range, (4) drawers, pull handles, stainless steel top with marine edge, stainless steel interior & exterior, aluminum back, casters with brakes, R290 refrigerant, 1/3 HP, 115v/60/1-ph, 6.4 amps, NEMA 5-15P, cETLus, ETL-Sanitation (955404) Dimensions 25.88(h) x 72.38(w) x 32.13(d) Class 150 Weight: 484 lbs total Cube: 42.0		
919603	1 ea	BOTTOM MOUNT REACH-IN FR;EEZER ONE-SECTION 23 C	\$1,858.00	\$745.50
		TriMark Model No. KBM1F (919603) Kintera® Freezer, reach-in, one-section, 23 cu. ft., bottom mounted self-contained refrigeration, digital temperature control, (1) self-closing solid door, (3) adjustable shelves, white aluminum interior, stainless steel interior floor, ABS door liner, stainless steel exterior, casters, 5/8 HP, 115v/60/1-ph, 11.0 amps, NEMA 5-15, cETLus, ETL-Sanitation (919603)		

Item	Qty	Description	List	Sell Total
		Dimensions 82.5(h) x 29(w) x 32.25(d)		
	Class 150	Weight: 364 lbs total		Cube: 43.547
919605	1 ea	TOP MOUNT REACH-IN REFRI;GERATOR ONE-SECTION 23	\$2,309.00	\$702.80
		TriMark Model No. KTM1R (919605) Kintera® Refrigerator, reach-in, one-section, 23 cu. ft., top mounted self-contained refrigeration, electronic thermostat & digital LED temperature display, (1) self-closing solid door, stainless steel, 3/8 HP, 115v/60/1-ph, 3.8 amps, NEMA 5-15, UL EPH Classified, cULus, Quick Ship (919605) Dimensions 82.3(h) x 26.8(w) x 32.7(d)		
	Class 150	Weight: 350 lbs total		Cube: 41.739
955406	1 ea	DIRECT DRAW COOLER 58 7/8"W X 27 3/4"D X 35 5/8	\$1,789.00	\$883.47
		TriMark Model No. KDD2 (955406) Kintera® Direct Draw Draft Beer Cooler, 58-7/8"W, 19 cu. ft. capacity, accommodates (2) half barrels, side mounted self-contained refrigeration, 34° to 41°F temperature range, (1) beer column, (1) dual angled faucet, (2) self-closing doors with locks, LED interior lighting, stainless steel top & interior, black vinyl exterior, heavy duty casters with brakes, 1/5 HP, 115v/60/1-ph, 2.88 amps, NEMA 5-15P, ETL (955406) Dimensions 35.63(h) x 58.88(w) x 27.75(d)		
	Class 150	Weight: 312 lbs total		Cube: 46.0
919606	1 ea	TOP MOUNT REACH-IN REFRI;GERATOR TWO-SECTION 49	\$3,189.00	\$1,105.30
		TriMark Model No. KTM2R (919606) Kintera® Refrigerator, reach-in, two-section, 49 cu. ft., top mounted self-contained refrigeration, electronic thermostat & digital LED temperature display, (2) self-closing solid doors, stainless steel, 1/2 HP, 115v/60/1-ph, 5.7 amps, NEMA 5-15, UL EPH Classified, cULus, Quick Ship (919606) Dimensions 82.3(h) x 53.9(w) x 32.7(d)		
	Class 150	Weight: 518 lbs total		Cube: 130.667
955403	1 ea	REFRIGERATED CHEF BASE ;60"	\$2,364.00	\$1,001.00
		TriMark Model No. KCB60 (955403) Kintera® Refrigerated Chef Base, 60"W, 9.9 cu. ft. capacity, side mounted self-contained refrigeration, 60"W x 32-1/8"D extended top, electronic controls, with digital temperature display, 34° to 41°F temperature range, (2) drawers, pull handles, stainless steel top with marine edge, stainless steel interior & exterior, aluminum back, casters with brakes, R290 refrigerant, 1/4 HP, 115v/60/1-ph, 4.6 amps, NEMA 5-15P, cETLus, ETL-Sanitation (955403) Dimensions 25.88(h) x 60(w) x 32.13(d)		
	Class 150	Weight: 363 lbs total		Cube: 35.0
955405	1 ea	SINGLE SECTON DRAFT BEER;COOLER 23 1/2" W X 30 3	\$1,649.00	\$515.28
		TriMark Model No. KDD1 (955405) Kintera® Direct Draft Beer Cooler, single section, 23-1/2"W, 6.5 cu. ft. capacity, accommodates (1) half barrel, side mounted self-contained refrigeration, 34° to 41°F temperature range, (1) beer column, (1) dual angled faucet, (1) self-closing door with lock, LED interior lighting, stainless steel top & interior, black vinyl exterior, heavy duty casters		





Item	Qty	Description	List	Sell Total
		with brakes, 1/6 HP, 115v/60/1-ph, 1.92 amps, NEMA 5-15P, ETL (955405) Dimensions 38.75(h) x 23.5(w) x 30.38(d)		
	Class 150	Weight: 176 lbs total Cube: 23.0		
955121	1 ea	SINK THREE COMPARTMENT ;75"L S/S LEGS TriMark Model No. KES3C1515S-215 (946695) Kintera® Economy Sink, three compartment, 75"W x 21"D x 43"H overall size, 15" x 15" x 12" deep compartment, 15" right & left drainboards, 9" backsplash with 2" return (clip down), 1-1/8" splash faucet holes on 8" centers, raised 1-1/2" roll edge, includes 3-1/2" basket strainer, stainless steel wall clips, 18/300 Series stainless steel construction, stainless steel leg sockets, 1-5/8" stainless steel legs, 1" adjustable polymer bullet feet, NSF (955121) Dimensions 43(h) x 75(w) x 21(d)	\$737.00	\$275.00
				
	Class 70	Weight: 516.98 lbs total Cube: 100.283		
ALTOS 1000T HI	1 ea	HALO HEAT SLO COOK & HOLD OVEN ELECTRIC LOW-TE Alto-Shaam Model No. 1000-TH/I Halo Heat® Slo Cook & Hold Oven, electric, low-temperature, two compartments, 120 lb. capacity each - (4) full-size pans per cavity, simple controller with timer, heavy-duty stainless steel, 5" casters; 2 rigid, 2 swivel with brakes, EcoSmart®, cULus, NSF, CE, IPX3, TUV NORD Dimensions 75.63(h) x 23.94(w) x 31.63(d)	\$15,188.00	\$6,061.65
				
	Class 175	Weight: 435 lbs total		
439501	1 ea	CONVECTION OVEN, GAS Blodgett Model No. ZEPH-200-G-ES SGL Zephaire Convection Oven, gas, single-deck, bakery depth, capacity (5) 18" x 26" pans, (SSI-M) solid state infinite controls with 60 min. manual timer, two speed fan, porcelainized baking compartment, dependent glass door, interior light, stainless steel front, sides and top, 25" stainless steel legs, 50,000 BTU, cETLus, CE, NSF, ENERGY STAR® Dimensions 57(h) x 38.25(w) x 36.88(d)	\$29,662.00	\$2,670.50
				
	1 ea	NOTE: Draft diverter is not required for this oven		
	1 ea	2 year parts, 2 year labor and 1 additional year door warranty (parts only), standard		
	1 ea	Gas type to be determined		
	1 ea	115v/60/1-ph, 8.0 amps, 2-wire with ground, cord & plug, 3/4 hp, standard		
	1 ea	SSI-M Solid State infinite control with 60 min. manual timer		
	1 st	25" legs, adjustable, stainless steel (set), standard		
	Class 92.5	Weight: 617 lbs total Cube: 49.0		
JOSPE HJA50	1 ea	CHARCOAL BROILER OVEN	\$29,750.00	\$16,639.00



Item	Qty	Description	List	Sell Total
		Josper Charcoal Ovens Model No. HJA-PLUS-L175-T Class A Charcoal Broiler Oven, 41-3/8"W x 41-5/8"D, insulated, (1) pull-down hydraulic door, (8) fire grates, (2) 30"W x 29-3/8"D adjustable grill racks, oven holds (2) GN 1/1 trays per rack, tempering cavity holds (2) GN 1/1 & (2) GN 1/2 trays, antispark safety, combustion shield, cooled flue, firebreak & hat, smoke outlet vent, lower vent with handle regulator, stainless steel tube, includes: tongs, bristle brush, poker & ash drawer, forged & cast iron interior, stainless steel exterior, casters, NSF, CE, UL Dimensions 77.88(h) x 41.38(w) x 41.63(d)		
	1 ea	1 year warranty from purchase date on any manufacturing fault, standard		
	1 ea	Black, standard		
	Class 92.5	Weight: 1325 lbs total		
408871	1 ea	CONV. OVEN 5 PAN HALF SI;ZE 208V Moffat Model No. E33D5 (408871) Turbofan® Convection Oven, electric, (5) half-size sheet pan capacity, 3-1/3" tray spacing, digital & electronic thermostat control, temperature range 140 - 500° F, up to 5 cooking stages, 2 speed fan, porcelain enameled oven chamber, dual halogen oven lamps, adjustable anti-skid stainless steel feet & exterior, 5.8kW, cETLus, NSF Dimensions 28.38(h) x 24(w) x 26.75(d)	\$8,550.00	\$2,309.05
		Class 85		Weight: 229 lbs total
NUVU FXO1 M	1 ea	MOVING AIR OVEN TABLETOP ELECTRIC HALF SIZE ELEC NU-VU Model No. XO-1M Moving Air Oven, countertop, electric, (4) half size pan capacity, electro-mechanical controls, left-hinged tempered glass door, indicator light for thermostat, stackable, stainless steel construction, 4" adjustable legs, NSF, cETLus, Made in USA Dimensions 25.13(h) x 27.13(w) x 27.75(d)	\$8,485.00	\$2,661.67
		Class 175		Weight: 180 lbs total
OMCA N1138 7	1 ea	(CE-TW-0356) CONVEYOR OVEN 14.3W X 3.3H OPENI Omcan USA Model No. 11387 (CE-TW-0356) Conveyor Oven, 14.3"W x 3.3"H opening, 14" wide belt, capacity: (16) 14" pizzas/hour / (19) 12" pizzas/hour / (25) 9" pizzas/hour, (10) temperature settings with temperature range 158° - 500°F, variable speed control, detachable tray, removable drip pan, stainless steel body, 3.6kW, 15.0 amps, 240v/60/1-ph, cord, NEMA 6-20P, cETLus Dimensions 15.7(h) x 18.5(w) x 41(d)	\$3,288.43	\$522.27
		Class 175		Weight: 111 lbs total Cube: 24.48
DELFI1 8648P TBMPF B	1 ea	PIZZA PREP REFRIG;SINGLE SECTION 48"W	\$16,573.00	\$2,868.01

Item	Qty	Description	List	Sell Total
		Delfield Model No. 18648PTBMP Refrigerated Pizza Table, single-section, 48" W, 8.39 cubic feet, (6) 1/3 pan capacity, (1) shelf, (1) 27" door, 18 gauge stainless steel top, refrigerated pan rail, stainless steel ends, 6" casters, side-mounted refrigeration system, R290 Hydrocarbon refrigerant, 1/4 HP, cUL, UL, NSF Dimensions 42(h) x 48(w) x 31.5(d) Weight: 520 lbs total		
Class 150				
550101	1 ea	SANDWICH / SALAD PREPARATION REFRIGERATOR Hoshizaki Model No. SR60B-16 Steelheart Series Sandwich Top Refrigerator, reach-in, two-section, 60"W, 14.8 cu. ft., self-contained rear mounted refrigeration system, (2) solid hinged doors, (2) adjustable shelves, provided with (16) 1/6 pans 4" deep, 6" maximum pan depth (top rail), 10" D x 1/2" thick white polyethylene cutting board & a full set of adapter bars, stainless steel interior, stainless steel exterior front, sides & hinged top cover, hot gas condensate removal, (4) 6" casters (2 with brakes), R290 Hydrocarbon refrigerant, 1/3 HP, NEMA 5-15P, cETLus, ETL-Sanitation Dimensions 44.25(h) x 60(w) x 31.7(d) 1 ea Warranty: 5-Year labor on entire machine 1 ea Warranty: 6-Year parts on entire machine 1 ea Warranty: 7-Year parts on compressor 1 ea 115v/60/1-ph, 6.0 amps, standard Weight: 359 lbs total	\$11,770.00	\$2,276.89
				
550701	1 ea	UNDERCOUNTER REFRIGERATOR Hoshizaki Model No. UR48B-01 Steelheart Series Undercounter Refrigerator, reach-in, two-section, 48"W, 13.66 cu. ft., self-contained rear mounted refrigeration system, (2) solid hinged doors, cylinder door lock, (2) adjustable shelves, stainless steel interior, stainless steel exterior front, sides & top, (4) 4" stem casters (2 with brakes), hot gas condensate removal, R290 Hydrocarbon refrigerant, 1/6 HP, cord, NEMA 5-15P, ETL-Sanitation, cETLus, ENERGY STAR® Dimensions 33.75(h) x 48(w) x 30(d) 1 ea Warranty: 5-Year labor on entire machine 1 ea Warranty: 6-Year parts on entire machine 1 ea Warranty: 7-Year parts on compressor 1 ea 115v/60/1-ph, 2.6 amps, standard Weight: 249 lbs total	\$9,490.00	\$2,114.34
				
Class 150				
550601	1 ea	UNDERCOUNTER REFRIGERATOR Hoshizaki Model No. UR27B Steelheart Series Undercounter Refrigerator, reach-in, one-section, 27"W, 7.21 cu. ft., self-contained rear mounted refrigeration system, (1) solid hinged door, (1) adjustable shelf, stainless steel interior, stainless steel exterior front, sides & top, (4) 4" stem casters (2 with brakes), R290 Hydrocarbon refrigerant, 1/6 HP, NEMA 5-15P, ETL-Sanitation, cETLus, ENERGY STAR® Dimensions 33.75(h) x 27(w) x 31(d) 1 ea Warranty: 5-Year labor on entire machine	\$6,140.00	\$1,440.75
				

Item	Qty	Description	List	Sell Total
	1 ea	Warranty: 6-Year parts on entire machine		
	1 ea	Warranty: 7-Year parts on compressor		
	1 ea	115v/60/1-ph, 2.5 amps, standard		
	Class 150	Weight: 175 lbs total		
549901	1 ea	SANDWICH / SALAD PREPARATION REFRIGERATOR Hoshizaki Model No. SR48B-12 Steelheart Series Sandwich Top Refrigerator, reach-in, two-section, 48"W, 13.66 cu. ft., self-contained rear mounted refrigeration system, (2) solid hinged doors, (2) adjustable shelves, provided with (12) 1/6 pans 4" deep, 6" maximum pan depth (top rail), 10" D x 1/2" thick white polyethylene cutting board & a full set of adapter bars, stainless steel interior, stainless steel exterior front, sides & hinged top cover, (4) 6" casters (2 with brakes), hot gas condensate removal, R290 hydrocarbon refrigerant, 1/5 HP, cord, NEMA 5-15P, cETLus, ETL-Sanitation Dimensions 44.25(h) x 48(w) x 35(d)	\$10,890.00	\$2,558.73
	1 ea	Warranty: 5-Year labor on entire machine		
	1 ea	Warranty: 6-Year parts on entire machine		
	1 ea	Warranty: 7-Year parts on compressor		
	1 ea	115v/60/1-ph, 3 amps, standard		
	Class 150	Weight: 301 lbs total Cube: 50.86		
408900	1 ea	STAND FOR E27 AND E3 MOF;FAT OVEN Moffat Model No. SK2731U (408900) Equipment Stand, open base with slides for (6) full-size sheet pans, 31-7/8" x 25-5/8" x 34-5/8", stainless steel construction, comes standard with 3" casters, for E27, E28 and E31 models (NET) Dimensions 34.63(h) x 31.88(w) x 25.63(d)	\$748.00	\$404.60
		Weight: 45 lbs total Cube: 3.6		
689601	1 ea	60 IN SANDWICH PREP TABL;E True Mfg. - General Foodservice Model No. TSSU-60-16-HC (689601) Sandwich/Salad Unit, (16) 1/6 size (4"D) poly pans, stainless steel insulated cover, 11-3/4"D cutting board, (2) full doors, (4) PVC coated adjustable wire shelves, stainless steel top/front/sides, GalFan coated steel back, aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 6.5 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA Dimensions 36.75(h) x 60.38(w) x 30.13(d)	\$13,476.00	\$3,353.50
	Class 150	Weight: 360 lbs total Cube: 60.0		
409411	1 ea	72 IN SANDWICH PREP TABL;E True Mfg. - General Foodservice Model No. TSSU-72-18-HC (409411) Sandwich/Salad Unit, (18) 1/6 size (4"D) poly pans, stainless steel insulated cover, 11-3/4"D cutting board, (3) full doors, (6) PVC coated adjustable wire shelves, stainless steel top/front/sides, GalFan coated steel back, aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 7.2 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA Dimensions 36.75(h) x 72.38(w) x 30.13(d)	\$15,875.00	\$3,950.49
	Class 150	Weight: 445 lbs total Cube: 73.0		

Item	Qty	Description	List	Sell Total
409421	1 ea	3 DOOR PREP TABLE 72" W;IDE True Mfg. - General Foodservice Model No. TSSU-72-30M-B-ST-HC (409421) Mega Top Sandwich/Salad Unit, (30) 1/6 size (4"D) poly pans, (2) stainless steel insulated covers, 8-7/8"D cutting board, (3) full doors, (6) PVC coated adjustable wire shelves, stainless steel top, front & sides, aluminum back, aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 7.2 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA Dimensions 40.38(h) x 72.38(w) x 34.13(d)	\$18,342.00	\$4,564.41
		Class 150 Weight: 470 lbs total Cube: 82.0		
MONT A189A	1 ea	LEGEND ADD-A-UNIT 18IN HEAVY DUTY RANGE GAS (1) Montague Company Model No. 18-9A Legend™ Heavy Duty Range, gas, 18", Add-A-Unit, (1) hot top with ring/cover, open cabinet base with stainless steel front & 4" flue riser, black sides, black intermediate & bottom shelves, 6" high adjustable stainless steel legs, 35,000 BTU, CE, NSF, CSA, ETL Dimensions 36(h) x 18(w) x 37.25(d)	\$8,808.00	\$2,662.00
		Class 85 Weight: 340 lbs total		
547501	1 ea	2-DRAWER CHEFS TABLE; Hoshizaki Model No. CR49A (547501) Steelheart Series Refrigerated Equipment Stand, one-section, 49"W x 33-1/4"D x 27"H, (2) drawer: each will accommodate (2) 12" x 20" x 6" deep pans & (1) 1/2 size long 6" deep pan (pans not included), solid state digital controller with temperature alarms, LED display, stainless steel exterior front, sides, & top, stainless steel interior, side-mounted self-contained refrigeration, R290 Hydrocarbon refrigerant, 1/5 HP, 115/60/1-ph, 2.7 amps, cord, NEMA 5-15P, (4) 4" casters, cETLus, ETL-Sanitation Dimensions 27(h) x 49(w) x 33.25(d)	\$19,800.00	\$4,630.98
		Class 150 Weight: 327 lbs total		
436161	1 ea	17 CU FT CHEST FREEZER; Kelvinator Commercial Model No. KCCF170WH (738231) Chest Freezer, 17 cubic feet capacity, sealed cabinet interior, white exterior, lift up lid with lock, power on light, defrost drain, self-contained refrigeration system, thermometer, heavy duty wire storage basket, heavy-duty casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1, NEMA 5-15P, cETLus, ETL-Santation, ENERGY STAR® Dimensions 36.5(h) x 59.5(w) x 29.5(d)	\$3,171.00	\$799.09
		Class 150 Weight: 205 lbs total		
TRUEF T23GH CFGD0 1D	1 ea	REACH IN REFRIG GL DOOR;1 SEC I STATUS	\$14,045.00	\$2,315.30

Item	Qty	Description	List	Sell Total
		True Mfg. - General Foodservice Model No. T-23G-HC~FGD01 Refrigerator, reach-in, one-section, framed glass door version 01, (1) glass door, (3) PVC coated adjustable wire shelves, LED interior lighting, stainless steel front, aluminum sides, clear coated aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.2 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA Dimensions 78.38(h) x 27(w) x 29.88(d)		
	Class 150	Weight: 335 lbs total	Cube: 54.0	
409291	1 ea	3 DOOR BACKBAR 90" BLAC;K True Mfg. - General Foodservice Model No. TBB-4-HC (409291) Back Bar Cooler, three-section, 90-3/8"W, (152) 6-packs or (4) 1/2 keg capacity, (6) shelves, condensing unit on left, stainless steel top, (3) full doors with locks, LED interior lights, galvanized interior with stainless steel floor, black powder coated cold-rolled steel exterior, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR® Dimensions 37(h) x 90.38(w) x 27.75(d)	\$11,805.00	\$2,937.68
				
	Class 150	Weight: 525 lbs total	Cube: 75.0	
TRUEF TBB4S	1 ea	BACK BAR CABINET, REFRIGERATED True Mfg. - General Foodservice Model No. TBB-4-S-HC Back Bar Cooler, three-section, 90-3/8"W, (152) 6-packs or (4) 1/2 keg capacity, (6) shelves, condensing unit on left, stainless steel top, (3) full doors with locks, LED interior lights, galvanized interior with stainless steel floor, stainless steel exterior, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR® Dimensions 37(h) x 90.38(w) x 27.75(d)	\$17,194.00	\$2,363.08
				
	1 ea	Self-contained refrigeration standard		
	1 ea	7 year compressor warranty, 6 years parts warranty, 5 year labor warranty standard. Please visit www.truemfg.com for specifics standard		
	Class 150	Weight: 530 lbs total	Cube: 75.0	
TRUEF TUC24 GHCF	1 ea	UNDERCOUNTER REFRIGERATOR True Mfg. - General Foodservice Model No. TUC-24G-HC~FGD01 Undercounter Refrigerator, 33 - 38°F, framed glass door version 01, (1) glass door, (2) PVC coated adjustable wire shelves, LED interior lighting, stainless steel top, front & sides, clear coated aluminum interior with stainless steel floor, front breathing, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1-ph, 2.0 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, Made in USA Dimensions 31.63(h) x 24(w) x 24.75(d)	\$9,646.00	\$1,472.20
				
	1 ea	Self-contained refrigeration standard		
	1 ea	Right Hand, Standard: Unit comes with field reversible hinges (New door must be ordered) & is built with hinging on right side of unit.		
	1 ea	Bolt locks, factory installed, standard		

Item	Qty	Description	List	Sell Total
	1 ea	NOTE: Four (4) stationary castors. 31-5/8" (804 mm) work surface height. Two (2) front leg levelers included with unit for alternate use. No other castor/leg options are available for this model.		
	Class 150	Weight: 165 lbs total Cube: 22.0		
425711	1 ea	REFRIGERATED MERCHANDISER True Mfg. - General Foodservice Model No. GDM-19T-HC~TSL01 (425711) Refrigerated Merchandiser, one-section, bottom mounted self-contained refrigeration, True standard look version 01, (4) shelves, (1) Low-E thermal glass hinged door, LED interior lights, powder coated steel exterior, white interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 5.4 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, Made in USA, ENERGY STAR® Dimensions 78.63(h) x 27(w) x 24.88(d)	\$9,431.00	\$2,346.90
				
	1 ea	NOTE: Commonly stocked model in black exterior, & white exterior; verify availability with factory		
	1 ea	7 year compressor warranty, 6 years parts warranty, 5 year labor warranty standard. Please visit www.truemfg.com for specifics standard		
	1 ea	Self-contained refrigeration standard		
	1 ea	Exterior: Black powder coated steel, standard		
	1 ea	Interior: White aluminum, with white shelving, standard		
	1 ea	Door hinged right standard		
	1 ea	Illuminated sign decal: S-TS-02 "TRUE Stripe" graphic, standard		
	Class 150	Weight: 315 lbs total Cube: 48.0		
TRUEF GDM3 3SSL	1 ea	REFRIGERATED MERCHANDISER True Mfg. - General Foodservice Model No. GDM-33-HC-LD Refrigerated Merchandiser, two-section, (8) shelves, (2) Low-E thermal glass sliding doors, LED interior lights, powder coated steel exterior, white interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 6.5 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, Made in USA Dimensions 78.63(h) x 39.5(w) x 29.63(d)	\$12,298.00	\$4,371.94
				
	1 ea	NOTE: Commonly stocked model in black exterior, & white exterior; verify availability with factory		
	1 ea	7 year compressor warranty, 6 years parts warranty, 5 year labor warranty standard. Please visit www.truemfg.com for specifics standard		
	1 ea	Self-contained refrigeration standard		
	1 ea	Exterior: Black powder coated steel, standard		
	1 ea	Interior: White aluminum, with white shelving, standard		
	1 ea	Illuminated sign decal: S-TS-02 "TRUE Stripe" graphic, standard		
	Class 150	Weight: 370 lbs total Cube: 69.0		
TRUEF STG2F R12S	1 ea	ROLL IN FREEZER;	\$34,046.00	\$4,584.86

Item	Qty	Description	List	Sell Total
		True Mfg. - General Foodservice Model No. STG2FRI-2S SPEC SERIES® Freezer, roll-in, two-section, (2) stainless steel doors, locks, cam-lift hinges, digital temperature control, incandescent interior lighting, stainless steel ramps, stainless steel front, aluminum sides, aluminum interior, 1-1/5 HP, 115/208-230v/60/1-ph, 8.0 amps, NEMA 14-20P (accommodates 27"W x 29"D x 66"H carts, NOT included), cULus, UL EPH Classified, Made in USA Dimensions 83.75(h) x 68(w) x 34.75(d)		
	Class 150	Weight: 690 lbs total Cube: 166.0		
425741	1 ea	2 DOOR GLASS FREEZER - B;LK	\$25,013.00	\$6,224.48
		True Mfg. - General Foodservice Model No. GDM-49F-HC~TSL01 (425741) Freezer Merchandiser, two-section, True standard look version 01, -10°F, (8) shelves, (2) triple-pane thermal glass hinged door, LED interior lights, powder coated steel exterior, white interior with stainless steel floor, R290 Hydrocarbon refrigerant, All Units Manufactured Before April 4th, 2021 are pre-wired at the factory and is ready for final connection to a single 115/208-230/60Hz single phase, NEMA 14-20R dedicated outlet. All Units Manufactured After April 4th, 2021 are pre-wired at the factory and is ready for final connection to a single 115/60Hz single phase, NEMA 5-20R dedicated outlet. ***Please contact the factory to verify your unit's electrical specifications***, cULus, UL EPH Classified, Made in USA, ENERGY STAR® Dimensions 78.63(h) x 54.13(w) x 29.88(d)		
	Class 150	Weight: 600 lbs total Cube: 98.0		
685501	1 ea	49 CU FT. GLASS DOOR BLA;CK	\$14,683.00	\$3,653.87
		True Mfg. - General Foodservice Model No. GDM-49-HC~TSL01 (685501) Refrigerated Merchandiser, two-section, True standard look version 01, (8) shelves, (2) double pane thermal insulated glass hinged doors, LED interior lights, powder coated steel exterior, white interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1- ph, 8.5 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR® Dimensions 78.63(h) x 54.13(w) x 29.88(d)		
	Class 150	Weight: 465 lbs total Cube: 91.0		
409300	1 ea	3 DOOR DRAFT BEER 90";BLACK	\$13,331.00	\$3,317.42
		True Mfg. - General Foodservice Model No. TDD-4-HC (409300) Draft Beer Cooler, (4) 1/2 keg capacity, stainless steel counter top, (3) solid hinged doors with locks, (2) 3" dia. insulated beer columns with single faucet draft arm, black vinyl front & sides exterior, aluminum back, galvanized interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR® Dimensions 37(h) x 90.38(w) x 27.13(d)		
	Class 150	Weight: 495 lbs total Cube: 75.0		
688201	1 ea	64 IN MEGA PREP TABLE 4;DRAWER	\$26,321.00	\$6,549.98

Item	Qty	Description	List	Sell Total
------	-----	-------------	------	------------



True Mfg. - General Foodservice Model No. TFP-64-24M-D-4 (688201)

Sandwich/Salad Unit, two-section, rear mounted self-contained refrigeration, stainless steel insulated cover, 8"D x 1/2" thick cutting board, (4) drawers, accommodates (2) 12" x 20" x 6"D pans each (NOT included), includes: (24) 1/6 size clear polycarbonate insert pans (top), stainless steel front/top/sides, aluminum back, aluminum interior with stainless steel floor, 2-1/2" castors, 1/3 HP, 115v/60/1-ph, 4.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA
Dimensions 45.75(h) x 64.13(w) x 31.5(d)

Class 150 Weight: 570 lbs total Cube: 73.0

TRUEF TBR48 RISZ1L SSS1	1 ea	BACK BAR CABINET, REFRIGERATED	\$9,571.00	\$2,864.12
----------------------------------	------	---------------------------------------	------------	------------



True Mfg. – Premier Bar Model No. TBR48-RISZ1-L-S-SS-1
Refrigerated Back Bar Cooler, two-section, 48"W, (76) 6-pack cans or (43) 6-pack bottles capacity, side mounted self-contained refrigeration, (2) solid hinged doors (locking), LED interior lighting, stainless steel countertop, stainless steel exterior, stainless steel interior (sides & floor), R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 1.8 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA
Dimensions 34.75(h) x 48(w) x 24.88(d)

- 1 ea NOTE: Commonly stocked model in stainless steel exterior; verify availability with factory
- 1 ea 115v/60/1-ph, NEMA 5-15P
- 1 ea Standard refrigerator (33°F-38°F/2°C)
- 1 ea 7 year compressor warranty, 5 year parts and labor warranty, standard
- 1 ea Self-contained refrigeration, standard
- 1 ea Leg levelers, standard (34-15/16" overall cabinet height)

Weight: 405 lbs total




TRUEF TS49H C	1 ea	REFRIGERATOR REACH-INTWO-SECTION (2)S/S DOOR	\$18,027.00	\$3,658.84
---------------------	------	---	-------------	------------








True Mfg. - General Foodservice Model No. TS-49-HC
Refrigerator, reach-in, two-section, (2) stainless steel doors, (6) gray PVC coated adjustable wire shelves, LED interior lighting, stainless steel front/sides, stainless steel interior, 4" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.4 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, Made in USA
Dimensions 78.38(h) x 54.13(w) x 29.5(d)





Class 150 Weight: 400 lbs total Cube: 101.0





ADMIR USRF1 DG	1 ea	REFRIGERATOR 1 SECTION GLASS DOOR		\$1,145.62
----------------------	------	--	--	------------





Item	Qty	Description	List	Sell Total
		Admiral Craft Equipment Corp. Model No. USRF-1D-G U-STAR Refrigerator, reach-in, 1-section glass door, 29"W x 32-1/4"D x 82-1/2", 23 cu.ft., slide out bottom mounted self-contained refrigeration, (3) removable plastic coated wire shelves, front digital temperature controller with LED display, automatic defrosting, self-closing glass door, removable door gasket, 304 stainless steel interior, 430 stainless steel exterior, (4) 4" casters, R290 refrigerant, 115v/60/1-ph, 2.6 amps, 1/5 HP, 7' cord, NEMA 5-15P, cETLus, ETL-Sanitation (NET) Dimensions 29(w) x 32.25(d)		
	Class 150	Weight: 322 lbs total		
ATOSA MGF84 50GR	1 ea	ATOSA 48-13/32" CHEF BAS;E Atosa USA, Inc. Model No. MGF8450GR Atosa Chef Base, one-section, 48-2/5"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 7.7 cu. ft., (2) self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes (4) 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps, 115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation Dimensions 26.6(h) x 48.4(w) x 33(d)	\$3,172.00	\$994.84
	Class 150	Weight: 258 lbs total		
689101	1 ea	CHEF BASE True Mfg. - General Foodservice Model No. TRCB-52-HC (689101) Refrigerated Chef Base, 51-7/8"W, one-piece 300 series 18 gauge stainless steel top with V edge, (2) drawers (accommodates (3) 12" x 20" x 4" pans, NOT included), stainless steel front/sides, aluminum back, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 8.1 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, Made in USA Dimensions 20.38(h) x 51.88(w) x 32.13(d)	\$18,249.00	\$4,541.26
				
	1 ea	Self-contained refrigeration standard		
	1 ea	7 year compressor warranty, 6 years parts warranty, 5 year labor warranty standard. Please visit www.truemfg.com for specifics standard		
	1 ea	4" Castors, standard		
	Class 150	Weight: 340 lbs total	Cube: 36.0	
TURBA TOM4 OWN	1 ea	40" DISPLAY CASE WHITE; Turbo Air Model No. TOM-40W(B)-N Vertical Open Display Merchandiser, 14.4 cu. ft. capacity, 39-1/8"W x 27"D x 78"H, self-cleaning condenser device, LED interior lighting, open front, tempered glass front shield & side walls, self-contained, plug-in installation, front air intake & rear air discharge, (4) adjustable stainless steel shelves in 1" increments, 300 stainless steel interior, specify exterior, Energy saving night curtain standard, R290 Hydrocarbon refrigerant, 115v/60/1-ph, 15.5 amps, (2) 3/4 HP, NEMA 5-	\$24,832.00	\$6,257.66
				

Item	Qty	Description	List	Sell Total
		20P, cETLus, ETL-Sanitation Dimensions 78.62(h) x 39(w) x 28.25(d)		
	Class 150	Weight: 642 lbs total		
DELFI4 448NP 18MFB	1 ea	MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR	\$12,461.00	\$2,720.19
		Delfield Model No. 4448NP-18M Mega Top Sandwich/Salad Top Refrigerator, two-section, 48" W, 16.0 cubic feet, (2) doors, (2) 1/1 GN shelves, stainless steel top with polyethylene cutting board & (18) 1/6 size plastic pans, ABS interior sides, stainless steel front & sides, 5" casters, front-breathing rear-mounted refrigeration system, R290 Hydrocarbon refrigerant, 0.3 hp, cUL, UL, NSF Dimensions 44.5(h) x 48.13(w) x 31.5(d)		
	1 ea	0460003CN 3 year parts & labor warranty, standard		
	1 ea	W00007ACN 7 year compressor warranty, standard		
	1 ea	115v/60/1-ph, NEMA 5-15P, standard		
	1 ea	Self-Contained refrigeration, standard		
	1 ea	Door(s) standard		
	Class 150	Weight: 316 lbs total		
DELFI4 432NP 12MFB	1 ea	MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR	\$9,010.00	\$1,966.67
		Delfield Model No. 4432NP-12M Mega Top Refrigerator, single-section, 32" W, 10.10 cubic feet, (1) door, (1) 1/1 GN shelf, stainless steel top with polyethylene cutting board & (12) 1/6 size plastic pans, ABS interior sides, stainless steel front & sides, 5" casters, front breathing rear-mounted refrigeration system, R290 Hydrocarbon refrigerant, 0.3 hp, cUL, UL, NSF Dimensions 44.5(h) x 32.13(w) x 31.5(d)		
	1 ea	0460003CN 3 year parts & labor warranty, standard		
	1 ea	W00007ACN 7 year compressor warranty, standard		
	1 ea	115v/60/1-ph, NEMA 5-15P, standard		
	1 ea	Self-Contained refrigeration, standard		
	1 ea	Door(s) standard		
	Class 150	Weight: 245 lbs total		
BAKER XTRM2 H240	1 ea	CONVEYOR TOASTER	\$5,703.00	\$1,696.65
		APW Wyott Model No. XTRM-2H X*Treme™ Conveyor Toaster, electric, countertop, (600) slices/hour capacity, 3"H opening, 10"W belt, top & bottom heat controls, pre-heat convection system, variable speed, air cooled, stainless steel front, top, & sides, painted aluminum front corners, 1" adjustable legs, UL Sanitation, cULus Dimensions 16.5(h) x 15.69(w) x 16.75(d)		
	1 ea	1 year parts & labor warranty, standard		
	1 ea	208v/60/1-ph, 2840 watts, 13.7 amps, NEMA 6-20P, standard		

Item	Qty	Description	List	Sell Total
Class 100		Weight: 54 lbs total		
PBIMA TYPE-F	1 ea	DOUGH DEPOSITOR	\$5,500.00	\$2,818.73
		Belshaw Model No. TYPE F (F00010001) Type F Cake Donut Depositor, 15 lb. hopper, motorized crank, electric motor with hand trigger, aluminum alloy frame, hardened steel cams, bronze trip arms & bushings, aluminum hopper, 570 watts, 5 amps, 115v/60/1, ETL, NSF (Note: plunger, cylinder & mounting systems are chosen in product configuration - cylinder size must match plunger size) Dimensions 33(h)		
	1 ea	One year parts & labor warranty, standard		
Class 85		Weight: 50 lbs total		
COOK T67710 1	1 ea	COOKTEK 677101 SOUPER KETTLE	\$2,064.12	\$699.65
		CookTek Model No. 677101 (SASD081-7) SinAqua™ Souper Induction Kettle, 7 quart, adjustable temperature (holding from 140°-200°F / rethermalizing from 170°-200°F), programmable stir notification, touch pad controls with digital temperature display, includes: (1) 7 qt. 18/8 stainless steel soup tureen & lid, spun aluminum exterior construction and fascia, polycarbonate adapter ring, 100-120v/50/60/1-ph, 7.0 amps, 800 watts, cord, NEMA 5-15P, cETLus, NSF, CE Dimensions 14.9(h) x 13.42(w)		
		Weight: 13.45 lbs total	Cube: 2.81	
DUKE M656- 460-2S	1	SERVING SHELF -2 WELL UN;ITS		\$179.14
		DUKE MFG. CO. Model No. 656-460-2S		
FETCO D009	1	BEVERAGE INSLTED DISPENS;R 1.5G		\$196.62
		Food Equipment Tech. Company Model No. D009		
HOBRT 22PAN SSTFS	1 ea	RETANGULAR FUNNEL SHAPED;	\$1,550.00	\$485.10
		Hobart Model No. 22PAN-SSTFS Rectangular Grind Pan, 27 ³ / ₄ " x 15 ⁵ / ₈ " x 3" stainless steel pan (for use with funnel shaped throat chop end)		
		Weight: 19 lbs total	Cube: 2.0	
CARTE VCNH 3W3S	1 ea	HEATED CABINET, COUNTERTOP	\$9,849.00	\$1,183.83
		Carter-Hoffmann Model No. VCNH3W3S Vertical Crisp N Hold Cabinet, fried/crispy food holding cabinet, capacity; heated/circulated air; Capacity: nine 1/2 size long x 4" high temp amber pans; heats to 225F (108C); electronic temperature & time control, stainless steel construction, four 3" casters (all swivel), 120v/60Hz/1-Ph, 1800 watts, 15.2 amps, NEMA 5-20P, ETL, ETLsan CE		

Item	Qty	Description	List	Sell Total
		Dimensions 32.88(h) x 29(w) x 30.63(d)		
	1 ea	1 Year parts & labor warranty, standard		
	1 ea	120v/60/1-ph, 1820 watts, 15.0 amps, NEMA 5-20P, standard		
		Weight: 219 lbs total		
445781	1 ea	2 DOOR FREEZER ALUMINUM;	\$24,574.00	\$5,515.33
		Traulsen Model No. G22010 (445781) Dealer's Choice Freezer, Reach-in, two-section, self-contained refrigeration, microprocessor control with LED display, stainless steel front, full-height solid doors (hinged left/right), anodized aluminum sides & interior, (3) epoxy coated shelves per section (factory installed), LED interior lights, 6" high casters, eco-friendly, non-flammable R-448A refrigerant, unit can be programmed to operate at -10°F, 3/4 hp, cETLus, NSF, ENERGY STAR® Dimensions 83.44(h) x 52.13(w) x 35(d)		
	Class 150	Weight: 510 lbs total	Cube: 128.0	
445751	1 ea	1 DOOR REFRIGERATOR ALUM;INUM	\$16,302.00	\$3,658.78
		Traulsen Model No. G10010 (445751) Dealer's Choice Refrigerator, Reach-in, one-section, 23.43 cu. ft., top mounted self-contained refrigeration, (1) full height solid door (hinged right), (3) epoxy coated shelves (factory installed), microprocessor control with LED display, LED interior lights, stainless steel front, anodized aluminum sides & interior, 6" high locking casters, non-flammable R-450A refrigerant, 1/5 HP, cETLus, NSF Dimensions 83.44(h) x 29.88(w) x 35(d)		
	Class 150	Weight: 350 lbs total	Cube: 99.0	
SUMM ISCF1 533BS SFB	1 ea	UNDERCOUNTER FREEZER;15X23X34H S/S DOOR	\$3,054.00	\$755.30
		Summit Commercial Model No. SCFF1533BSS Undercounter All-Freezer, built-in or freestanding, 14.75"W x 22.75"D x 34"H, frost-free operation, front lock, black exterior finish, reversible stainless steel door, pro handle, digital thermostat, open door alarm, adjustable shelves, LED lighting, sealed back, 115v/60/1-ph, ETL, cETL (Commercial) Dimensions 34(h) x 14.75(w) x 22.75(d)		
	Class 150	Weight: 122 lbs total		
EVERE ETBF2	1 ea	UNDER COUNTER FREEZER 47;"1/2	\$7,591.85	\$1,420.30
		Everest Refrigeration Model No. ETBF2 Undercounter/Worktop Freezer, two-section, 47-1/2"W, 14.0 cu. ft. capacity, self-contained bottom mounted refrigeration, 16 gauge stainless steel worktop, (2) solid hinged self-closing doors (locking), (4) epoxy coated wire shelves, height adjustable clips, digital controls with LED display, defrost cycle with heater, front air breathing, pressure relief port, stainless steel interior, stainless steel front & sides, galvanized steel bottom & rear, (4) 5" swivel casters (2 locking), R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 4.5 amps, cord, NEMA 5-15P, NSF, cETLus, ETL-Sanitation		

Item	Qty	Description	List	Sell Total
		Dimensions 35.25(h) x 47.5(w) x 31.5(d) Class 150 Weight: 269 lbs total		
CHEFT 27118	1 ea	UNDERCOUNTER REFRIGERATOR  True Mfg. - General Foodservice Model No. TUC-27-HC (409431) Undercounter Refrigerator, 33 - 38°F, (1) stainless steel door, (2) PVC coated adjustable wire shelves, stainless steel top, front & sides, clear coated aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1-ph, 2.0 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, Made in USA Dimensions 29.75(h) x 27.63(w) x 30.13(d) 1 ea Self-contained refrigeration standard 1 ea 7 year compressor warranty, 6 years parts warranty, 5 year labor warranty standard. Please visit www.truemfg.com for specifics standard 1 ea Right Hand, Standard: Unit comes with field reversible hinges & is built with hinging on right side of unit. 1 ea Bolt locks, factory installed, standard 1 ea Castors, 5" (36" work surface height) standard	\$7,148.00	\$1,130.47
		Class 150 Weight: 195 lbs total Cube: 28.0		
690201	1 ea	32" DEEP UNDERCOUNTER R;EFER  True Mfg. - General Foodservice Model No. TUC-44-HC (690201) Deep Undercounter Refrigerator, 33 - 38°F, side mounted self-contained refrigeration, (1) stainless steel door, (2)PVC coated adjustable wire shelves, stainless steel top & sides, aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/10 HP, 115v/60/1-ph, 1.7 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA Dimensions 29.75(h) x 44.5(w) x 32.25(d)	\$11,610.00	\$2,889.15
		Class 150 Weight: 270 lbs total Cube: 52.0		
CHEFT 47895	1 ea	TRUE TUC-48D-4-HC UNDERCOUNTER REFRIGERATOR  True Mfg. - General Foodservice Model No. TUC-48D-4-HC Undercounter Refrigerator, 33 - 38°F, (4) drawers each, accommodates (1) 12" x 18 x 6" food pan (NOT included), stainless steel top & sides, aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 3.0 amps, NEMA 5-15P, cULus, UL EPH Classified, cULus, CE, Made in USA Dimensions 29.75(h) x 48.38(w) x 30.13(d)	\$20,140.00	\$4,645.20
		Class 150 Weight: 330 lbs total Cube: 47.0		
CMADI B	1 ea	DISHWASHER DOUBLE;  CMA Dishmachines Model No. B Energy Mizer® Dishwasher, door type, 44" W, double rack, low temperature chemical sanitizing with priming switches, top mounted controls, auto "start/stop", straight-thru design, (80) racks/hour, delimer switch, extended height wrapper, Poly Pro™ scrap accumulator, stainless steel construction, includes (1) open & (1) peg rack, 1 HP wash pump, ENERGY STAR®, cULus, ETL-Sanitation	\$11,398.00	\$2,870.99

Item	Qty	Description	List	Sell Total
		Dimensions 60.5(h) x 44.25(w) x 25.25(d)		
Class 250		Weight: 359 lbs total		
DELFIG UR60P S	1 ea	REFRIGERATED WORK TOP	\$9,374.00	\$2,225.22
		Delfield Model No. 4460NP Refrigerated Worktop/Undercounter, two-section, 60"W, (2) doors Dimensions 36(h) x 60(w) x 31.5(d)		
	1 ea	0460003CN 3 year parts & labor warranty, standard		
	1 ea	W00007ACN 7 year compressor warranty, standard		
	1 ea	115v/60/1-ph, NEMA 5-15P, standard		
	1 ea	Self-Contained refrigeration, standard		
	1 ea	Door(s) standard		
Class 150		Weight: 411 lbs total		
TRAUL CLUC7 2RSDL RR	1 ea	CENTERLINE COMPACT UNDERCOUNTER REFRIG.REACH IN	\$13,720.00	\$2,587.90
		Traulsen Model No. CLUC-72R-SD-LRR Centerline™ Compact Undercounter Refrigerator, Reach-in, three-section, 72" W, 18.80 cu. ft. capacity, self-contained rear-mount refrigeration, (1) left hinged/ (2) right hinged solid doors (field reversible), electronic control with LED display, (2) epoxy coated shelves per section, stainless steel exterior, anodized aluminum interior, (4) casters, R450A refrigerant, 1/4 HP, 115v/60/1-ph, 3.6 amps, NEMA 5-15P plug, cETLus, ETL-Sanitation, ENERGY STAR® Dimensions 34(h) x 72.25(w) x 31.5(d)		
Class 150		Weight: 344 lbs total	Cube: 57.7	
CHEFT 37521	1 ea	TRUE TUC-27F-ADA-HCU/C 27 FREEZER ADA	\$8,600.00	\$1,360.11
		True Mfg. - General Foodservice Model No. TUC-27F-HC (690001) Undercounter Freezer, -10°F, (1) stainless steel door, (2) PVC coated adjustable wire shelves, stainless steel top, front & sides, clear coated aluminum interior with stainless steel floor, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.3 amps, NEMA 5-15P, cULus, UP EPH Classified, CE, Made in USA, ENERGY STAR® Dimensions 29.75(h) x 27.63(w) x 30.13(d)		
Class 150		Weight: 190 lbs total	Cube: 28.0	
TURBA CTST1 500N	1 ea	COUNTERTOP SALAD TABLE 5;9"W	\$3,707.00	\$934.16
		Turbo Air Model No. CTST-1500-N E-Line Countertop Salad Table, 60-1/4"L, side mounted self-contained refrigeration, accommodates (7) GN 1/4 size x 6" deep condiment pans (pans not included), digital temperature display on front panel, static cooling system, R290 Hydrocarbon refrigerant, stainless steel interior & exterior, 1/6 HP, 115v/60/1-ph, 1.3 amps, NEMA 5-15P, cETLus, ETL-Sanitation (contact sales for lead time)		

Item	Qty	Description	List	Sell Total
		Dimensions 9.75(h) x 60.25(w) x 13.25(d)		
Class 150		Weight: 70 lbs total		

RETURNS: It is the responsibility of the recipient to inspect all goods before accepting a delivery. (Note: signing the packing paperwork / bill of lading is accepting responsibility for the shipment). If there are damages or shortages of any kind, please report by documenting it on the packing paperwork/bill of lading and immediately notify TriMark. The delivered goods were counted and checked before shipping to avoid any errors. If you sign for damages, or shortages without documentation, you do so at your own risk.

Returns will be accepted only up to the 30th day from receipt. All returns require pre-approval and authorization from your TriMark representative. Once approval for your return is issued, you may return the goods with the appropriate paperwork for credit. All returned items must be new and unused in the original packaging, with the original manufacturer's packaging and protective materials in place. Non-stock merchandise is subject to a 30% restocking fee. For small parcel or local route truck pick-up of returnable stock product, a \$25 handling fee will apply. For stock returns requiring LTL pick-up, a fee of \$150 per pallet will be assessed.

Returns made within 30 days will be refunded via original method of payment. Purchases by check will be refunded via check after verification of payment by our bank.

TriMark does not accept returns for the following items:

- Items from orders older than 30 days.
- Hazardous items or flammable liquids.
- Custom merchandise. Logoed merchandise.
- Items that have been used.
- Any item not returned in the condition it was received.
- Any item not in the original manufacturer's packaging.
- Consignment / Demo / Closeout items
- Outlet
- Clearance / Scratch & Dent
- Perishable and Consumable Items (including food and disposables)
- Furniture

Commercial & Home Use Policy: Manufacturer warranties may only cover commercial use for products. Use of items in non-commercial environments may void warranties. The right is reserved to deny a sale or shipment for residential usage; if this occurs, you will be notified as soon as possible.

Delivery & Installation: Installation and delivery are not included unless specified on your order. Basic charges do not include lifting over counters and railings, or removal of appliances being replaced. *If you choose not to have us deliver your equipment, we will not be responsible for any physical damage after it has left our premises.* We gladly give free assistance loading any equipment into your vehicle, but we will *not be responsible for any damage to you, your possessions, or your vehicle during the process.* Inspect all items carefully before leaving our facility.

This Quote shall be subject to TriMark's Terms of Sale <http://www.trimarkusa.com/SiteMedia/SiteResources/Terms/TriMark-Terms-and-Conditions-of-Sale.pdf>, which are incorporated herein by reference and shall govern. The parties specifically agree that no signature shall be required in order for this Quote or its applicable terms and conditions to be deemed legally binding and enforceable on Customer where the intent to be so bound can be inferred (including by acceptance or retention of products or services), notwithstanding contrary requirements under any law.