



LUXURY FIREPLACES



COMPROMISE IS NOT AN OPTION

With endless installation capabilities and unlimited design flexibility, the Plaza Fireplace expands the realm of possibility.



UNLIMITED DESIGN FLEXIBILITY

The Plaza's innovative heat redistribution system allows for a TV, artwork, or mantel to be safely installed as low as 8 inches above the fireplace.

Bring any finishing material right up to the opening of the fireplace – no need for non-combustible board or special framing.



ENDLESS INSTALLATION CAPABILITIES

Unobstructed views are possible thanks to the Plaza's unique venting configuration, which even allows windows to be installed above the fireplace.

The Plaza utilizes Power-Vent Technology, which means greater vent run lengths than traditional natural draft fireplaces. This makes additional elbows possible, including the ability to vent down below the fireplace.



PLAZA

Single-Sided Barrier Glass

Plaza's grand 55 inch wide by 24 inch tall viewing area will be the focal point of your home for years to come. Its barrier glass design replaces traditional barrier screens with an additional piece of glass, allowing for a clean, edge to edge viewing area.

Standard Features include:

- Color LED Lighting
- Smart Fireplace Controls
- Frameless Glass Barrier Design
- Exclusive Burner Design
- Customized Heat Redistribution




PLAZA

Double-Sided Barrier Glass

Relish in Plaza's grand edge to edge viewing area in not only one room, but two. Set the ambiance in both rooms by selecting your desired flame height and LED under lighting with the simple to use remote controls.

Standard Features include:


- Color LED Lighting
- Smart Fireplace Controls
- Frameless Glass Barrier Design
- Exclusive Burner Design
- Customized Heat Redistribution





OPTIONS & ACCESSORIES

Media




CLEAR GLASS



COPPER GLASS



BRONZE GLASS



BLACK GLASS



KINDLING CRUMBLE



BLACKSMITH FORGE

Logs



TRADITIONAL



DRIFTWOOD

Liners



BLACK GLASS





www.plazafireplace.com | 01045 010120