



VIBES 9018B RM
VIBES 69B ASRM

(((VIBES)))

COLOR BODY PORCELAIN TILE / GRES PORCELLANATO COLORATO IN MASSA
CONFORME / ACCORDING TO
UNI EN 14411 - G BII




DG



G



VIBES DK 120DG
120X120 - 48"X48"



120X120 - 48"X48"

VIBES 120DG RM



60X120 - 24"X48"

VIBES 12DG RM




90X180 - 36"X71"

VIBES 9018DG RM



90X90 - 36"X36"

VIBES 90DG RM



60X60 - 24"X24"

VIBES 60DG RM



30X60 - 12"X24"

VIBES 36DG RM




30X30 - 12"X12"

MK.VIBES 30DG



VIBES DK 120G
120X120 - 48"X48"



120X120 - 48"X48"

VIBES 120G RM



60X120 - 24"X48"

VIBES 12G RM




90X180 - 36"X71"

VIBES 9018G RM



90X90 - 36"X36"

VIBES 90G RM



60X60 - 24"X24"

VIBES 60G RM



30X60 - 12"X24"

VIBES 36G RM



30X30 - 12"X12"

MK.VIBES 30G

(((VIBES)))

COLOR BODY PORCELAIN TILE / GRES PORCELLANATO COLORATO IN MASSA
 CONFORME / ACCORDING TO
 UNI EN 14411 - G B1a




W



B



VIBES DK 120W
 120X120 - 48"X48"



120X120 - 48"X48"

VIBES 120W RM



60X120 - 24"X48"

VIBES 12W RM




90X180 - 36"X71"

VIBES 9018W RM



90X90 - 36"X36"

VIBES 90W RM



60X60 - 24"X24"

VIBES 60W RM



30X60 - 12"X24"

VIBES 36W RM




30X30 - 12"X12"

MK.VIBES 30W



VIBES DK 120B
 120X120 - 48"X48"



120X120 - 48"X48"

VIBES 120B RM



60X120 - 24"X48"

VIBES 12B RM



90X180 - 36"X71"

VIBES 9018B RM



90X90 - 36"X36"

VIBES 90B RM



60X60 - 24"X24"

VIBES 60B RM



30X60 - 12"X24"

VIBES 36B RM



30X30 - 12"X12"

MK.VIBES 30B




(((VIBES)))

COLOR BODY PORCELAIN TILE / GRES PORCELLANATO COLORATO IN MASSA
CONFORME / ACCORDING TO
UNI EN 14411 - G B1a

BS



VIBES DK 120BS
120X120 - 48"X48"



VIBES 120BS RM	VIBES 12BS RM	VIBES 9018BS RM	VIBES 90BS RM
VIBES 60BS RM	VIBES 36BS RM	VIBES 30BS RM	MK.VIBES 30BS



PEZZI SPECIALI / SPECIAL PIECES



6X120-2,4"X48" △ [E]



6X90-2,4"X36" △ [F]



6X60-2,4"X24" △ [G]



120X32,5-48"X12,8" △ [I]

	VIBES BT120DG	VIBES BT190DG	VIBES BT60DG	VIBES G120DG
DG	VIBES BT120DG	VIBES BT190DG	VIBES BT60DG	VIBES G120DG
G	VIBES BT120G	VIBES BT190G	VIBES BT60G	VIBES G120G
W	VIBES BT120W	VIBES BT190W	VIBES BT60W	VIBES G120W
B	VIBES BT120B	VIBES BT190B	VIBES BT60B	VIBES G120B
BS	VIBES BT120BS	VIBES BT190BS	VIBES BT60BS	VIBES G120BS

IMBALLI / PACKAGING

FORMATO Nominale NOMINAL SIZE	BORDO EDGE	SPessore THICKNESS	SCATOLA / BOX			PALLET		
			PZ/BOX PCS/BOX	KG/BOX KG/BOX	MQ/BOX SM/BOX	BOX/PALLET BOXES/PALLET	KG/PALLET KG/PALLET	
120X120-48"X48"	RECTIFIED	10	1	1,44	34,00	36	51,84	1244,00
60X120-24"X48"	RECTIFIED	10	2	1,44	33,39	30	43,20	1021,55
60X60-24"X24"	RECTIFIED	10	3	1,08	25,00	40	43,20	1020,00
30X60-12"X24"	RECTIFIED	10	6	1,08	24,45	40	43,20	998,00
90X180-36"X71"	RECTIFIED	10	1	1,62	37,24	36	58,32	1360,64
90X90-36"X36"	RECTIFIED	10	2	1,62	37,20	22	35,64	838,40
30X30-12"X12" MOSAIC	MOSAIC	10	6	0,54	11,83	48	25,92	588,03

CARATTERISTICHE TECNICHE SPECIFICHE / TECHNICAL FEATURES SPECIFICATIONS

DIN 51130 (R)	DIN 51097 (A+B+C)	BCR REP. CEC 6/81		DM 14/6/89 N. 236	PENDULUM TEST BS (INGLESE)	PENDULUM TEST AS/NZS 4886:2004 (AUSTRALIANO)	PENDULUM TEST UNE ENV 12633:2003 (SPAGNOL)	BOT 3000 (DOOP)
		G.A.	G.B.					
R10	A	>0,4	>0,4	>0,4	>36	>35	1	>0,42

Non potevamo mancare per Imola, brand contemporaneo che soddisfa ogni esigenza di stile e di funzionalità, l'inserimento in gamma, per tutti i propri progetti best seller, di nuovi articoli per gli spazi esterni.

Una scelta in linea con le ultime esigenze dell'abitare e del gardening, ove al tradizionale gres porcellanato da esterno a spessore normale, la proposta si completa con l'alto spessore 20 mm e da nuovi pezzi speciali, diversificati, per specifici utilizzi.

La soluzione ideale per realizzare camminamenti, terrazze, patii e altre soluzioni progettuali nei pressi di giardini, cortili, piscine e altri contesti di outdoor design.

Shonimo di alte performance tecniche, quali la durezza e le proprietà meccaniche, completamente privo di porosità e ingelivo, il 20 mm è un prodotto facilmente pulibile, solido, ecosostenibile, dallo stile dinamico e contemporaneo, disponibile in una gamma ampia e diversificata di soluzioni estetiche, di colori e di formati.

I VANTAGGI DEL 20 MM.

- Monolitico.
- Ecosostenibile.
- Igienico.
- Ignifugo.
- Ingelivo.
- Antiscivolo.
- Resistente all'usura.
- Resistente agli attacchi chimici.
- Resistente ai carichi di rottura.
- Resistente agli sbalzi termici.
- Resistente alle macchie.
- Inattaccabile da muffe e muschi.
- Facile da pulire.
- Facile da posare.
- Facile da rimuovere.

A must for Imola, the modern brand that meets with every style and practicality requirement just had to add new items for outside areas to its range, for all its best seller projects.

A choice made in line with the latest living and gardening demands, where the traditional porcelain stoneware for outside use with a normal thickness is completed with the thicker 20 mm proposal and new special, diversified pieces for specific purposes.

The ideal solution for walkways, terraces, patios and other projects around gardens, courtyards, swimming pools and other outdoor design solutions.

Synonymous with high tech, performance such as being long lasting and its mechanical features, completely porosity-free and frost-proof, the 20 mm product can be cleaned easily, is solid, eco-sustainable with a dynamic, modern style, available in a vast and varying range of aesthetic solutions, colours and shapes.

ADVANTAGES OF THE 20 MM.

- Monolithic.
- Eco-sustainable.
- Hygienic.
- Fireproof.
- Frost-proof.
- Skid-proof.
- Resistant to wear.
- Resistant to chemical corrosion.
- Resistant to tensile strength.
- Resistant to sudden changes in temperature.
- Stain resistant.
- Resistant to mould and moss.
- Easy to clean.
- Easy to lay.
- Easy to remove.

OUTDOOR

10 mm

THICKNESS

20 mm



(((VIBES)))

COLOR BODY PORCELAIN TILE / GRES PORCELLANATO COLORATO IN MASSA
CONFORME / ACCORDING TO
UNI EN 14411 - G B1a

10 mm



60X120-24"X48"

VIBES R12DG RM

VIBES R12G RM

VIBES R12W RM

VIBES R12B RM

VIBES R12BS RM



DG
G
W
B
BS

20 mm



60X90-24"X36"


VIBES 60DG ASRM

VIBES 60G ASRM

VIBES 60W ASRM

VIBES 60B ASRM

VIBES 60BS ASRM



DG
G
W
B
BS

10 PEZZI SPECIALI / SPECIAL PIECES



ELEMENTO A ELLE
L-SHAPED
20X60X4-8"X24" X2" Δ [6]

VIBES E R60DG

VIBES E R60G

VIBES E R60W

VIBES E R60B

VIBES E R60BS



STEP
STEP
30X60-12"X24" Δ [6]

VIBES S R60DG

VIBES S R60G

VIBES S R60W

VIBES S R60B

VIBES S R60BS



DG
G
W
B
BS

20 PEZZI SPECIALI / SPECIAL PIECES



SQUARE BORDER* costa lucida
SQUARE BORDER* polished edge
60X60-24"X24" Δ [2]

VIBES SB60DG AS

VIBES SB60G AS

VIBES SB60W AS

VIBES SB60B AS

VIBES SB60BS AS



GRADONE* costa lucida
TERRACE* polished edge
33X90-13"X36" Δ [2]

VIBES GR336DGAS

VIBES GR336G AS

VIBES GR336W AS

VIBES GR336B AS

VIBES GR336BSAS



GRADONE* costa lucida
TERRACE* polished edge
33X90-13"X36" Δ [2]

VIBES GR339DGAS

VIBES GR339G AS

VIBES GR339W AS

VIBES GR339B AS

VIBES GR339BSAS



ALZATA gocciolatoio
RISE dripstone
20X60-8"X24" Δ [2]

VIBES AZ60DGAS

VIBES AZ60G AS

VIBES AZ60W AS

VIBES AZ60B AS

VIBES AZ60BSAS



DG
G
W
B
BS



STEP righe costa lucida
STEP stripes polished edge
30X60-12"X24" Δ [2]

VIBES S 60DGAS

VIBES S 60G AS

VIBES S 60W AS

VIBES S 60B AS

VIBES S 60BSAS



TOP gocciolatoio coste lucide
TOP dripstone polished edges
30X60-12"X24" Δ [2]

VIBES TOP60DGAS

VIBES TOP60G AS

VIBES TOP60W AS

VIBES TOP60B AS

VIBES TOP60BSAS



BORDO PISCINA* costa lucida
POOL EDGE* polished edge
30X60-12"X24" Δ [2]

VIBES BP60DGAS

VIBES BP60G AS

VIBES BP60W AS

VIBES BP60B AS

VIBES BP60BSAS



GRIGLIA PISCINA*
POOL GRILLE*
20X60-8"X24" Δ [2]

VIBES GP60DGAS

VIBES GP60G AS

VIBES GP60W AS

VIBES GP60B AS

VIBES GP60BSAS



DG
G
W
B
BS

* Angolari DX e SX disponibili a richiesta. / * RH and LH angle bracket available on request.

I pezzi speciali ed i fondi possono presentare leggere differenze di tonalità fra di loro. / Special pieces and backgrounds can have slightly different shades from one another. The border can show a small color difference between the surface and the main ceramic piece.

IMBALLI / PACKAGING

FORMATO NOMINALE NOMINAL SIZE	BORDO EDGE	SPessore THICKNESS	SCATOLA / BOX				PALLET	
			PZ/BOX PCS/BOX	MQ/BOX SM/BOX	KG/BOX KG/BOX	BOX/PALLET BOXES/PALLET	MQ/PALLET SM/PALLET	KG/PALLET KG/PALLET
60X120-24"X48"	RECTIFIED	10	2	1,44	33,39	30	43,20	1021,55
60X60-24"X24"	RECTIFIED	10	3	1,08	25,00	40	43,20	1020,00
60X90-24"X36"	RECTIFIED	20	1	0,54	24,90	50	27,00	1265,00
60X60-24"X24"	RECTIFIED	20	2	0,72	33,15	32	23,04	1080,80

CARATTERISTICHE TECNICHE SPECIFICHE / TECHNICAL FEATURES SPECIFICATIONS

DIN 51130 (R)	DIN 51097 (A+B+C)	BCR BEE CEC 6/81	DIN 146/89 N.236		PENDELLUM TEST BS (INGLESE)	PENDELLUM TEST AS/NZS 4886:2004 (AUSTRALIANO)	PENDELLUM TEST UNE EN12633:2003 (SPAGNOLO)	BOT 3000 (OCOF)
			G.A.	G.B.				
R11	B+C	>0.4	>0.4	>0.4	>36	>45	3	>0.42
VIBES AS	B+C	>0.4	>0.4	>0.4	>36	>45	3	>0.42