

CERAMICA
— living —

Natural Stone
Specifications

www.ceramicaliving.com.au info@ceramicaliving.com.au 27 Research Rd Pooraka SA 5095


Ph: 08 8262 7770



## About Us

Owner Mario Karlovic began Ceramica Living after spending 20 years of his life playing professional soccer all over the world. With a great passion for property development and interior design, Mario saw Ceramica Living as the perfect opportunity to explore his love for architecture and home renovations, while allowing him to spend more time watching his kids play sport on the weekend. Mario strives to provide the best customer service in the industry, and boasts a team equipped with unparalleled knowledge and industry experience. You will likely find Mario in-store on your next visit to Ceramica Living

We understand that each one of our customers' journeys is as different and unique as the natural stone we provide. We pride ourselves on years of garnered knowledge, expertise and passion. Our staff are all highly trained and ready to offer only the best industry insight, advice and tips. We can help you with your selection and are up to date with current trends and styles. If you're having trouble executing your design ideas, we're also more than happy to help you identify what products, design and finishes will work best for you. We also have large quantities of stock available in several sizes resulting in quick turnaround times.





# Architectural & Design Resources

With over 180 products in stock, we know it can get hard to view and sample our range.

However, we have now developed with you in mind our design and architectural sample boxes. From one sample box to ten, you can have our natural stone range at your disposal for your clients, allowing the ability to feel the textures of the stone and view different colour pallets at their convenience. If you would like to receive our range, please contact us.

Happy specifying

#### **Technical data**

We believe that high-quality products come hand in hand with high-quality service. Our team are all trained and experienced with installation procedures and technical information. We have all the product information including installation guides, technical pattern illustrations, slip testings, sealing reports, resistant to salts, maintenance, and cleaning.

If you need further technical data such as luminance contrast testing, packing information, customised sized pricing or testing for a stone or project feel free to talk to our team for more details..

CERAMICA

— living —







## Environment

We are committed to finding ways to reduce our environmental footprint while maintaining our high product standard and growing as a company both economically and ethically. Our products are sourced from Climate Positive companys.

Whenever you purchase you help fund carbon reduction projects from around the world. Furthermore, the products we sell are built to last.

Our natural stone tiles and pavers have long term durability and thus naturally contribute less to Australia's landfill crisis as the replacement cycle is minimal, with most natural stone pavers lasting a lifetime. Natural stone has a low environmental impact naturally as they do not release toxic emissions and do- not require harmful cleaning products to stay clean.

Our crates and packaging materials are designed specifically to be reusable as we are committed to running our company with minimal waste. All our tiles are ethically sourced, and our great prices do not come at a cost to those we are connected with across the globe. We only do business with companies that adhere to global trade and human rights standards.

We hope you will join us in this commitment.



## Our Product

From bathroom floors to kitchen walls, to a sturdy driveway and a stylish backyard pool, provide high-quality affordable natural stone tiles for both your commercial and residential builds.

Natural stone products create the perfect indoor and outdoor areas allowing your builds to reach their fullest potential all year long. Use natural stone to inspire synergy throughout your build, connecting outdoor spaces with indoor living quarters. Most of our stones are available in a variety of finishes, each of which will alter the appearance and shade of an individual stone type; a Polished finish will intensify the colour and any markings within the tile, whereas a tumbled material will appear more muted and subtle.

The geological complexity of stone creates a natural variation from tile to tile which is why each natural product exhibits its own individual characteristics. This is one of the defining characteristics of natural stone and a major contributing factor to its beauty.












## CERAMICA — living —

The same of the sa		
	The state of the s	

Disclaimer & Fair Use Statement: This book may contain copyrighted material, the use of which may not have been specifically authorized by the copyright owner. Images are sourced from numerous clients, manufactures, and industrial professionals who have given consent. This books purpose is to illustrate the colour and texture of the stone only. Natural Stone is a product of the earth variations in colour, grain structure and veining are to be expected in tiles and slabs, CERAMICA shall not be liable for any such variations.

BLUESTONE	P. 13
COBBLESTONES & FILETTI	P. 19
CRAZY PAVING & STEPPING STONES	P. 27
GRANITE	P. 33
LIMESTONE	P. 41
MARBLE	P. 61
MOSAICS & SUBWAY TILES	P. 73
STONE WALL CLADDING	P. 79
SANDSTONE	P. 87
SLATE	P. 97
TRAVERTINE	P. 105






## Bluestone

Bluestone is one of the most abundant rock types in the world. It is usually grey to black in colour and fine-grained.


The type of rock depends on the original source of the stone and so it may be igneous or sedimentary in nature. Bluestone's grey tones and subtle patterns make bluestone a popular choice for interior designs as well as outdoor uses. Bluestone is hardwearing, popular and classic.

CERAMICA
— living —


 $\leftarrow$  Peperino Grigio  $\,\cdot\,$   $\wedge$  Darked Honed Bluestone  $\,\cdot\,$   $\uparrow$  Premium Bluestone




PACKAGING DETAILS CODE SIZE FINISH UOM M<sup>2</sup> / CRATE  $KG/M^2$ SLIP RATING  $M^2$ 33KG P5 BMC63T 600 X 300 X 12MM 25.20 SAWN  $M^2$ 55KG P5 18.18 BMC63 600 X 300 X 20MM SAWN 24.00 55KG BMC64 600 X 400 X 20MM SAWN 25.00 P5 BMC55 500 X 500 X 20MM SAWN 18.00 55KG P5 BMC66 600 X 600 X 20MM SAWN 55KG  $M^2$ 16.00 P5 BMC84 800 X 400 X 20MM SAWN  $M^2$ 25.00 55KG P5 BMC105 1000 X 500 X 20MM SAWN  $M^2$ 82.5KG P5 12.24 BMC63PZ 600 X 300 X 30MM PAVER SAWN  $M^2$ 82.5KG 10.88 P5 BMC84P 800 X 400 X 30MM PAVER SAWN FRENCH PATTERN 20MM  $M^2$ 20.16 55KG BMCFP SAWN 1 PACK = 1 PC X 600 X 400, 2 PC X 400 X 400,(0.72M²) 1PC X 200 X 400, 2PC X 200 X 200 100PC 10KG PC P5 PC BMC63Z20B BULLNOSE SAWN 600 X 300 X 20MM (Z) PC 48PC 18.5KG PC BMC64ZB BULLNOSE SAWN P5 600 X 400 X 30MM (T) PC 50PC 16KG PC P5 SQUARE DROP BMC64MB SAWN 600 X 400 X 20 / 50MM (M) BMC840B SQUARE DROP PC 50PC 20KG PC P5 SAWN 800 X 400 X 20 / 50MM (O) BMC14QB SQUARE DROP SAWN PC 25PC 24KG PC 1000 X 400 X 20 / 70MM (Q)  $M^2$ BMCSL SLABS ON REQUEST SAWN









PROFILE T
Long 600mm
Wide 400mm
Back Thickness 30mm
Round Bullnose front edge




PROFILE M
Long 600mm
Wide 400mm
Back Thickness 20mm
Front Drop 50mm
Front Drop Thickness 30mm



PROFILE O
Long 800mm
Wide 400mm
Back Thickness 20mm
Front Drop 50mm
Front Drop Thickness 30mm



PROFILE Q
Long 1000mm
Wide 400mm
Back Thickness 20mm
Front Drop 70mm
Front Drop Thickness 30mm




#### FRENCH PATTERN LAYOUT

**A** - 600 x 400mm

**B** - 400 x 400mm **C** - 200 x 400mm


D - 200 x 200mm

**BLUESTONE** 






				PACKAGING DETAIL	S	
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
BH63	600 X 300 X 12MM	HONED	M²	29.09	35KG	P3
BH66	600 X 600 X 12MM	HONED	M²	28.80	35KG	P3
BH84	800 X 400 X 12MM	HONED	M²	26.24	35KG	P3
BH63ZB	BULLNOSE 600 X 300 X 20MM (Z)	HONED	PC	100PC	10KG PC	P3
BHSL	SLABS ON REQUEST	HONED	M²			



PROFILE Z
Long 600mm
Wide 300mm
Back Thickness 20mm
Round Bullnose front edge








F				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
BMT63	600 X 300 X 20MM	TUMBLED	M²	18.18	55KG	P5
BMT84	800 X 400 X 20MM	TUMBLED	M²	16.00	55KG	P5
BMTFP	FRENCH PATTERN 20MM 1 PACK = 1PC X 600 X 400, 2PC X 400 X 400, (0.72M²) 1PC X 200 X 400, 2PC X 200 X 200	TUMBLED	M²	20.16	55KG	P5






Peperino Grigio

				PACKAGING DETAIL	s	
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
BPF63	600 X 300 X 15MM	FLAMED & BRUSHED	M²	20.00	33.3KG	P5
BPF84	800 X 400 X 15MM	FLAMED & BRUSHED	M²	20.00	33.3KG	P5
BPF84B	SQUARE DROP 800 X 400 X 20 / 60MM (O)	FLAMED & BRUSHED	PC		12KG PC	P5
BPFPSL	SLABS ON REQUEST	VARIOUS	M²			

BLUESTONE 17








# Cobblestones & Filetti

CERAMICA
— living —

← Tuscan Travertine Cobblestones · ▼ Premium Bluestone Porphyry Cobblestones · ↑ Impala Black Flamed Granite Cobblestones




				PACKAGING DETAIL	.S	
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
CGI11	100 X 100 X 20MM STRAIGHT PATTERN MESH (SHEET 312 X 312MM)	FLAMED	M²	24.53	47KG	P5
CGIBP	100 X 100 / 200 X 100 X 20MM BRICK PATTERN MESH (SHEET 305 X 312MM)	FLAMED	M²	23.98	47KG	P5
CGI11L	100 X 100 X 30MM STRAIGHT CUT LOOSE	FLAMED	M²	11.80	83.5KG	P5




#### DON'T BUY BLIND

Want to know what a stone will look like in person, use our easy to use sample plugin to get three fre samples shipped directly to you!





P				PACKAGING DETAIL	S	
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
CGS11	100 X 100 X 30MM FLAMED TOP, SPLIT 4 SIDES MESH (SHEET 540 X 540MM)	FLAMED	M²	15.16	83KG	P5



	P				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING	
CBT11	100 X 100 X 20MM (SHEET 312 X 312MM)	TUMBLED	M²	24.00	55KG	P5	
CBT11L	100 X 100 X 30MM LOOSE	TUMBLED	M²	18.00	55KG	P5	

COBBLESTONES & FILETTI 21



## Porphyry Range

			PACKAGING DETAILS			
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
CIP11	100 X 100 X 20-40MM ITALIAN PORPHYRY SPLIT 6 SIDES LOOSE	NATURAL SPLIT	M²	17.00	80KG	P5
CPB99	90 X 90 X 20MM PORPHYRY BLACK MESH (SHEET 300 X 300MM)	NATURAL SPLIT	M²	24.30	34KG	P5
CPG99	90 X 90 X 15-20MM PORPHYRY GREEN MESH (SHEET 300 X 300MM)	NATURAL SPLIT	M²	34.02	38KG	P5
CPO99	90 X 90 X 15-20MM PORPHYRY GOLD MESH (SHEET 300 X 300MM)	NATURAL SPLIT	M²	34.02	38KG	P5









## Travertine Range


				PACKAGING DETAIL	S	
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
CTN11	100 X 100 X 10MM NOCE TRAVERTINE TUMBLED LOOSE	TUMBLED	M²	48.00	26KG	P4
CTS11	100 X 100 X 10MM SILVER TRAVERTINE TUMBLED LOOSE	TUMBLED	M²	48.00	38.5KG	P4
CTS113	100 X 100 X 30MM SILVER TRAVERTINE TUMBLED MESH (SHEET 310 X 310MM)	TUMBLED	M²	17.86	77KG	P4
CTT11	100 X 100 X 10MM TUSCAN TRAVERTINE TUMBLED LOOSE	TUMBLED	M²	50.00	26KG	P4
CTT113	152 X 152 X 30MM TUSCAN TRAVERTINE TUMBLED LOOSE	TUMBLED	M²	17.58	65KG	P4









COBBLESTONES & FILETTI 23



F				PACKAGING DETAIL	S	
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
QL113	100 X 100 X 30-50MM LODEN QUARTZ SPLIT 6 SIDES LOOSE	NATURAL SPLIT	M²	18.00	89KG	P5








				PACKAGING DETAIL	S	
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
CAF35	30-50MM BLACK ANTHRACITE QUARTZ RANDOM LENGTHS	NATURAL SPLIT	M²	22.00	75KG	P5
CMF35	30-50MM MYOLA QUARTZ RANDOM LENGTHS	NATURAL SPLIT	M²	21.00	78KG	P5
CPF35	30-50MM ITALIAN PORPHYRY RANDOM LENGTHS	NATURAL SPLIT	M²	17.50	108KG	P5
CLF33	30-50MM LODEN QUARTZ RANDOM LENGTHS	NATURAL SPLIT	M²	15.00	100KG	P5







COBBLESTONES & FILETTI 25





Crazy Paving & Stepping Stones



← Premium Bluestone Stepping Stones · ► Santos Quartz Crazy Paving · ↑ Loden Quartz Crazy Paving



MYOLA QUARTZ



MILANO CLASSIC TRAVERTINE



ITALIAN PORPHYRY



PREMIUM BLUESTONE




JAKARANA SLATE



LODEN QUARTZ



DESERT SAND SANDSTONE



SANTOS QUARTZ




RAINBOW/TEAKWOOD SANDSTONE



ANTHRACITE QUARTZ



LONDON GREY BRUSHED LIMESTONE



LONDON GREY SANDBLASTED LIMESTONE

## Crazy Paving

				PACKAGING DE	TAILS	
CODE	SIZE	FINISH	UOM	M²/CRATE	KG / M²	SLIP RATING
RBL20	PREMIUM BLUESTONE RANDOM 20MM	SAWN	M²	25.00	55KG	P5
RAQ23	BLACK ANTHRACITE QUARTZ RANDOM 20-40MM	NATURAL SPLIT	M²	29.00-32.00	98KG	P5
RJS	JAKARANA SLATE RANDOM 20-40MM	NATURAL SPLIT	M²	18.00-26.00	95KG	P3
RMQ	MYOLA QUARTZ RANDOM 20-30MM	NATURAL SPLIT	M²	32.00-36.00	53KG	P5
RNLQ23	LODEN QUARTZ RANDOM 20-40MM	NATURAL SPLIT	M²	25.00	58KG	P5
RPC24	ITALIAN PORPHYRY RANDOM 20-40MM	NATURAL SPLIT	M²	14.20	70KG	P5
RSQ15	SANTOS QUARTZ RANDOM 15-30MM	NATURAL SPLIT	M²	34.00-36.00	48KG	P5
RDS	DESERT SAND SANDSTONE RANDOM 25-40MM	NATURAL SPLIT	M²	28.00-32.00	90KG	P5
RRS	RAINBOW SANDSTONE RANDOM 20MM	HONED	M²	30.00	70KG	P5
RTS	TEAKWOOD SANDSTONE RANDOM 20MM	HONED	M²	28.00	70KG	P5
RTM20	MILANO UNFILLED VEIN CUT TRAVERTINE RANDOM 20MM	SAWN	M²	20.00	52KG	P4
RLGB20	LONDON GREY TUMBLED BRUSHED LIMESTONE RANDOM 20MM	BRUSHED	M²	25.00	52KG	P3
RLGS20	LONDON GREY TUMBLED SANDBLASTED LIMESTONE RANDOM 20MM	SANDBLASTED	M²	25.00	52KG	P5



## Stepping Stones

				PACKAGING DETAILS			
CODE	SIZE	FINISH	UOM	M <sup>2</sup> / CRATE	KG/M²	SLIP RATING	
RBAS20	BLUESTONE PREMIUM APPROX. 800 X 500 X 20MM	SAWN	PC	48PC	18KG PC	P5	
RBAS30	BLUESTONE PREMIUM APPROX. 800 X 500 X 30MM	SAWN	PC	34PC	25KG PC	P5	
RBFB20	BLUESTONE FLAMED & BRUSHED APPROX. 700 X 500 X 20MM	FLAMED & BRUSHED	PC	60PC	18KG PC	P5	
RBFB30	BLUESTONE FLAMED & BRUSHED APPROX. 700 X 500 X 30MM	FLAMED & BRUSHED	PC	40PC	25KG PC	P5	
RBHS20	BLUESTONE HONED APPROX. 700 X 500 X 20MM	HONED	PC	60PC	18KG PC	P3	
RBHS30	BLUESTONE HONED APPROX. 700 X 500 X 30MM	HONED	PC	40PC	25KG PC	P3	
RBSB20	BLUESTONE SHOTBLAST BRUSHED APPROX. 700 X 500 X 20MM	SHOTBLAST & BRUSHED	PC	60PC	18KG PC	P5	
RBSB30	BLUESTONE SHOTBLAST BRUSHED APPROX. 700 X 500 X 30MM	SHOTBLAST & BRUSHED	PC	40PC	25KG PC	P5	
RBSS20	BLUESTONE SAWN APPROX. 700 X 500 X 20MM	SAWN	PC	60PC	18KG PC	P5	
RBSS30	BLUESTONE SAWN APPROX. 700 X 500 X 30MM	SAWN	PC	40PC	25KG PC	P5	
RDSS	DESERT SANDSTONE APPROX. 700 X 500 X 30-40MM	NATURAL	PC	60PC	25KG PC	P5	
RBPS20	IMPALA BLACK FLAMED APPROX. 500 X 600 X 20MM	FLAMED & BRUSHED	PC	51PC	17KG PC	P4	







BLUESTONE SAWN



BLUESTONE PREMIUM





DESERT SANDSTONE



BLUESTONE SHOTBLAST BRUSHED




BLUESTONE HONED









## Granite


The term Granite is generally used to refer to a large range of igneous rocks originating from the slow crystallisation of molten magma cooling deep beneath the earth's surface.

Granites are amongst the hardest stones in our range and are available in the textured Flamed finish for external application, the Flamed Brushed finish which offers a softened, tactile surface or the smooth honed surface which enhances the detail of the stone itself.

Due to the nature of this material and the vast array of mineral crystals that serve to make up this stone, characteristics can vary greatly, and some may be acid sensitive, so please ensure correct sealing and maintenance guidelines are followed.

 $\leftarrow \text{Impala Black Flamed Granite} ~ \land \text{Silver Grey Flamed Granite} ~ \land \text{Impala Black Flamed Granite}$ 









**PROFILE S** 


Long 600mm

Wide 340mm

Back Thickness 20mm

Front Drop Thickness 20mm


Front Drop 50mm







Impala Black Flamed










**PROFILE G** Long 600mm Wide 420mm Back Thickness 20mm Front Drop 50mm Front Drop Thickness 20mm **PROFILE Q** Long 1000mm Wide 420mm Back Thickness 20mm Front Drop 50mm Front Drop Thickness 20mm **PROFILE T** Long 600mm Wide 400mm Back Thickness 30mm Round Bullnose front edge

# CERAMICA — living —




		PACKAGING DETAI	LS			
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
GPH63	600 X 300 X 15MM	HONED	M²	18.00	50KG	P1
GPH84	800 X 400 X 15MM	HONED	M²	16.00	50KG	P1
GPF63	600 X 300 X 15MM	FLAMED	M²	18.00	50KG	P5
GPF84	800 X 400 X 15MM	FLAMED	M²	16.00	50KG	P5
GPF64MB	SQUARE DROP 600 X 400 X 20 / 50MM (M)	FLAMED	PC	50PC	14KG PC	P5
GPF84OB	SQUARE DROP 800 X 400 X 20 / 50MM (O)	FLAMED	PC	50PC	20.5KG PC	P5
GPFSL	SLABS ON REQUEST	HONED OR FLAMED	M²			






#### PROFILE M Long 600mm Wide 400mm Back Thickness 20mm Front Drop 50mm

Front Drop Thickness 20mm



PROFILE O
Long 800mm
Wide 400mm
Back Thickness 20mm
Front Drop 50mm
Front Drop Thickness 20i



PACKAGING DETAILS CODE SIZE FINISH UOM M<sup>2</sup>/CRATE KG/M² SLIP **RATING** GBH63 610 X 305 X 10MM HONED 33.49 28.5KG P1 GBH66 610 X 610 X 12.5MM HONED 26.79 48KG P1 GBP33 305 X 305 X 10MM POLISHED 33.48 32.5KG P1 GBP63 610 X 305 X 10MM POLISHED 33.49 28.5KG GBP63K 600 X 300 X 20MM POLISHED 17.28 55KG PC P1 GBP66 610 X 610 X 15MM POLISHED 26.79 50KG PC P1 GBP66K 16.20 600 X 600 X 20MM POLISHED 55KG PC P1 **GBPSL** SLABS ON REQUEST HONED OR POLISHED




#### DON'T BUY BLIND

Want to know what a stone will look like in person, use our easy to use sample plugin to get three fre samples shipped directly to you!





		PACKAGING DETAIL	S			
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
GSF63	600 X 300 X 20MM	FLAMED	M²	18.00	58KG	P5
GSF84	800 X 400 X 20MM	FLAMED	M²	16.00	58KG	P5
GSF63SB	SQUARE DROP 600 X 340 X 20 / 50MM (S)	FLAMED	PC	25PC	12KG PC	P5
GSF64MB	SQUARE DROP 600 X 400 X 20 / 50MM (M)	FLAMED	PC	25PC	14KG PC	P5
GSFSL	SLABS ON REQUEST	HONED OR FLAMED	M²			






PROFILE S Long 600mm Wide 340mm Back Thickness 20mm

Front Drop 50mm
Front Drop Thickness 30mm

PROFILE M

Long 600mm Wide 400mm Back Thickness 20mm

Front Drop 50mm
Front Drop Thickness 30mm



				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
GFS64	600 X 400 X 15MM	SANDBLASTED	M²	24.00	50KG	P5
GFS84	800 X 400 X 15MM	SANDBLASTED	M²	32.00	50KG	P5
GFS64MB	SQUARE DROP 600 X 420 X 20 / 50MM (M)	SANDBLASTED	PC	25PC	14KG PC	P5
GFS84OB	SQUARE DROP 800 X 420 X 20 / 50MM (O)	SANDBLASTED	PC	25PC	20.5KG PC	P5
GFSSL	SLABS ON REQUEST	SANDBLASTED OR HONED	M²			







PROFILE M

Long 600mm Wide 420mm Back Thickness 20mm Front Drop 50mm Front Drop Thickness 20mm PROFILE O
Long 800mm
Wide 420mm
Back Thickness 20mm

Front Drop 50mm
Front Drop Thickness 20mm







## Limestone


Limestone is a sedimentary rock formed by the consolidation of sediments, seashells and other organic matter. This calcareous stone forms our largest product range.

Each Limestone exhibits its own characteristic colours and markings and can vary greatly in density.


Some Limestones have a similar appearance to traditional Marbles which can often lead to misclassification. Some degree of edge chipping should be expected along with occasional surface pitting, fossilised shells, fissures, mineral striations and resin fill. Limestone is an acid-sensitive material and so care should be taken to use the correct products when cleaning.









				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
LCN64	600 X 400 X 20MM	BRUSHED & TUMBLED	M²	18.24	51KG	P3
LCN96	900 X 600 X 20MM	BRUSHED & TUMBLED	M²	21.60	51KG	P3
LCN64P	600 X 400 X 30MM PAVER	BRUSHED & TUMBLED	M²	12.48	77KG	P3
LCN64MB	SQUARE DROP 600 X 400 X 30 / 60MM (M)	BRUSHED & TUMBLED	PC	25PC	19KG PC	P3
LCN64ZB	BULLNOSE 600 X 400 X 20MM (Z)	BRUSHED & TUMBLED	PC	100PC	12KG PC	P3
LCN64TB	BULLNOSE 600 X 400 X 30MM (T)	BRUSHED & TUMBLED	PC	66PC	19KG PC	P3
LCNSL	SLABS ON REQUEST	BRUSHED	M²			







PROFILE M

Long 600mm Wide 400mm

Back Thickness 30mm Front Drop 60mm

Front Drop Thickness 30mm

PROFILE Z

Long 600mm Wide 400mm

Back Thickness 20mm Round Bullnose front edge **PROFILE T** 

Long 600mm Wide 400mm

Back Thickness 30mm Round Bullnose front edge




43







				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
LLB64	600 X 400 X 20MM	BRUSHED & TUMBLED	M²	17.28	52KG	P3
LLB96	900 X 600 X 20MM	BRUSHED & TUMBLED	M²	21.60	52KG	P3
LLBFP	FRENCH PATTERN 20MM 1 PACK = 1PC X 600 X 400, 2PC X 400 X 400, (0.72M²) 1PC X 200 X 400, 2PC X 200 X 200	BRUSHED & TUMBLED	M²	24.48	52KG	P3
LLB64P	600 X 400 X 30MM PAVER	BRUSHED & TUMBLED	M²	12.48	79KG	P3
LLB64MB	SQUARE DROP 600 X 400 X 60 / 30MM (M)	BRUSHED & TUMBLED	PC	25PC	21KG PC	P3
LLBSL	SLABS ON REQUEST	BRUSHED OR HONED	M²			




#### FRENCH PATTERN LAYOUT

**A** - 600 x 400mm

**B** - 400 x 400mm

C - 200 x 400mm

**D** - 200 x 200mm



#### PROFILE M

Long 600mm


Wide 400mm

Back Thickness 30mm


Front Drop 60mm


Front Drop Thickness 30mm












		PACKAGING DETAIL	S			
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
LLS64	600 X 400 X 20MM	SANDBLASTED & TUMBLED	M²	24.00	52KG	P5
LLS96	900 X 600 X 20MM	SANDBLASTED & TUMBLED	M²	21.60	52KG	P5
LLSFP	FRENCH PATTERN 20MM 1 PACK = 1PC X 600 X 400, 2PC X 400 X 400, (0.72M²) 1PC X 200 X 400, 2PC X 200 X 200	SANDBLASTED & TUMBLED	M²	24.48	52KG	P5
LLS64P	600 X 400 X 30MM PAVER	SANDBLASTED & TUMBLED	M²	15.84	79KG	P5
LLS64MB	SQUARE DROP 600 X 400 X 30 / 60MM (M)	SANDBLASTED & TUMBLED	PC	25PC	21KG PC	P5
LLSSL	SLABS ON REQUEST	SANDBLASTED	M²			




#### FRENCH PATTERN LAYOUT

**A** - 600 x 400mm

**B** - 400 x 400mm

C - 200 x 400mm

**D** - 200 x 200mm



#### PROFILE M

Long 600mm

Wide 400mm

Back Thickness 30mm

Front Drop 60mm


Front Drop Thickness 30mm

CERAMICA
— living —



Silver Shadow

				PACKAGING DETAIL	S	
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
MSSH66	610 X 610 X 15MM	HONED	M²	24.18	35KG	Р3
MSSHSL	SLABS ON REQUEST	HONED	M²			



Silver Pearl


				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
MSPH63	610 X 305 X 15MM	HONED	M²	24.18	35KG	Р3
MSPH66	610 X 610 X 15MM	HONED	M²	24.18	35KG	P3
MSPHSL	SLABS ON REQUEST	HONED	M²			



		PACKAGING DETAILS				
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
LMB66	610 X 610 X 12MM	BRUSHED	M²	29.77	25KG	P4
LMB84	812 X 406 X 12MM	BRUSHED	M²	26.37	25KG	P4
LMBFP	FRENCH PATTERN 12MM 1 PACK = 1PC X 610 X 406, 2PC X 406 X 406, (0.74M²) 1PC X 203 X 406, 2PC X 203 X 203	BRUSHED	M²	38.48	25KG	P4
LMB64P	610 X 406 X 30MM PAVER	BRUSHED	M²	16.34	71KG	P4
LMB64PB	ARIS TOP & BOTTOM 610 X 406 X 30MM (P)	BRUSHED	PC	64PC	17.5KG PC	P4
LMB64TB	BULLNOSE 610 X 406 X 30MM (T)	BRUSHED	PC	66PC	17.5KG PC	P4
LMB64MB	SQUARE DROP 610 X 406 X 30 / 50MM (M)	BRUSHED	PC	60PC	18.8KG PC	P4
LMBSL	SLABS ON REQUEST	BRUSHED	M²			








PROFILE P Long 610mm Wide 406mm Back Thickness 30mm Aris top & bottom

PROFILE T Long 610mm Wide 406mm Back Thickness 30mm Round Bullnose front edge PROFILE M Long 610mm Wide 406mm Back Thickness 30mm Front Drop 50mm Front Drop Thickness 30mm



				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
LIH63	600 X 300 X 13MM	HONED	M²	25.20	35KG	P1
LIH66	600 X 600 X 15MM	HONED	M²	22.32	45KG	P1
LIH84	800 X 400 X 13MM	HONED	M²	22.32	35KG	P1
LIHSL	SLABS ON REQUEST	HONED	M²			




#### DON'T BUY BLIND

Want to know what a stone will look like in person, use our easy t use sample plugin to get three fre samples shipped directly to you



				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
LPH66X	610 X 610 X 10MM CROSS CUT	HONED	M²	29.76	29.4KG	P2
LPH94X	914 X 457 X 10MM CROSS CUT	HONED	M²	32.50	29.4KG	P2
LPHXSL	SLABS ON REQUEST	HONED	M²			


CERAMICA
— living —






				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
LPH66V	610 X 610 X 10MM VEIN CUT	HONED	M²	29.76	29.4KG	P2
LPH94V	914 X 457 X 10MM VEIN CUT	HONED	M²	32.50	29.4KG	P2
LPHVSL	SLABS ON REQUEST	HONED	M²			





				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
LSB64	600 X 400 X 20MM	BRUSHED & TUMBLED	M²	17.28	52KG	P4
LSB96	900 X 600 X 20MM	BRUSHED & TUMBLED	M²	20.52	52KG	P4
LSB64MB	SQUARE DROP 600 X 400 X 30 / 60MM (M)	BRUSHED & TUMBLED	EA	44PC	17KG PC	P4
LSBSL	SLABS ON REQUEST	BRUSHED	M²			



# PROFILE M Long 600mm Wide 400mm Back Thickness 30mm Front Drop 60mm

Front Drop Thickness 30mm




#### DON'T BUY BLIND

look like in person, use our easy to use sample plugin to get three free samples shipped directly to you!



		PACKAGING DETAILS				
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
LSS64	600 X 400 X 20MM	SANDBLASTED & TUMBLED	M²	17.28	52KG	P5
LSS96	900 X 600 X 20MM	SANDBLASTED & TUMBLED	M²	19.98	52KG	P5
LSS64MB	SQUARE DROP 600 X 400 X 30 / 60MM (M)	SANDBLASTED & TUMBLED	PC	44PC	17KG PC	P5
LSSSL	SLABS ON REQUEST	SANDBLASTED	M²			




# PROFILE M Long 600mm Wide 400mm Back Thickness 30mm Front Drop 60mm Front Drop Thickness 30mm






				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
MSH64	600 X 400 X 12MM	HONED & TUMBLED	M²	38.40	33KG	
MSH96	900 X 600 X 12MM	HONED & TUMBLED	M²	43.20	33KG	
MSH64MB	SQUARE DROP 600 X 400 X 20 / 60MM (M)	HONED & TUMBLED	PC	64PCS	16KG PC	
MSHSL	SLABS ON REQUEST	HONED	M²			



PROFILE M
Long 600mm
Wide 400mm
Back Thickness 20mm
Front Drop 60mm
Front Drop Thickness 20mm



					PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING	
LTH63	610 X 305 X 12.5MM OR 15MM	HONED	M²	27.91 / 23.44	34KG/41KG	P1	
LTH66	610 X 610 X 15MM	HONED	M²	23.44	41KG	P1	
LTH84	800 X 400 X 15MM	HONED	M²	16.00	41KG	P1	
LTH84OB	SQUARE DROP 800 X 400 X 15 / 80MM - LAMINATED (O)	HONED	PC	N/A	13KG PC	P1	
LTHSL	SLABS ON REQUEST	HONED	M²				




**PROFILE O** 

Long 800mm
Wide 400mm
Back Thickness 15mm
Front Drop 80mm - Laminated
Front Drop Thickness 15mm - Laminated






F				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
LTS64T	610 X 406 X 15MM	SANDBLASTED	M²	38.63	40KG	P5
LTS64P	610 X 406 X 30MM PAVER	SANDBLASTED	M²	16.35	81KG	P5
LTS64TB	BULLNOSE 610 X 406 X 30MM (T)	SANDBLASTED	PC	66PCS	20KG PC	P5
LTS64MB	SQUARE DROP 610 X 406 X 30 / 80MM - LAMINATED (M)	SANDBLASTED	PC	N/A	23.5KG PC	P5



PROFILE T
Long 610mm
Wide 406mm
Back Thickness 30mm
Round Bullnose front edge




Long 610mm
Wide 406mm
Back Thickness 30mm
Front Drop 80mm - Laminated
Front Drop Thickness 30mm


PROFILE M




			PACKAGING DETAILS			
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
LTOS64T	610 X 406 X 15MM	SANDBLASTED	M²	30.00	40KG	P5
LTOS84T	812 X 406 X 15MM	SANDBLASTED	M²	15.85	40KG	P5
LTOS64P	610 X 406 X 30MM PAVER	SANDBLASTED	M²	16.35	81KG	P5
LTOS84P	812 X 406 X 30MM PAVER	SANDBLASTED	M²	10.55	81KG	P5
LTOS84PB	ARIS EDGE 812 X 406 X 30MM (P)	SANDBLASTED	PC	32PCS	26KG PC	P5
LTOS64MB	SQUARE DROP 610 X 406 X 30 / 80MM - LAMINATED (M)	SANDBLASTED	PC	N/A	32.5KG PC	P5
LTOS84OB	SQUARE DROP 812 X 406 X 30 / 80MM - LAMINATED (O)	SANDBLASTED	PC	N/A	28.5KG PC	P5
LTOSSL	SLABS ON REQUEST	SANDBLASTED	M²			



PROFILE P
Long 812mm
Wide 406mm
Back Thickness 30mm
Aris top & bottom on 812mm side



PROFILE M
Long 610mm
Wide 406mm
Back Thickness 30mm
Front Drop 80mm - Laminated
Front Drop Thickness 30mm



PROFILE O
Long 812mm
Wide 406mm
Back Thickness 30mm
Front Drop 80mm - Laminated
Front Drop Thickness 30mm









## Marble


Traditionally the term Marble was used by stone masons to describe any stone that would take a polished finish. From a geological point of view however, Marble is defined as Limestone which has been subjected to thermal metamorphism. This process of metamorphism leads to a dense, closed surface although some material may have slight open veining or surface pitting.

Marble has been used in ancient buildings for millennia due to the vast spectrum of beautiful shades and mineral veining. Some Marble tiles or slabs with particularly prominent veining may have a mesh backing applied to the rear of the tile, predominantly to reinforce the material during transport and cutting. It is also common practice for resin filler to be applied to voids and open veins either before or after processing.

Marble is a very dense stone that readily lends itself to a polish but is also available in Honed and Tumbled finishes.  $C \equiv R \land M \mid C \land$ 

-living —

← Royal Grey Marble · 下 Bianco Carrara Marble · ↑ Naturella Marble




				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M <sup>2</sup> / CRATE	KG/M²	SLIP RATING
MCAP66	610 X 610 X 12MM	POLISHED	M²	29.77	36KG	P1
MCSL	SLABS ON REQUEST	POLISHED	M²			



		PACKAGING DETAILS				
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
MNA66	610 X 610 X 15MM	ANTIQUE	M²	29.77	36KG	P5
MNH66	610 X 610 X 15MM	HONED	M²	29.77	36KG	
MNP66	610 X 610 X 15MM	POLISHED	M²	29.77	36KG	
MNPSL	SLABS ON REQUEST	HONED, ANTIQUE OR POLISHED	M²			




CERAMICA
— living —



		PACKAGING DETAIL	S			
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
MNMP33	305 X 305 X 10MM	POLISHED	M²	33.48	26KG	
MNMP63	610 X 305 X 10MM	POLISHED	M²	33.48	26KG	
MNMP66	610 X 610 X 15MM	POLISHED	M²	17.86	38KG	
MNMSL	SLABS ON REQUEST	POLISHED	M²			






		PACKAGING DETAIL	.S			
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
MCD64	610 X 406 X 12MM	DISTRESSED	M²	39.63	31KG	P5
MCD64P	610 X 406 X 30MM PAVER	DISTRESSED	M²	15.85	80KG	P5
MCD64MB	SQUARE DROP 610 X 406 X 30 / 50MM (M)	DISTRESSED	PC	64PCS	21KG PC	P5
MCD64TB	BULLNOSE 610 X 406 X 30MM (T)	DISTRESSED	PC	64PCS	20KG PC	P5




PROFILE M
Long 610mm
Wide 406mm
Back Thickness 30mm
Front Drop 50mm
Front Drop Thickness 30mm



PROFILE T Long 610mm Wide 406mm Back Thickness 30mm Round Bullnose front edge


CERAMICA
— living —



			PACKAGING DETAIL	.S		
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
МВН33	305 X 305 X 10MM	HONED	M²	39.07	35KG	P1
МВН63	610 X 305 X 10MM	HONED	M²	33.49	35KG	P1
MBH66	610 X 610 X 10MM	HONED	M²	27.90	35KG	P1
MBP33	305 X 305 X 10MM	POLISHED	M²	39.07	35KG	P1
MBP63	610 X 305 X 10MM	POLISHED	M²	33.49	35KG	P1
MBP66	610 X 610 X 10MM	POLISHED	M²	27.90	35KG	P1
MBPSL	SLABS ON REQUEST	HONED OR POLISHED	M²			



MARBLE 67



		PACKAGING DETAIL	s			
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
MGH63	610 X 305 X 13MM	HONED	M²	22.33	37KG	
MGH66	610 X 610 X 13MM	HONED	M²	25.33	37KG	
MGP63	610 X 305 X 13MM	POLISHED	M²	22.33	37KG	



#### DON'T **BUY BLIND**



Roya	Grey
)	( '
くいいん	( ¬re\/
$\mathcal{L}$	
/	/


		PACKAGING DETAIL	.S			
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
MRGS64	610 X 406 X 12MM	SANDBLASTED	M²	39.63	32KG	P5
MRGS64MB	SQUARE DROP 610 X 406 X 30 / 50MM (M)	SANDBLASTED	EA	64PCS	21KG PC	P5
MRGS64TB	BULLNOSE 610 X 406 X 30MM (T)	SANDBLASTED	EA	60PCS	20KG PC	P5





Front Drop Thickness 30mm

Wide 406mm Back Thickness 30mm Front Drop 50mm



**PROFILE T** 

Long 610mm Wide 406mm

Back Thickness 30mm Round Bullnose front edge



MARBLE



### Crema Marfil


		PACKAGING DETAIL	.S			
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
МСМН33	305 X 305 X 10MM	HONED	M²	33.48	27KG	P2
MCMH63	610 X 305 X 10MM	HONED	M²	41.85	27KG	P2
MCMH66	610 X 610 X 12MM	HONED	M²	27.90	30KG	P2
MCMP33	305 X 305 X 10MM	POLISHED	M²	33.48	27KG	P1
MCMP63	610 X 305 X 10MM	POLISHED	M²	41.85	27KG	P1
MCMP66	610 X 610 X 12MM	POLISHED	M²	27.90	30KG	P1
MCMPSL	SLABS ON REQUEST	HONED OR POLISHED	M²			



		PACKAGING DETAIL	s	
FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING

 
 MMEP63KH
 600 X 300 X 12MM PORCELAIN BACKED
 POLISHED
 M²
 54.00
 28KG
 P1

 MMEP66KH
 600 X 600 X 12MM PORCELAIN BACKED
 POLISHED
 M²
 37.44
 28KG
 P1



		PACKAGING DETAIL	S			
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
MEP63	610 X 305 X 12MM	POLISHED	M²	29.77	32.5KG	





MARBLE 71

CODE

SIZE








# Mosaics & Subway Tiles

←Bianco Carrara Herringbone · ¬ Bianco Carrara Subways · ↑ Green Sukabuhmi

CERAMICA
— living —


MOSAICS & SUBWAY TILES 73



				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
LTH17	150 X 75 X 10MM SUBWAY	HONED	M²	35.10	31KG	
LTH31	300 X 75 X 10MM SUBWAY	HONED	M²	35.10	31KG	



				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	SHTS/M <sup>2</sup>	KG/M²	SLIP RATING
LTH48	48 X 48 X 8MM HEXAGON (SHEET 298 X 303MM)	HONED	SHT	11.10 SHTS / M²	18.9KG	
LTHHBL	50 X 200 X 8MM HERRINGBONE LARGE (SHEET 285 X 295MM)	HONED	SHT	12.00 SHTS / M <sup>2</sup>	25.6KG	



		PACKAGING DETAILS				
CODE	SIZE	FINISH	UOM	SHTS / M <sup>2</sup>	KG/M²	SLIP RATING
MNM48	50 X 50 X 10MM HEXAGON (SHEET 305 X 305MM)	HONED	SHT	11.00 SHTS / M²	19.5KG	
MNMHS	20 X 65 X 10MM HERRINGBONE SMALL	HONED	SHT	15.00 SHTS / M <sup>2</sup>	26.1KG	
MNMHL	50 X 200 X 10MM HERRINGBONE LARGE	HONED	SHT	12.00 SHTS / M <sup>2</sup>	27KG	




				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M <sup>2</sup> / CRATE	KG/M²	SLIP RATING
LTH84	100 X100 X10MM	SAWN	M²	50.00M <sup>2</sup>	25.50KG	


MOSAICS 75





Bianco Carrara

				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	SHTS / M <sup>2</sup>	KG/M²	SLIP RATING
MBH258	25 X 25 X 8MM HEXAGON (SHEET 285 X 285MM)	HONED	SHT	12.50 SHTS / M <sup>2</sup>	15.4KG	
MBH488	48 X 48 X 8MM HEXAGON (SHEET 298 X 305MM)	HONED	SHT	11.00 SHTS / M <sup>2</sup>	16.5KG	
MBH118	100 X 100 X 8MM HEXAGON (SHEET 298 X 305MM)	HONED	SHT	11.00 SHTS / M <sup>2</sup>	16KG	
MBHFN	69 X 78 X 7MM FAN SHAPE / FISH SCALE (SHEET 235 X 225MM)	HONED	SHT	19.00 SHTS / M²	30KG	
MBHHS8	20 X 65 X 10MM HERRINGBONE SMALL (SHEET 248 X 278MM)	HONED	SHT	14.50 SHTS / M <sup>2</sup>	17.4KG	
MBHHL	50 X 200 X 10MM HERRINGBONE LARGE	HONED	SHT	12.00 SHTS / M <sup>2</sup>	27KG	
MBHKL	148 X 15 X 7MM KIT KAT LARGE (SHEET 305 X 298MM)	HONED	SHT	11.00 SHTS / M²	17.6KG	
MBHPR8	25MM DIA X 8MM PENNY ROUNDS (SHEET 285 X 295MM)	HONED	SHT	12.00 SHTS / M <sup>2</sup>	18KG	










↑ Fan Shape.


↑ Hexagon Small.

↑ Hexagon Medium. ↑ Hexagon Large.

↑ Penny Rounds.



		PACKAGING DETAILS				
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
MBH17	150 X 75 X 10MM	HONED	M²	64PCS/BOX, 88PCS/M <sup>2</sup>	26.4KG	
MBH37	300 X 75 X 10MM	HONED	M²	30PCS / BOX, 44PCS / M <sup>2</sup>	26.4KG	
MBP17	150 X 75 X 10MM	POLISHED	M²	64PCS/BOX, 88PCS/M <sup>2</sup>	26.4KG	
MBP37	300 X 75 X 10MM	POLISHED	M²	30PCS / BOX, 44PCS / M²	26.4KG	







**MOSAICS & SUBWAY TILES** 





# Stone Wall Cladding

 $\mbox{\Large \leftarrow}$  Airlie Random  $\,\cdot\,$   $\mbox{\Large \sc Golden}$  Temple Dry Wall  $\,\cdot\,$   $\mbox{\Large \sc homa Linda Dry Wall}$ 

CERAMICA
— living —

STONE WALL CLADDING 79



 PACKAGING DETAILS

 CODE
 SIZE
 FINISH
 UOM
 M²/CRATE
 KG/M²
 SLIP RATING

 RHRL
 HAMPTON RANDOM LOOSE 30-50MM
 NATURAL SPLIT
 M²
 10.00
 78KG
 N/A

NATURAL SPLIT


25.00 L/M

16KGL/M

N/A


HAMPTON RANDOM LOOSE 30-50MM CORNERS

RHRC



				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M <sup>2</sup> / CRATE	KG/M²	SLIP RATING
RARL	AIRLIE RANDOM LOOSE 20-40MM	NATURAL SPLIT	M²	10.00	71KG	N/A
RARLC	AIRLIE RANDOM LOOSE 20-40MM CORNERS	NATURAL SPLIT	LM	25.00 L/M	16KG L/M	N/A





Cobalt Grey Random Loose

				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
RCGL	COBALT GREY RANDOM LOOSE 20-40MM	NATURAL SPLIT	M²	15.00	80KG	N/A
RCGLC	COBALT GREY RANDOM LOOSE 20-40MM CORNERS	NATURAL SPLIT	LM	25.00L/M	17KGL/M	N/A



				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
ROVL	OLD VILLA RANDOM LOOSE 20-40MM	NATURAL SPLIT	M²	15.00	80KG	N/A
ROVLC	OLD VILLA RANDOM LOOSE 20-40MM CORNERS	NATURAL SPLIT	LM	25.00L/M	16KGL/M	N/A



STONE WALL CLADDING 81





## Golden Temple Dry Wall Random Loose

		PACKAGING DETAILS				
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
RGTL	GOLDEN TEMPLE DRY WALL RANDOM LOOSE 30-50MM	NATURAL SPLIT	M²	10.00	75KG	N/A
RGTLC	GOLDEN TEMPLE DRY WALL RANDOM LOOSE 30-50MM CORNERS	NATURAL SPLIT	LM	25.00L/M	16KGL/M	N/A



Loma Linda Dry Wall Random Loose

				PACKAGING DETAILS			
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING	
RLLL	LOMA LINDA DRY WALL RANDOM LOOSE 30-50MM	NATURAL SPLIT	M²	10.00	78KG	N/A	
RLLLC	LOMA LINDA DRY WALL RANDOM LOOSE 30-50MM CORNERS	NATURAL SPLIT	LM	25.00L/M	16KGL/M	N/A	







Loden Quartz Dry Wall Random Loose

				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
RLQL	LODEN QUARTZ DRY WALL RANDOM LOOSE 30-50MM	NATURAL SPLIT	M²	14.00	160KG	N/A
RLQLC	LODEN QUARTZ DRY WALL RANDOM LOOSE 30-50MM CORNERS	NATURAL SPLIT	LM	25.00L/M	20KG L/M	N/A



Splitface Stones Loose

		PACKAGING DETAILS				
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
WBS21	FREE LENGTH X 100MM X 20MM BLACK LIMESTONE SPILTFACE	NATURAL SPLIT	M²	32.50	55KG	N/A
WST21	FREE LENGTH X 100MM X 20MM SILVER TRAVERTINE SPILTFACE	NATURAL SPLIT	M²	29.00	55KG	N/A
WCT21	FREE LENGTH X 100MM X 12MM CLASSIC TRAVERTINE SPILTFACE	NATURAL SPLIT	M²	26.35	42KG	N/A



				PACKAGING DETAILS			
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING	
RADL	ALPINE DUST DRY WALL RANDOM LOOSE 30-50MM	NATURAL SPLIT	M²	10.00	78KG	N/A	
RADLC	ALPINE DUST DRY WALL RANDOM LOOSE 30-50MM CORNERS	NATURAL SPLIT	LM	50.00L/M	16KGL/M	N/A	



				PACKAGING DETAILS			
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING	
RHRL	HIMALAYA RANDOM LOOSE 20-40MM	NATURAL SPLIT	M <sup>2</sup>	10.00	65KG	N/A	
RHRLC	HIMALAYA RANDOM LOOSE 20-40MM CORNERS	NATURAL SPLIT	LM	25.00L/M	19KGL/M	N/A	



STONE WALL CLADDING 85





# Sandstone


A coarse-grained sedimentary rock formed by compressed sand deposited by water or wind. Available in a natural finish which is characterised by its granular, undulating surface, or a smoother, honed finish which will have variation in texture and some edge chipping.

Sandstone is a hard yet very porous stone that, if being sealed, requires thorough impregnation with suitable sealants.


Sandstone in its large flag format is a well-established and extremely popular external choice.


 $\leftarrow$  Himalayan Honed Sandstone  $\,\cdot\,$  Rainbow Honed Sandstone






				PACKAGING DETAILS			
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING	
SDS32	300 X 200 X 15MM	NATURAL	M²	30.60	44.5KG	P5	
SDS33	300 X 300 X 15MM	NATURAL	M²	21.15	44.5KG	P5	
SDS44	400 X 400 X 15MM	NATURAL	M²	19.20	44.5KG	P5	
SDS63	600 X 300 X 15MM	NATURAL	M²	20.88	44.5KG	P5	
SDS66	600 X 600 X 15MM	NATURAL	M²	20.52	44.5KG	P5	
SDS63P	600 X 300 X 30MM PAVERS	NATURAL	M²	11.16	69.5KG	P5	
SDS123P	1200 X 300 X 40MM PAVERS	NATURAL	PC	38PC	36KG PC	P5	
SDS126P	1200 X 600 X 40MM PAVERS	NATURAL	PC	19PC	72KG PC	P5	
SDS63PB	BULLNOSE 600 X 300 X 30MM (P)	NATURAL	PC	60PC	12.5KG PC	P5	
SDS63ZB	BULLNOSE 600 X 300 X 18MM (Z)	NATURAL	PC	100PC	8KG PC	P5	
SDS64TB	BULLNOSE 600 X 400 X 30MM (T)	NATURAL	PC	62PC	17KG PC	P5	







PROFILE Y
Long 600mm
Wide 300mm
Back Thickness 30mm
Round Bullnose front edge


PROFILE Z
Long 600mm
Wide 300mm
Back Thickness 18mm
Round Bullnose front edge


PROFILE T Long 600mm Wide 400mm Back Thickness 30mm Round Bullnose front edge




SANDSTONE 89









PROFILE O
Long 800mm
Wide 400mm
Back Thickness 20mm
Front Drop 70mm
Front Drop Thickness 20mm






PROFILE Z
Long 600mm
Wide 300mm
Back Thickness 18mm
Round Bullnose front edge




PROFILE Y
Long 600mm
Wide 300mm
Back Thickness 30mm
Round Bullnose front edge





PROFILE T
Long 600mm
Wide 400mm
Back Thickness 30mm
Round Bullnose front edge





SANDSTONE 9:














**PROFILE Z** Long 600mm Wide 300mm Back Thickness 18mm Round Bullnose front edge

**PROFILE Y** Long 600mm Wide 300mm Back Thickness 30mm Round Bullnose front edge

**PROFILE T** Long 600mm Wide 400mm Back Thickness 30mm Round Bullnose front edge




**PROFILE F** Long 600mm Wide 400mm Back Thickness 18mm Front Drop 30mm round Front Drop Thickness 30mm



**PROFILE E** Long 600mm Wide 400mm Back Thickness 18mm Front Drop 30mm square Front Drop Thickness 30mm PROFILE D Long 400mm Wide 400mm Back Thickness 18mm Round Bullnose front edge




SANDSTONE







#### Teakwood Honed

				PACKAGING DETAILS			
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING	
SHT63	600 X 300 X 20MM	HONED	M²	18.00	39KG	P5	
SHT66	600 X 600 X 20MM	HONED	M²	18.00	39KG	P5	
SHT84	800 X 400 X 20MM	HONED	M²	15.68	39KG	P5	
SHT64P	600 X 400 X 30MM PAVERS	HONED	M²	15.84	60.5KG	P5	
SHT63ZB	BULLNOSE 600 X 300 X 20MM (Z)	HONED	PC	100PC	7KG PC	P5	
SHT64TB	BULLNOSE 600 X 400 X 30MM ROUND (T)	HONED	PC	64PC	14.5KG PC	P5	
SHT84OB	SQUARE DROP 800 X 400 X 20 / 70MM (O)	HONED	PC	72PC	12KG PC	P5	
SHTSL	SLABS ON REQUEST	HONED	M²				








PROFILE Z
Long 600mm
Wide 300mm
Back Thickness 20mm
Round Bullnose front edge

PROFILE T
Long 600mm
Wide 400mm
Back Thickness 30mm
Round Bullnose front edge

PROFILE O
Long 800mm
Wide 400mm
Back Thickness 20mm
Front Drop 70mm
Front Drop Thickness 20mm



SANDSTONE 95






# Slate

A fine-grained metamorphic rock that is characterised by its ability to be split into broad sheets, slate is a durable stone which presents a diverse range of colours and textures.


We offer hand cut slate, which has a naturally cleft surface and is rustic by its nature, with chips and chisel marks present on some surfaces and can be used both internally and externally.

We also offer a range of Honed slates that are machined to create a smoother, more even surface. Highly textured Split face panels are stocked in various colours. CERAMICA
— living —

← Kund Multicolour Slate · ↑ South American Graphite Slate







SLATE 99





## South American Graphite

				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
SLG63	600 X 300 X 10MM	SPLIT	M²	36.00	29KG	P4
SLG66	600 X 600 X 10MM	SPLIT	M²	36.00	29KG	P4
SLG84	800 X 400 X 10MM	SPLIT	M²	32.00	29KG	P4
SLGSL	SLABS ON REQUEST	SPLIT OR BRUSHED	M²			




CERAMICA
— living —


SLATE 101



				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
SLJ32	300 X 200 X 10-12MM SAWN EDGE	SPLIT	M²	APPROX . 36.00	31KG	
SLJ33	300 X 300 X 10-12MM SAWN EDGE	SPLIT	M²	APPROX.41.00	31KG	



				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
SLR32	300 X 200 X 10-12MM SAWN EDGE	SPLIT	M²	APPROX.42.00	30KG	
SLR33	300 X 300 X 10-12MM SAWN EDGE	SPLIT	M²	APPROX.46.00	30KG	



				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
SLK32	300 X 200 X 10-12MM SAWN EDGE	SPLIT	M²	APPROX.39.00	27KG	
SLK33	300 X 300 X 10-12MM SAWN EDGE	SPLIT	M²	APPROX . 46.00	27KG	




				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
SLS32	300 X 200 X 10-12MM SAWN EDGE	SPLIT	M²	APPROX.43.00	32.5KG	
SLS33	300 X 300 X 10-12MM SAWN EDGE	SPLIT	M²	APPROX . 46.00	32.5KG	



SLATE 103







# Travertine

Travertine begins as a calcareous dispersion which is then deposited by hot mineral springs. The result of this method of formation is a honey-combed structure which when finished has visible surface pitting and voids.

Travertine generally comes in either 'cross-cut' or 'vein-cut' formats. Vein-cut tiles are cut so that the surface plane of the tile runs parallel to the long veins present, cross-cut tiles are cut perpendicular to these veins.

— living —

← Silver Vein Cut Travertine · ► Milano Vein Cut Travertine · ↑ Florance Vein Cut Travertine



## Florence

		PACKAGING DETAILS				
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
TFU66	600 X 600 X 15MM VEIN CUT	UNFILLED & HONED	M²	25.20	35KG	P3
TFU84	800 X 400 X 15MM VEIN CUT	UNFILLED & HONED	M²	25.20	35KG	P3
TFV66	600 X 600 X 15MM VEIN CUT	FILLED & HONED	M²	25.20	35KG	P2
TFV84	800 X 400 X 15MM VEIN CUT	FILLED & HONED	M²	25.20	35KG	P2
TFVB	COPING TILES ON REQUEST		PC			
TFVSL	SLABS ON REQUEST		M²			



### Milano Cross Cut

		PACKAGING DETAILS				
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
TMCU63	600 X 300 X 15MM CROSS CUT	UNFILLED & HONED	M²	25.20	35KG	P3
TMCU66	600 X 600 X 15MM CROSS CUT	UNFILLED & HONED	M²	25.20	35KG	P3
TMCU84	800 X 400 X 15MM CROSS CUT	UNFILLED & HONED	M²	25.20	35KG	P3
TMCF63	600 X 300 X 15MM CROSS CUT	FILLED & HONED	M²	25.20	35KG	P3
TMCF66	600 X 600 X 15MM CROSS CUT	FILLED & HONED	M²	25.20	35KG	P3
TMCF84	800 X 400 X 15MM CROSS CUT	FILLED & HONED	M²	25.20	35KG	P3
ТМСВ	COPING TILES ON REQUEST		PC			
TMCFSL	SLABS ON REQUEST		M²			

TRAVERTINE 107






## Milano Vein Cut

				PACKAGING DETAILS			
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING	
TMVU63	600 X 300 X 15MM VEIN CUT	UNFILLED & HONED	M²	25.20	25.20	P3	
TMVU66	600 X 600 X 15MM VEIN CUT	UNFILLED & HONED	M²	25.20	25.20	P3	
TMVU84	800 X 400 X 15MM VEIN CUT	UNFILLED & HONED	M²	25.20	25.20	P3	
TMVF63	600 X 300 X 15MM VEIN CUT	FILLED & HONED	M²	25.20	25.20	P2	
TMVF66	600 X 600 X 15MM VEIN CUT	FILLED & HONED	M²	25.20	35KG	P2	
TMCFV84	800 X 400 X 15MM VEIN CUT	FILLED & HONED	M²	25.20	35KG	P2	
TMVB	COPING TILES ON REQUEST		PC				
TMVSL	SLABS ON REQUEST		M²				


TRAVERTINE 109




		PACKAGING DETAILS				
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
TSP61T	610 X 152 X 12MM VEIN CUT	UNFILLED & TUMBLED	M²	29.50	29KG	P4
TSP64T	610 X 406 X 12MM VEIN CUT	UNFILLED & TUMBLED	M²	39.50	29KG	P4
TSP64MB	SQUARE DROP 610 X 406 X 30 / 50MM VEIN CUT (M)	UNFILLED & TUMBLED	EA	66PCS	20KG PC	P4
TSP64TB	BULLNOSE 610 X 406 X 30MM VEIN CUT (T)	UNFILLED & TUMBLED	EA	64PCS	18KG PC	P4
TSPSL	SLABS ON REQUEST		M²			




PROFILE T
Long 610mm
Wide 406mm
Back Thickness 30mm
Round Bullnose front edge



	PACKAGING DETAILS					
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
TC63T	610 X 305 X 12MM CROSS CUT	FILLED & HONED	M²	29.77	27KG	P5
TC66T	610 X 610 X 12MM CROSS CUT	FILLED & HONED	M²	29.77	27KG	P5
TC126T	1220 X 610 X 12 MM CROSS CUT	FILLED & HONED	M²	52.09	27KG	P5
TCSL	SLABS ON REQUEST		M²			




PROFILE W
Long 610mm
Wide 406mm
Back Thickness 30mm
Front Drop 50mm round
Front Drop Thickness 30mm



PROFILE T
Long 610mm
Wide 406mm
Back Thickness 30mm
Round Bullnose front edge





RAVERTINE




				PACKAGING DETAIL	.S	
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
TM64T	610 X 406 X 12MM CROSS CUT	UNFILLED & TUMBLED	M²	39.63	30KG	P5
TM64P	610 X 406 X 30MM CROSS CUT PAVER	UNFILLED & TUMBLED	M²	16.35	76KG	P5
TM66P	610 X 610 X 30MM CROSS CUT PAVER	UNFILLED & TUMBLED	M²	12.28	76KG	P5
TMFPT	FRENCH PATTERN 12MM CROSS CUT 1 PACK = 1PC X 610 X 406, 2PC X 406 X 406, 1PC X 203 X 406, 2PC X 203 X 203	UNFILLED & TUMBLED	M²	38.48	30KG	P5
TMFPP	FRENCH PATTERN 30MM CROSS CUT PAVER 1 PACK = 1PC X 610 X 406, 2PC X 406 X 406, 1PC X 203 X 406, 2PC X 203 X 203	UNFILLED & TUMBLED	M²	16.35	76KG	P5
TM64MB	SQUARE DROP 610 X 406 X 30 / 50MM CROSS CUT (M)	UNFILLED & TUMBLED	PC	64PCS	18KG PC	P5
TM64TB	BULLNOSE 610 X 406 X 30MM CROSS CUT (T)	UNFILLED & TUMBLED	PC	64PCS	17KG PC	P5







**PROFILE T** Long 610mm Wide 406mm Back Thickness 30mm Round Bullnose front edge



#### FRENCH PATTERN LAYOUT


A-610 x 406mm

B - 406 x 406mm **C** - 203 x 406mm


**D** - 203 x 203mm



		PACKAGING DETAILS				
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
TE63T	610 X 305 X 12MM CROSS CUT	FILLED & HONED	M²	29.77	24.5	P4
TE66T	610 X 610 X 12MM CROSS CUT	FILLED & HONED	M²	29.77	24.5	P4
TE64WB	ROUND DROP 610 X 406 X 30 / 50MM CROSS CUT (W)	FILLED & HONED	PC	64PCS	20KG PC	P4
TE64TB	BULLNOSE 610 X 406 X 30MM CROSS CUT (T)	FILLED & HONED	PC	66PCS	18KG PC	P4
TESL	SLABS ON REQUEST		M²			










**PROFILE T** Long 610mm Wide 406mm Back Thickness 30mm Round Bullnose front edge







				PACKAGING DETAIL	.s	
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
TN64T	610 X 406 X 12MM CROSS CUT	UNFILLED & TUMBLED	M²	39.63	30KG	P5
TN64PT	610 X 406 X 30MM CROSS CUT PAVER	UNFILLED & TUMBLED	M²	16.35	76KG	P5
TNFPT	FRENCH PATTERN 12MM CROSS CUT 1 PACK = 1PC X 610 X 406, 2PC X 406 X 406, (0.74M²) 1PC X 203 X 406, 2PC X 203 X 203	UNFILLED & TUMBLED	M²	38.48	30KG	P5
TNFPP	FRENCH PATTERN 30MM CROSS CUT PAVER 1 PACK = 1PC X 610 X 406, 2PC X 406 X 406, (0.74M²) 1PC X 203 X 406, 2PC X 203 X 203	UNFILLED & TUMBLED	M²	16.35	76KG	P5
TN64MB	SQUARE DROP 610 X 406 X 30 / 50MM CROSS CUT (M)	UNFILLED & TUMBLED	PC	66PCS	20KG PC	P5
TN64TB	BULLNOSE 610 X 406 X 30MM CROSS CUT (T)	UNFILLED & TUMBLED	PC	64PCS	18KG PC	P5







**PROFILE T** Long 610mm Wide 406mm Back Thickness 30mm Round Bullnose front edge




#### FRENCH PATTERN LAYOUT

A - 610 x 406mm

**B** - 406 x 406mm


**C** - 203 x 406mm

**D** - 203 x 203mm



Silver Oyster

		PACKAGING DETAILS				
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
TO64T	610 X 406 X 12MM CROSS CUT	UNFILLED & TUMBLED	M²	39.63	30KG	P4
TO64P	610 X 406 X 30MM CROSS CUT PAVER	UNFILLED & TUMBLED	M²	16.35	76KG	P4
TOPFPT	FRENCH PATTERN 12MM CROSS CUT 1 PACK = 1PC X 610 X 406, 2PC X 406 X 406, (0.74M²) 1PC X 203 X 406, 2PC X 203 X 203	UNFILLED & TUMBLED	M²	38.48	30KG	P4
TOPFP	FRENCH PATTERN 30MM CROSS CUT PAVER 1 PACK = 1PC X 610 X 406, 2PC X 406 X 406, (0.74M²) 1PC X 203 X 406, 2PC X 203 X 203	UNFILLED & TUMBLED	M²	16.32	76KG	P4
ТОР64ТВ	BULLNOSE 610 X 406 X 30MM CROSS CUT (T)	UNFILLED & TUMBLED	EA	66PCS	18KG	P4




**PROFILE T** 

Long 610mm

Wide 406mm

Back Thickness 30mm

Round Bullnose front edge



#### FRENCH PATTERN LAYOUT


**A** - 610 x 406mm


**B** - 406 x 406mm

C - 203 x 406mm

**D** - 203 x 203mm

CERAMICA
— living —








#### FRENCH PATTERN LAYOUT

A - 610 x 406mm


**B** - 406 x 406mm


**C** - 203 x 406mm


**D** - 203 x 203mm



				PACKAGING DETAIL	.S	
CODE	SIZE	FINISH	UOM	M <sup>2</sup> /CRATE	KG/M²	SLIP RATING
TST31T	305X152 X 12MM CROSS CUT	UNFILLED & TUMBLED	M²	29.77	32KG	P3
TST64T	610X406 X 12MM CROSS CUT	UNFILLED & TUMBLED	M²	39.63	32KG	P3
TST64P	610X406 X 30MM CROSS CUT PAVER	UNFILLED & TUMBLED	M²	16.35	77KG	Р3
TSTFY	FRENCH PATTERN 12MM CROSS CUT 1 PACK = 1PC X 610 X 406, 2PC X 406 X 406, (0.74M²) 1PC X 203 X 406, 2PC X 203 X 203	UNFILLED & TUMBLED	M²	38.48	32KG	Р3
TSTFP	FRENCH PATTERN 30MM CROSS CUT PAVER 1 PACK = 1PC X 610 X 406, 2PC X 406 X 406, (0.74M²) 1PC X 203 X 406, 2PC X 203 X 203	UNFILLED & TUMBLED	M²	16.35	77KG	Р3
TST64MB	SQUARE DROP 610X406 X 30 / 50MM CROSS CUT (M)	UNFILLED & TUMBLED	PC	60PCS	19KG PC	P3
TST64KB	SQUARE DROP 610X406 X 30 / 70MM CROSS CUT (K)	UNFILLED & TUMBLED	PC	56PCS	20KG PC	Р3
TST64TB	BULLNOSE 610X406 X 30MM CROSS CUT (T)	UNFILLED & TUMBLED	PC	66PCS	17KG PC	P3







PROFILE M

Long 610mm

Wide 406mm Back Thickness 30mm

Front Drop 50mm

Front Drop Thickness 30mm

PROFILE K

Long 610mm

Wide 406mm Back Thickness 30mm


Front Drop 70mm
Front Drop Thickness 30mm

PROFILET


Long 610mm Wide 406mm

Back Thickness 30mm Round Bullnose front edge

TRAVERTINE 117




				PACKAGING DETAIL	.S	
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
TST64TC	610X406 X 12MM CROSS CUT	UNFILLED & TUMBLED	M²	39.63	30KG	P3
TST64PC	610X406 X 30MM CROSS CUT PAVER	UNFILLED & TUMBLED	M²	16.35	76KG	P3
TSTFPTC	FRENCH PATTERN 12MM CROSS CUT 1 PACK = 1PC X 610 X 406, 2PC X 406 X 406, (0.74M²) 1PC X 203 X 406, 2PC X 203 X 203	UNFILLED & TUMBLED	M²	38.48	30KG	P3
TSTFPSC	FRENCH PATTERN 30MM CROSS CUT PAVER 1 PACK = 1PC X 610 X 406, 2PC X 406 X 406, (0.74M²) 1PC X 203 X 406, 2PC X 203 X 203	UNFILLED & TUMBLED	M²	16.35	76KG	P3
TST64MB	SQUARE DROP 610X406 X 30 / 50MM CROSS CUT (M)	UNFILLED & TUMBLED	PC	60PCS	19KG PC	P3
TST64KB	SQUARE DROP 610X406 X 30 / 70MM CROSS CUT (K)	UNFILLED & TUMBLED	PC	56PCS	20KG PC	P3
TST64TB	BULLNOSE 610X406 X 30MM CROSS CUT (T)	UNFILLED & TUMBLED	PC	66PCS	17KG PC	P3



	PACKAGING DETAIL	S				
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
TSV63T	610X305 X 12MM VEIN CUT	FILLED & HONED	M²	29.77	32KG	P3
TSV84T	812X406 X 12MM VEIN CUT	FILLED & HONED	M²	26.37	32KG	P3
TSVSL	SLABS ON REQUEST	FILLED & HONED	M²			




TRAVERTINE 119




				PACKAGING DETAILS		
CODE	SIZE	FINISH	UOM	M²/CRATE	KG/M²	SLIP RATING
TTO63T	610X305 X 12MM CROSS CUT	UNFILLED & TUMBLED	M2	29.77	29KG	P4
TTP64T	610X406 X 12MM CROSS CUT	UNFILLED & TUMBLED	M2	39.63	29KG	P4
TTP66T	610X610 X 12MM CROSS CUT	UNFILLED & TUMBLED	M2	30.80	29KG	P4
TTP64P	610X406 X 30MM CROSS CUT PAVER	UNFILLED & TUMBLED	M2	16.35	76KG	P4
TTPFT	FRENCH PATTERN 12MM CROSS CUT 1 PACK = 1PC X 610 X 406, 2PC X 406 X 406, (0.74M²) 1PC X 203 X 406, 2PC X 203 X 203	UNFILLED & TUMBLED	M2	38.48	29KG	P4
TTPFTP	FRENCH PATTERN 30MM CROSS CUT PAVER 1 PACK = 1PC X 610 X 406, 2PC X 406 X 406, (0.74M²) 1PC X 203 X 406, 2PC X 203 X 203	UNFILLED & TUMBLED	M2	16.32	76KG	P4
TTPJFT	FRENCH PATTERN 12MM JUMBO CROSS CUT 1 PACK = 1PC X 915 X 610, 2PC X 610 X 610, (0.74M²) 1PC X 305 X 610, 2PC X 305 X 305	UNFILLED & TUMBLED	M2	29.77	29KG	P4
TT64MB	SQUARE DROP 610X406 X 30 / 50MM CROSS CUT (M)	UNFILLED & TUMBLED	PC	64PCS	18KG PC	P4
TT64KB	SQUARE DROP 610X406 X 30 / 70MM CROSS CUT (K)	UNFILLED & TUMBLED	PC	56PCS	20KG PC	P4
TT64WB	ROUND DROP 610X406 X 30 / 50MM CROSS CUT (W)	UNFILLED & TUMBLED	PC	64PCS	18KG PC	P4
TT64TB	BULLNOSE 610X406 X 30MM CROSS CUT (T)	UNFILLED & TUMBLED	PC	66PCS	17KG PC	P4









**PROFILE K** Long 610mm Wide 406mm Back Thickness 30mm Front Drop 70mm Front Drop Thickness 30mm



**PROFILE W** Long 610mm Wide 406mm Back Thickness 30mm Front Drop 50mm Front Drop Thickness 30mm



**PROFILE T** Long 610mm Wide 406mm Back Thickness 30mm Round Bullnose front edge



FRENCH PATTERN LAYOUT

A-610 x 406mm / 915 x 610mm

**B** - 406 x 406mm / 610 x 610mm

C - 203 x 406mm / 305 x 610mm **D** - 203 x 203mm / 305 x 305mm



CERAMICA
— living —