

DIGITAL CLAMP MULTIMETER

Model : V 2266

3 5/6 Digits (6000 Counts)

True RMS, Auto Ranging

6 / 60 / 600 / 1000 A AC

Data Hold, B/L & Torch

Continuity & Diode Test

A.P.O., NCV & Live Wire Test

Low Imp. ACV Meas. (TRMS)



SPECIFICATIONS

DC Voltage	Range	600 mV, 6 V, 60 V, 600 V, 1000 V
	Basic Accuracy	± (0.5% reading + 7 digits)
AC Voltage (True RMS)	Range	6 V, 60 V, 600 V, 750 V
	Basic Accuracy	± (1% rdg. + 10 digits)
AC Current (True RMS)	Range	6 A / 60 A / 600 A / 1000 A
	Basic Accuracy	± (4% rdg. + 10 digits)
Low impedance AC V Measurement (TRMS)	Range	6 V, 60 V, 300 V
	Basic Accuracy	± (1% rdg. + 10 digits) Input impedance : ≤3 KΩ.
Resistance	Range	600 Ω, 6 K Ω, 60 K Ω, 600 K Ω, 6 M Ω, 20 M Ω, 60 M Ω
	Basic Accuracy	± (1% rdg. + 5 digits)
Other Facilities / Features	NCV & Live Wire Test, Diode Test, Continuity Test, Back Light, Torch, Auto Power Off, Low Batt. Indication, Data Hold & Min./Max.	
Accessories Supplied	Test Leads, Carrying Pouch, User Manual & Battery - 2 x AAA (Installed / Kept Aside).	
Dimension & Weight	230 x 75 x 40 mm & Approx. 315 gms. (Incl. Batt.).	