



CERTIFICATE OF ANALYSIS

REPORTED TO Cann Group Development Corp
56 Hadow Road
Enderby, BC V0E 1V3

ATTENTION Branden Beaupre

PO NUMBER Dymond Concentrates
PROJECT Cannabis Testing - Dymond
PROJECT INFO

WORK ORDER 22K2769

RECEIVED / TEMP 2022-11-24 09:10 / NA
REPORTED 2022-12-07 15:46
COC NUMBER NO#

Introduction:

CARO Analytical Services is a testing laboratory full of smart, engaged scientists driven to make the world a safer and healthier place. Through our clients' projects we become an essential element for a better world. We employ methods conducted in accordance with recognized professional standards using accepted testing methodologies and quality control efforts. CARO is accredited by the Canadian Association for Laboratories Accreditation (CALA) to ISO/IEC 17025:2017 for specific tests listed in the scope of accreditation approved by CALA.

Big Picture Sidekicks



You know that the sample you collected after snowshoeing to site, digging 5 meters, and racing to get it on a plane so you can submit it to the lab for time sensitive results needed to make important and expensive decisions (whew) is VERY important. We know that too.

We've Got Chemistry



It's simple. We figure the more you enjoy working with our fun and engaged team members; the more likely you are to give us continued opportunities to support you.

Ahead of the Curve



Through research, regulation knowledge, and instrumentation, we are your analytical centre for the technical knowledge you need, BEFORE you need it, so you can stay up to date and in the know.

By engaging our services, you are agreeing to CARO Analytical Service's Standard Terms and Conditions outlined here: <https://www.caro.ca/terms-conditions>


If you have any questions or concerns, please contact me at pmand@caro.ca

Authorized By:

Brent Coates
Director of Operations

1-888-311-8846 | www.caro.ca

#110 4011 Viking Way Richmond, BC V6V 2K9 | #102 3677 Highway 97N Kelowna, BC V1X 5C3 | 17225 109 Avenue Edmonton, AB T5S 1H7 | #108 4475 Wayburne Drive Burnaby, BC V5G 4X4




TEST RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing - Dymond

WORK ORDER REPORTED 22K2769
2022-12-07 15:46

Analyte	Result	RL	Units	Analyzed	Qualifier
H-09MAY22-IS (22K2769-01) Matrix: Cannabis Concentrate Sampled: 2022-11-23					
Aflatoxins					
Aflatoxin B1	< 1.00	1.00	µg/kg	2022-12-07	
Aflatoxin B2	< 1.00	1.00	µg/kg	2022-12-07	
Aflatoxin G1	< 1.00	1.00	µg/kg	2022-12-07	
Aflatoxin G2	< 1.00	1.00	µg/kg	2022-12-07	
Total Aflatoxins	< 4.00	4.00	µg/kg	2022-12-07	
Calculated Parameters					
Total CBD	100	1.00	% (wt/wt)	N/A	
Total THC	< 0.100	0.100	% (wt/wt)	N/A	
Metals in Cannabis					
Arsenic	< 0.200	0.200	mg/kg	2022-11-27	
Cadmium	< 0.250	0.250	mg/kg	2022-11-27	
Lead	< 0.500	0.500	mg/kg	2022-11-27	
Mercury	< 0.100	0.100	mg/kg	2022-11-27	
Microbiological Parameters					
Total Aerobic Microbial Count (EP)	< 10	10	CFU/g	2022-11-27	
Total Yeast and Mould Count (EP)	< 10	10	CFU/g	2022-11-27	
BTGN Bacteria (EP)	Absent	1	/1 g	2022-11-27	
E. coli (EP)	Absent	1	/1 g	2022-11-27	
Salmonella (EP)	Absent	1	/25 g	2022-11-27	
Staphylococcus aureus (EP)	Absent	1	/1 g	2022-11-27	
Pseudomonas aeruginosa (EP)	Absent	1	/1 g	2022-11-27	
Ochratoxins					
Ochratoxin A	< 20.0	20.0	µg/kg	2027-11-22	
Pesticides, Herbicides, and Fungicides					
Abamectin	< 0.250	0.250	µg/g wet	2022-12-02	
Endosulfan sulfate	< 2.50	2.50	µg/g wet	2022-12-02	
Acephate	< 0.050	0.050	µg/g wet	2022-12-02	
Endosulfan-alpha	< 2.50	2.50	µg/g wet	2022-12-02	
Acetamiprid	< 0.050	0.050	µg/g wet	2022-12-02	
Endosulfan-beta	< 2.50	2.50	µg/g wet	2022-12-02	
Acequinocyl	< 1.00	1.00	µg/g wet	2022-12-02	
Etridiazole	< 0.150	0.150	µg/g wet	2022-12-02	
Aldicarb	< 0.500	0.500	µg/g wet	2022-12-02	
Fenvalerate	< 2.50	2.50	µg/g wet	2022-12-02	
Allethrin	< 0.100	0.100	µg/g wet	2022-12-02	
Azadirachtin	< 0.500	0.500	µg/g wet	2022-12-02	
Fipronil	< 0.010	0.010	µg/g wet	2022-12-02	
Azoxystrobin	< 0.010	0.010	µg/g wet	2022-12-02	
Fludioxonil	< 0.010	0.010	µg/g wet	2022-12-02	
Benzovindiflupyr	< 0.010	0.010	µg/g wet	2022-12-02	



TEST RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing - Dymond


WORK ORDER REPORTED 22K2769
2022-12-07 15:46

Analyte	Result	RL	Units	Analyzed	Qualifier
---------	--------	----	-------	----------	-----------

H-09MAY22-IS (22K2769-01) | Matrix: Cannabis Concentrate | Sampled: 2022-11-23, Continued

Pesticides, Herbicides, and Fungicides, Continued

Quintozene	< 0.500	0.500	µg/g wet	2022-12-02	
Bifenazate	< 0.010	0.010	µg/g wet	2022-12-02	
Bifenthrin	< 5.00	5.00	µg/g wet	2022-12-02	
Boscalid	< 0.010	0.010	µg/g wet	2022-12-02	
Buprofezin	< 1.00	1.00	µg/g wet	2022-12-02	
Carbaryl	< 0.025	0.025	µg/g wet	2022-12-02	
Carbofuran	< 0.010	0.010	µg/g wet	2022-12-02	
Chlorantraniliprole	< 1.00	1.00	µg/g wet	2022-12-02	
Chlorfenapyr	< 1.50	1.50	µg/g wet	2022-12-02	
Chlorpyrifos	< 0.500	0.500	µg/g wet	2022-12-02	
Clofentezine	< 0.010	0.010	µg/g wet	2022-12-02	
Clothianidin	< 0.025	0.025	µg/g wet	2022-12-02	
Coumaphos	< 0.010	0.010	µg/g wet	2022-12-02	
Cyantraniliprole	< 0.010	0.010	µg/g wet	2022-12-02	
Cyfluthrin (I,II,III,IV)	< 2.00	2.00	µg/g wet	2022-12-02	
Cypermethrin	< 2.00	2.00	µg/g wet	2022-12-02	
Cyprodinil	< 0.010	0.010	µg/g wet	2022-12-02	
Daminozide	< 1.00	1.00	µg/g wet	2022-12-02	
Deltamethrin	< 4.00	4.00	µg/g wet	2022-12-02	
Diazinon	< 1.00	1.00	µg/g wet	2022-12-02	
Dichlorvos	< 0.050	0.050	µg/g wet	2022-12-02	
Dimethoate	< 0.010	0.010	µg/g wet	2022-12-02	
Dimethomorph	< 1.00	1.00	µg/g wet	2022-12-02	
Dinotefuran	< 0.050	0.050	µg/g wet	2022-12-02	
Dodemorph	< 1.00	1.00	µg/g wet	2022-12-02	
Ethoprop	< 0.010	0.010	µg/g wet	2022-12-02	
Etofenprox	< 1.00	1.00	µg/g wet	2022-12-02	
Etoxazole	< 1.00	1.00	µg/g wet	2022-12-02	
Fenoxycarb	< 0.010	0.010	µg/g wet	2022-12-02	
Fenpyroximate	< 1.00	1.00	µg/g wet	2022-12-02	
Fensulfothion	< 0.010	0.010	µg/g wet	2022-12-02	
Fenthion	< 0.010	0.010	µg/g wet	2022-12-02	
Flonicamid	< 0.025	0.025	µg/g wet	2022-12-02	
Fluopyram	< 0.010	0.010	µg/g wet	2022-12-02	
Hexythiazox	< 1.00	1.00	µg/g wet	2022-12-02	
Imazalil	< 0.010	0.010	µg/g wet	2022-12-02	
Imidacloprid	< 0.010	0.010	µg/g wet	2022-12-02	
Iprodione	< 0.500	0.500	µg/g wet	2022-12-02	
Kinoprene	< 1.25	1.25	µg/g wet	2022-12-02	
Kresoxim-methyl	< 0.150	0.150	µg/g wet	2022-12-02	
Malathion	< 0.010	0.010	µg/g wet	2022-12-02	
Metalaxyl	< 0.010	0.010	µg/g wet	2022-12-02	
Methiocarb	< 0.010	0.010	µg/g wet	2022-12-02	



TEST RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing - Dymond

WORK ORDER REPORTED 22K2769
2022-12-07 15:46

Analyte	Result	RL	Units	Analyzed	Qualifier
---------	--------	----	-------	----------	-----------


H-09MAY22-IS (22K2769-01) | Matrix: Cannabis Concentrate | Sampled: 2022-11-23, Continued

Pesticides, Herbicides, and Fungicides, Continued

Methomyl	< 0.025	0.025	µg/g wet	2022-12-02	
Methoprene	< 1.00	1.00	µg/g wet	2022-12-02	
Methyl parathion	< 1.00	1.00	µg/g wet	2022-12-02	
Mevinphos	< 0.025	0.025	µg/g wet	2022-12-02	
MGK-264	< 1.00	1.00	µg/g wet	2022-12-02	
Myclobutanil	< 0.010	0.010	µg/g wet	2022-12-02	
Naled	< 1.00	1.00	µg/g wet	2022-12-02	
Novaluron	< 0.025	0.025	µg/g wet	2022-12-02	
Oxamyl	< 1.50	1.50	µg/g wet	2022-12-02	
Paclobutrazol	< 0.010	0.010	µg/g wet	2022-12-02	
Permethrin	< 2.00	2.00	µg/g wet	2022-12-02	
Phenothrin	< 5.00	5.00	µg/g wet	2022-12-02	
Phosmet	< 1.00	1.00	µg/g wet	2022-12-02	
Piperonyl butoxide	< 1.25	1.25	µg/g wet	2022-12-02	
Pirimicarb	< 0.010	0.010	µg/g wet	2022-12-02	
Prallethrin	< 1.00	1.00	µg/g wet	2022-12-02	
Propiconazole	< 1.00	1.00	µg/g wet	2022-12-02	
Propoxur	< 0.010	0.010	µg/g wet	2022-12-02	
Pyraclostrobin	< 0.010	0.010	µg/g wet	2022-12-02	
Pyrethrin	< 1.00	1.00	µg/g wet	2022-12-02	
Pyridaben	< 0.020	0.020	µg/g wet	2022-12-02	
Resmethrin	< 0.050	0.050	µg/g wet	2022-12-02	
Spinetoram	< 0.010	0.010	µg/g wet	2022-12-02	
Spinosad	< 0.010	0.010	µg/g wet	2022-12-02	
Spirodiclofen	< 1.00	1.00	µg/g wet	2022-12-02	
Spiromesifen	< 1.00	1.00	µg/g wet	2022-12-02	
Spirotetramat	< 0.010	0.010	µg/g wet	2022-12-02	
Spiroxamine	< 1.00	1.00	µg/g wet	2022-12-02	
Tebuconazole	< 0.010	0.010	µg/g wet	2022-12-02	
Tebufenozide	< 0.010	0.010	µg/g wet	2022-12-02	
Teflubenzuron	< 0.025	0.025	µg/g wet	2022-12-02	
Tetrachlorvinphos	< 0.010	0.010	µg/g wet	2022-12-02	
Tetramethrin	< 1.00	1.00	µg/g wet	2022-12-02	
Thiacloprid	< 0.010	0.010	µg/g wet	2022-12-02	
Thiamethoxam	< 0.010	0.010	µg/g wet	2022-12-02	
Thiophanate methyl	< 1.00	1.00	µg/g wet	2022-12-02	
Trifloxystrobin	< 0.010	0.010	µg/g wet	2022-12-02	

Potency

Cannabidiolic Acid (CBDA)	< 0.100	0.100	% (wt/wt)	2022-11-24	
Cannabidiol (CBD)	100	1.00	% (wt/wt)	2022-11-24	
Cannabinol (CBN)	< 0.100	0.100	% (wt/wt)	2022-11-24	
delta9-THC	< 0.100	0.100	% (wt/wt)	2022-11-24	



TEST RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing - Dymond

WORK ORDER REPORTED 22K2769
2022-12-07 15:46

Analyte	Result	RL	Units	Analyzed	Qualifier
---------	--------	----	-------	----------	-----------


H-09MAY22-IS (22K2769-01) | Matrix: Cannabis Concentrate | Sampled: 2022-11-23, Continued

Potency, Continued

Tetrahydrocannabinolic Acid (THCA)	< 0.100	0.100	% (wt/wt)	2022-11-24	
------------------------------------	---------	-------	-----------	------------	--

Residual Solvents

Acetone	< 5000	5000	µg/g wet	2022-11-29	
Anisole	< 5000	5000	µg/g wet	2022-11-29	
1-Butanol	< 5000	5000	µg/g wet	2022-11-29	
2-Butanol	< 5000	5000	µg/g wet	2022-11-29	
n-Butyl Acetate	< 5000	5000	µg/g wet	2022-11-29	
Methyl tert-butyl ether	< 5000	5000	µg/g wet	2022-11-29	
Ethanol	< 5000	5000	µg/g wet	2022-11-29	
Ethyl acetate	< 5000	5000	µg/g wet	2022-11-29	
Ethyl ether	< 5000	5000	µg/g wet	2022-11-29	
Ethyl Formate	< 5000	5000	µg/g wet	2022-11-29	
n-Heptane	< 5000	5000	µg/g wet	2022-11-29	
Isobutyl Acetate	< 5000	5000	µg/g wet	2022-11-29	
Isopropyl Acetate	< 5000	5000	µg/g wet	2022-11-29	
Methyl acetate	< 5000	5000	µg/g wet	2022-11-29	
3-Methyl-1-Butanol	< 5000	5000	µg/g wet	2022-11-29	
2-Butanone (MEK)	< 5000	5000	µg/g wet	2022-11-29	
Isobutanol	< 5000	5000	µg/g wet	2022-11-29	
Pentane	< 5000	5000	µg/g wet	2022-11-29	
1-Pentanol	< 5000	5000	µg/g wet	2022-11-29	
1-Propanol	< 5000	5000	µg/g wet	2022-11-29	
Isopropanol	< 5000	5000	µg/g wet	2022-11-29	
Propyl Acetate	< 5000	5000	µg/g wet	2022-11-29	



APPENDIX 1: SUPPORTING INFORMATION


REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing - Dymond

WORK ORDER REPORTED 22K2769
2022-12-07 15:46

Analysis Description	Method Ref.	Technique	Accredited	Location
Aflatoxins in Cannabis Concentrate	Methanol Extraction for Cannabis / USP <561>	Methanol Extraction for Cannabis / USP 561 Botanical Origin		Burnaby
BTGN, Presence/Absence of in Cannabis Concentrate	Presence Absence / EP 2.6.13	Presence Absence / European Pharmacopoeia: Microbiological Examination of Non-Sterile Products (spec. micro-organisms)		Burnaby
Cannabis Potency in Cannabis Concentrate	Methanol Extraction for Cannabis / AHP Cannabis Inflorescence	Methanol Extraction for Cannabis / American Herbal Pharmacopoeia Cannabis Inflorescence		Burnaby
Determination of Total Aerobic Microbial Count in Cannabis Concentrate	Enumeration / EP 2.6.12	Enumeration / European Pharmacopoeia:Microbi. Examination of Non-Sterile Products:Total Viable Aerobic Count	✓	Burnaby
Determination of Total Yeast and Mold Count in Cannabis Concentrate	Enumeration / EP 2.6.12	Enumeration / European Pharmacopoeia:Microbi. Examination of Non-Sterile Products:Total Viable Aerobic Count	✓	Burnaby
E. coli, Presence/Absence of in Cannabis Concentrate	Presence Absence / EP 2.6.31	Presence Absence / European Pharmacopoeia: Microbiological Examination of Herbal Medicinal Products (oral)	✓	Burnaby
Heavy Metals in Cannabis in Cannabis Concentrate	EPA 200.3 / Custom	HNO3+HCl+H2O2 Hot Block Digestion / N/A		Burnaby
Ochratoxin A in Cannabis in Cannabis Concentrate	Ph. Eur. 2.8.22	European Pharmacopoeia Determination of Ochratoxin A		Burnaby
P. aeruginosa, Presence/Absence of in Cannabis Concentrate	Presence Absence / EP 2.6.13	Presence Absence / European Pharmacopoeia: Microbiological Examination of Non-Sterile Products (spec. micro-organisms)	✓	Burnaby
Pesticides in Cannabis in Cannabis Concentrate	CR-TM-160 - Custom	Shaker Extraction for Cannabis		Burnaby
Pesticides in Cannabis in LC/MS in Cannabis Concentrate	CR-TM-160 - Custom	Shaker Extraction for Cannabis		Burnaby
Residual Solvents in Cannabis in Cannabis Concentrate	Solvent Extraction / Modified USP <467>	Solvent Extraction / GC/MS		Burnaby
S. aureus, Presence/Absence of in Cannabis Concentrate	Presence Absence / EP 2.6.13	Presence Absence / European Pharmacopoeia: Microbiological Examination of Non-Sterile Products (spec. micro-organisms)	✓	Burnaby
Salmonella, Presence/Absence in Cannabis Concentrate	Presence Absence / EP 2.6.31	Presence Absence / European Pharmacopoeia: Microbiological Examination of Herbal Medicinal Products (oral)	✓	Burnaby

Glossary of Terms:

RL	Reporting Limit (default)
% (wt/wt)	Percent weight per weight
/1 g	per 1 gram
/25 g	Per 25 grams
<	Less than the specified Reporting Limit (RL) - the actual RL may be higher than the default RL due to various factors
CFU/g	Colony Forming Units per gram (dry weight basis)
mg/kg	Milligrams per kilogram (dry weight basis)
µg/g wet	Micrograms per gram (as received basis)
µg/kg	Micrograms per kilogram (dry weight basis)
EPA	United States Environmental Protection Agency Test Methods



APPENDIX 1: SUPPORTING INFORMATION

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing - Dymond


WORK ORDER REPORTED 22K2769
2022-12-07 15:46

General Comments:

The results in this report apply to the received samples analyzed in accordance with the Chain of Custody document. This analytical report must be reproduced in its entirety. CARO is not responsible for any loss or damage resulting directly or indirectly from error or omission in the conduct of testing. Liability is limited to the cost of analysis. Samples will be disposed of 30 days after the test report has been issued or once samples expire, whichever comes first. Longer hold is possible if agreed to in writing.

Results in **Bold** indicate values that are above CARO's method reporting limits. Any results that are above regulatory limits are highlighted **red**. Please note that results will only be highlighted red if the regulatory limits are included on the CARO report. Any Bold and/or highlighted results do not take into account method uncertainty. If you would like method uncertainty or regulatory limits to be included on your report, please contact your Account Manager: pmand@caro.ca

Please note any regulatory guidelines applied to this report are added as a convenience to the client, at their request, to help provide some initial context to analytical results obtained. Although CARO makes every effort to ensure accuracy of the associated regulatory guideline(s) applied, the guidelines applied cannot be assumed to be correct due to a variety of factors and as such CARO Analytical Services assumes no liability or responsibility for the use of those guidelines to make any decisions. The original source of the regulation should be verified and a review of the guideline(s) should be validated as correct in order to make any decisions arising from the comparison of the analytical data obtained to the relevant regulatory guideline for one's particular circumstances. Further, CARO Analytical Services assumes no liability or responsibility for any loss attributed from the use of these guidelines in any way.



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing - Dymond

WORK ORDER REPORTED 22K2769
2022-12-07 15:46

The following section displays the quality control (QC) data that is associated with your sample data. Groups of samples are prepared in "batches" and analyzed in conjunction with QC samples that ensure your data is of the highest quality. Common QC types include:

- **Method Blank (Blk):** A blank sample that undergoes sample processing identical to that carried out for the test samples. Method blank results are used to assess contamination from the laboratory environment and reagents.
- **Duplicate (Dup):** An additional or second portion of a randomly selected sample in the analytical run carried through the entire analytical process. Duplicates provide a measure of the analytical method's precision (reproducibility).
- **Blank Spike (BS):** A sample of known concentration which undergoes processing identical to that carried out for test samples, also referred to as a laboratory control sample (LCS). Blank spikes provide a measure of the analytical method's accuracy.
- **Matrix Spike (MS):** A second aliquot of sample is fortified with a known concentration of target analytes and carried through the entire analytical process. Matrix spikes evaluate potential matrix effects that may affect the analyte recovery.
- **Reference Material (SRM):** A homogenous material of similar matrix to the samples, certified for the parameter(s) listed. Reference Materials ensure that the analytical process is adequate to achieve acceptable recoveries of the parameter(s) tested.

Each QC type is analyzed at a 5-10% frequency, i.e. one blank/duplicate/spike for every 10-20 samples. For all types of QC, the specified recovery (% Rec) and relative percent difference (RPD) limits are derived from long-term method performance averages and/or prescribed by the reference method.

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
---------	--------	----------	-------------	---------------	-------	-----------	-------	-----------	-----------

Aflatoxins, Batch B2L0504

Blank (B2L0504-BLK1)			Prepared: 2022-12-06, Analyzed: 2022-12-07						
Aflatoxin B1	< 1.00	1.00 µg/kg							
Aflatoxin B2	< 1.00	1.00 µg/kg							
Aflatoxin G1	< 1.00	1.00 µg/kg							
Aflatoxin G2	< 1.00	1.00 µg/kg							
Total Aflatoxins	< 4.00	4.00 µg/kg							

LCS (B2L0504-BS1)			Prepared: 2022-12-06, Analyzed: 2022-12-07						
Aflatoxin B1	5.50	1.00 µg/kg	4.97		111	70-130			
Aflatoxin B2	5.82	1.00 µg/kg	5.02		116	70-130			
Aflatoxin G1	5.71	1.00 µg/kg	5.02		114	70-130			
Aflatoxin G2	5.43	1.00 µg/kg	4.97		109	70-130			
Total Aflatoxins	22.5	4.00 µg/kg	19.9		113	70-130			


LCS Dup (B2L0504-BSD1)			Prepared: 2022-12-06, Analyzed: 2022-12-07						
Aflatoxin B1	5.58	1.00 µg/kg	4.91		114	70-130	1		
Aflatoxin B2	5.13	1.00 µg/kg	4.96		103	70-130	13		
Aflatoxin G1	5.16	1.00 µg/kg	4.96		104	70-130	10		
Aflatoxin G2	4.77	1.00 µg/kg	4.91		97	70-130	13		
Total Aflatoxins	20.6	4.00 µg/kg	19.6		105	70-130	8		

Metals in Cannabis, Batch B2K2790

Blank (B2K2790-BLK1)			Prepared: 2022-11-24, Analyzed: 2022-11-27						
Arsenic	< 0.200	0.200 mg/kg							
Cadmium	< 0.250	0.250 mg/kg							
Lead	< 0.500	0.500 mg/kg							
Mercury	< 0.100	0.100 mg/kg							

LCS (B2K2790-BS1)			Prepared: 2022-11-24, Analyzed: 2022-11-27						
Arsenic	821	1.00 mg/kg	800		103	70-130			
Cadmium	81.7	0.250 mg/kg	80.0		102	70-130			
Lead	79.2	0.500 mg/kg	80.0		99	70-130			
Mercury	7.73	0.100 mg/kg	8.00		97	70-130			

Reference (B2K2790-SRM1)			Prepared: 2022-11-24, Analyzed: 2022-11-27						
Arsenic	18.3	1.00 mg/kg	17.3		106	70-130			



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT	Cann Group Development Corp Cannabis Testing - Dymond	WORK ORDER REPORTED	22K2769 2022-12-07 15:46
----------------------------	--	----------------------------	-----------------------------

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
Metals in Cannabis, Batch B2K2790, Continued									
Reference (B2K2790-SRM1), Continued				Prepared: 2022-11-24, Analyzed: 2022-11-27					
Cadmium	23.2	0.250 mg/kg	21.7		107	70-130			
Lead	14.1	0.500 mg/kg	12.5		113	70-130			
Mercury	4.36	0.100 mg/kg	3.73		117	70-130			

Microbiological Parameters, Batch B2K3062

Blank (B2K3062-BLK1)				Prepared: 2022-11-27, Analyzed: 2022-11-27					
E. coli (EP)	Absent	1 /1 g							
LCS (B2K3062-BS1)				Prepared: 2022-11-27, Analyzed: 2022-11-27					
E. coli (EP)	Present	1 /1 g	1.00		100	0-200			
Duplicate (B2K3062-DUP1)				Source: 22K2769-01		Prepared: 2022-11-27, Analyzed: 2022-11-27			
E. coli (EP)	Absent	1 /1 g		< 1					

Microbiological Parameters, Batch B2K3063

Blank (B2K3063-BLK1)				Prepared: 2022-11-27, Analyzed: 2022-11-27					
Salmonella (EP)	Absent	1 /25 g							
LCS (B2K3063-BS1)				Prepared: 2022-11-27, Analyzed: 2022-11-27					
Salmonella (EP)	Present	1 /25 g	0.0400		NR	0-200			
Duplicate (B2K3063-DUP1)				Source: 22K2769-01		Prepared: 2022-11-27, Analyzed: 2022-11-27			
Salmonella (EP)	Absent	1 /25 g		< 1					

Microbiological Parameters, Batch B2K3065

Blank (B2K3065-BLK1)				Prepared: 2022-11-27, Analyzed: 2022-11-27					
Pseudomonas aeruginosa (EP)	Absent	1 /1 g							
LCS (B2K3065-BS1)				Prepared: 2022-11-27, Analyzed: 2022-11-27					
Pseudomonas aeruginosa (EP)	Present	1 /1 g	1.00		100	0-200			
Duplicate (B2K3065-DUP1)				Source: 22K2769-01		Prepared: 2022-11-27, Analyzed: 2022-11-27			
Pseudomonas aeruginosa (EP)	Absent	1 /1 g		< 1					


Microbiological Parameters, Batch B2K3066

Blank (B2K3066-BLK1)				Prepared: 2022-11-27, Analyzed: 2022-11-27					
Staphylococcus aureus (EP)	Absent	1 /1 g							
LCS (B2K3066-BS1)				Prepared: 2022-11-27, Analyzed: 2022-11-27					
Staphylococcus aureus (EP)	Present	1 /1 g	1.00		100	0-200			
Duplicate (B2K3066-DUP1)				Source: 22K2769-01		Prepared: 2022-11-27, Analyzed: 2022-11-27			
Staphylococcus aureus (EP)	Absent	1 /1 g		< 1					

Microbiological Parameters, Batch B2K3067

Blank (B2K3067-BLK1)				Prepared: 2022-11-27, Analyzed: 2022-11-27					
BTGN Bacteria (EP)	Absent	1 /1 g							

Microbiological Parameters, Batch B2K3068



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT	Cann Group Development Corp Cannabis Testing - Dymond	WORK ORDER REPORTED	22K2769 2022-12-07 15:46
----------------------------	--	----------------------------	-----------------------------

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
---------	--------	----------	-------------	---------------	-------	-----------	-------	-----------	-----------

Microbiological Parameters, Batch B2K3068, Continued

Blank (B2K3068-BLK1)			Prepared: 2022-11-27, Analyzed: 2022-11-27						
Total Aerobic Microbial Count (EP)	< 10	10 CFU/g							
Duplicate (B2K3068-DUP1)			Source: 22K2769-01 Prepared: 2022-11-27, Analyzed: 2022-11-27						
Total Aerobic Microbial Count (EP)	< 10	10 CFU/g	< 10						120

Microbiological Parameters, Batch B2K3069


Blank (B2K3069-BLK1)			Prepared: 2022-11-27, Analyzed: 2022-11-27						
Total Yeast and Mould Count (EP)	< 10	10 CFU/g							
Duplicate (B2K3069-DUP1)			Source: 22K2769-01 Prepared: 2022-11-27, Analyzed: 2022-11-27						
Total Yeast and Mould Count (EP)	< 10	10 CFU/g	< 10						120

Ochratoxins, Batch B2K2990

Blank (B2K2990-BLK1)			Prepared: 2022-11-26, Analyzed: 2027-11-22						
Ochratoxin A	< 20.0	20.0 µg/kg							
LCS (B2K2990-BS1)			Prepared: 2022-11-26, Analyzed: 2027-11-22						
Ochratoxin A	37.8	20.0 µg/kg	40.0	95	70-130				
LCS Dup (B2K2990-BSD1)			Prepared: 2022-11-26, Analyzed: 2027-11-22						
Ochratoxin A	37.9	20.0 µg/kg	40.0	95	70-130	< 1			

Pesticides, Herbicides, and Fungicides, Batch B2K3380

Blank (B2K3380-BLK1)			Prepared: 2022-11-30, Analyzed: 2022-12-02						
Abamectin	< 0.250	0.250 µg/g wet							
Endosulfan sulfate	< 2.50	2.50 µg/g wet							
Acephate	< 0.050	0.050 µg/g wet							
Endosulfan-alpha	< 2.50	2.50 µg/g wet							
Acetamiprid	< 0.050	0.050 µg/g wet							
Endosulfan-beta	< 2.50	2.50 µg/g wet							
Acequinocyl	< 1.00	1.00 µg/g wet							
Etridiazole	< 0.150	0.150 µg/g wet							
Aldicarb	< 0.500	0.500 µg/g wet							
Fenvalerate	< 2.50	2.50 µg/g wet							
Allethrin	< 0.100	0.100 µg/g wet							
Azadirachtin	< 0.500	0.500 µg/g wet							
Fipronil	< 0.010	0.010 µg/g wet							
Azoxystrobin	< 0.010	0.010 µg/g wet							
Fludioxonil	< 0.010	0.010 µg/g wet							
Benzovindiflupyr	< 0.010	0.010 µg/g wet							
Quintozene	< 0.500	0.500 µg/g wet							
Bifenazate	< 0.010	0.010 µg/g wet							
Bifenthrin	< 5.00	5.00 µg/g wet							
Boscalid	< 0.010	0.010 µg/g wet							
Buprofezin	< 1.00	1.00 µg/g wet							
Carbaryl	< 0.025	0.025 µg/g wet							
Carbofuran	< 0.010	0.010 µg/g wet							
Chlorantraniliprole	< 1.00	1.00 µg/g wet							
Chlorfenapyr	< 1.50	1.50 µg/g wet							
Chlorpyrifos	< 0.500	0.500 µg/g wet							
Clofentezine	< 0.010	0.010 µg/g wet							
Clothianidin	< 0.025	0.025 µg/g wet							



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing - Dymond

WORK ORDER REPORTED 22K2769
2022-12-07 15:46


Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
---------	--------	----------	-------------	---------------	-------	-----------	-------	-----------	-----------

Pesticides, Herbicides, and Fungicides, Batch B2K3380, Continued

Blank (B2K3380-BLK1), Continued

Prepared: 2022-11-30, Analyzed: 2022-12-02

Coumaphos	< 0.010	0.010 µg/g wet							
Cyantraniliprole	< 0.010	0.010 µg/g wet							
Cyfluthrin (I,II,III,IV)	< 2.00	2.00 µg/g wet							
Cypermethrin	< 2.00	2.00 µg/g wet							
Cyprodinil	< 0.010	0.010 µg/g wet							
Daminozide	< 1.00	1.00 µg/g wet							
Deltamethrin	< 4.00	4.00 µg/g wet							
Diazinon	< 1.00	1.00 µg/g wet							
Dichlorvos	< 0.050	0.050 µg/g wet							
Dimethoate	< 0.010	0.010 µg/g wet							
Dimethomorph	< 1.00	1.00 µg/g wet							
Dinotefuran	< 0.050	0.050 µg/g wet							
Dodemorph	< 1.00	1.00 µg/g wet							
Ethoprop	< 0.010	0.010 µg/g wet							
Etofenprox	< 1.00	1.00 µg/g wet							
Etoxazole	< 1.00	1.00 µg/g wet							
Fenoxycarb	< 0.010	0.010 µg/g wet							
Fenpyroximate	< 1.00	1.00 µg/g wet							
Fensulfothion	< 0.010	0.010 µg/g wet							
Fenthion	< 0.010	0.010 µg/g wet							
Flonicamid	< 0.025	0.025 µg/g wet							
Fluopyram	< 0.010	0.010 µg/g wet							
Hexythiazox	< 1.00	1.00 µg/g wet							
Imazalil	< 0.010	0.010 µg/g wet							
Imidacloprid	< 0.010	0.010 µg/g wet							
Iprodione	< 0.500	0.500 µg/g wet							
Kinoprene	< 1.25	1.25 µg/g wet							
Kresoxim-methyl	< 0.150	0.150 µg/g wet							
Malathion	< 0.010	0.010 µg/g wet							
Metalaxyl	< 0.010	0.010 µg/g wet							
Methiocarb	< 0.010	0.010 µg/g wet							
Methomyl	< 0.025	0.025 µg/g wet							
Methoprene	< 1.00	1.00 µg/g wet							
Methyl parathion	< 1.00	1.00 µg/g wet							
Mevinphos	< 0.025	0.025 µg/g wet							
MGK-264	< 1.00	1.00 µg/g wet							
Myclobutanil	< 0.010	0.010 µg/g wet							
Naled	< 1.00	1.00 µg/g wet							
Novaluron	< 0.025	0.025 µg/g wet							
Oxamyl	< 1.50	1.50 µg/g wet							
Paclobutrazol	< 0.010	0.010 µg/g wet							
Permethrin	< 2.00	2.00 µg/g wet							
Phenothrin	< 5.00	5.00 µg/g wet							
Phosmet	< 1.00	1.00 µg/g wet							
Piperonyl butoxide	< 1.25	1.25 µg/g wet							
Pirimicarb	< 0.010	0.010 µg/g wet							
Prallethrin	< 1.00	1.00 µg/g wet							
Propiconazole	< 1.00	1.00 µg/g wet							
Propoxur	< 0.010	0.010 µg/g wet							
Pyraclostrobin	< 0.010	0.010 µg/g wet							
Pyrethrin	< 1.00	1.00 µg/g wet							
Pyridaben	< 0.020	0.020 µg/g wet							
Resmethrin	< 0.050	0.050 µg/g wet							
Spinetoram	< 0.010	0.010 µg/g wet							
Spinosad	< 0.010	0.010 µg/g wet							
Spirodiclofen	< 1.00	1.00 µg/g wet							




APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing - Dymond

WORK ORDER REPORTED 22K2769
2022-12-07 15:46

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
Pesticides, Herbicides, and Fungicides, Batch B2K3380, Continued									
Blank (B2K3380-BLK1), Continued					Prepared: 2022-11-30, Analyzed: 2022-12-02				
Spiromesifen	< 1.00	1.00 µg/g wet							
Spirotetramat	< 0.010	0.010 µg/g wet							
Spiroxamine	< 1.00	1.00 µg/g wet							
Tebuconazole	< 0.010	0.010 µg/g wet							
Tebuconazole	< 0.010	0.010 µg/g wet							
Teflubenzuron	< 0.025	0.025 µg/g wet							
Tetrachlorvinphos	< 0.010	0.010 µg/g wet							
Tetramethrin	< 1.00	1.00 µg/g wet							
Thiacloprid	< 0.010	0.010 µg/g wet							
Thiamethoxam	< 0.010	0.010 µg/g wet							
Thiophanate methyl	< 1.00	1.00 µg/g wet							
Trifloxystrobin	< 0.010	0.010 µg/g wet							
LCS (B2K3380-BS1)					Prepared: 2022-11-30, Analyzed: 2022-12-02				
Abamectin	6.44	0.250 µg/g wet	6.04		107	50-140			
Endosulfan sulfate	6.55	2.50 µg/g wet	6.04		108	50-140			
Acephate	0.588	0.050 µg/g wet	0.554		106	50-140			
Endosulfan-alpha	6.29	2.50 µg/g wet	6.04		104	50-140			
Acetamiprid	0.599	0.050 µg/g wet	0.549		109	50-140			
Endosulfan-beta	6.39	2.50 µg/g wet	6.04		106	50-140			
Acequinocyl	7.63	1.00 µg/g wet	6.04		126	50-140			
Etridiazole	0.495	0.150 µg/g wet	0.548		90	50-140			
Aldicarb	6.74	0.500 µg/g wet	6.04		112	50-140			
Fenvalerate	6.70	2.50 µg/g wet	6.04		111	50-140			
Allethrin	0.600	0.100 µg/g wet	0.547		110	50-140			
Azadirachtin	6.73	0.500 µg/g wet	6.04		112	50-140			
Fipronil	0.559	0.010 µg/g wet	0.549		102	50-140			
Azoxystrobin	0.532	0.010 µg/g wet	0.543		98	50-140			
Fludioxonil	0.540	0.010 µg/g wet	0.545		99	50-140			
Benzovindiflupyr	0.615	0.010 µg/g wet	0.549		112	50-140			
Quintozene	6.41	0.500 µg/g wet	6.04		106	50-140			
Bifenazate	0.614	0.010 µg/g wet	0.548		112	50-140			
Bifenthrin	10.6	5.00 µg/g wet	6.04		175	50-140			SPK1
Boscalid	0.672	0.010 µg/g wet	0.549		122	50-140			
Buprofezin	6.61	1.00 µg/g wet	6.04		109	50-140			
Carbaryl	0.770	0.025 µg/g wet	0.549		140	50-140			SPK1
Carbofuran	0.605	0.010 µg/g wet	0.554		109	50-140			
Chlorantraniliprole	< 1.00	1.00 µg/g wet	0.560		107	50-140			
Chlorfenapyr	6.87	1.50 µg/g wet	6.09		113	50-140			
Chlorpyrifos	0.629	0.500 µg/g wet	0.554		113	50-140			
Clofentezine	0.558	0.010 µg/g wet	0.554		101	50-140			
Clothianidin	0.606	0.025 µg/g wet	0.549		110	50-140			
Coumaphos	0.585	0.010 µg/g wet	0.549		107	50-140			
Cyantraniliprole	0.567	0.010 µg/g wet	0.547		104	50-140			
Cyfluthrin (I,II,III,IV)	7.10	2.00 µg/g wet	6.04		118	50-140			
Cypermethrin	6.82	2.00 µg/g wet	6.04		113	50-140			
Cyprodinil	0.557	0.010 µg/g wet	0.554		101	50-140			
Daminozide	4.74	1.00 µg/g wet	6.04		79	50-140			
Deltamethrin	11.1	4.00 µg/g wet	6.04		184	50-140			SPK1
Diazinon	< 1.00	1.00 µg/g wet	0.554		107	50-140			
Dichlorvos	0.659	0.050 µg/g wet	0.560		118	50-140			
Dimethoate	0.634	0.010 µg/g wet	0.547		116	50-140			
Dimethomorph	6.52	1.00 µg/g wet	6.48		101	50-140			
Dinotefuran	0.589	0.050 µg/g wet	0.547		108	50-140			
Dodemorph	6.48	1.00 µg/g wet	6.04		107	50-140			
Ethoprop	0.573	0.010 µg/g wet	0.546		105	50-140			




APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing - Dymond

WORK ORDER REPORTED 22K2769
2022-12-07 15:46

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
Pesticides, Herbicides, and Fungicides, Batch B2K3380, Continued									
LCS (B2K3380-BS1), Continued					Prepared: 2022-11-30, Analyzed: 2022-12-02				
Etofenprox	< 1.00	1.00 µg/g wet	0.554		116	50-140			
Etozazole	< 1.00	1.00 µg/g wet	0.554		117	50-140			
Fenoxycarb	0.604	0.010 µg/g wet	0.549		110	50-140			
Fenpyroximate	< 1.00	1.00 µg/g wet	0.549		111	50-140			
Fensulfothion	0.601	0.010 µg/g wet	0.547		110	50-140			
Fenthion	0.595	0.010 µg/g wet	0.540		110	50-140			
Fonicamid	0.727	0.025 µg/g wet	0.554		131	50-140			
Fluopyram	0.609	0.010 µg/g wet	0.554		110	50-140			
Hexythiazox	7.08	1.00 µg/g wet	6.04		117	50-140			
Imazalil	0.608	0.010 µg/g wet	0.560		109	50-140			
Imidacloprid	0.609	0.010 µg/g wet	0.554		110	50-140			
Iprodione	6.04	0.500 µg/g wet	6.04		100	50-140			
Kinoprene	5.31	1.25 µg/g wet	6.04		88	50-140			
Kresoxim-methyl	0.642	0.150 µg/g wet	0.554		116	50-140			
Malathion	0.655	0.010 µg/g wet	0.554		118	50-140			
Metalaxyl	0.588	0.010 µg/g wet	0.547		108	50-140			
Methiocarb	1.99	0.010 µg/g wet	0.549		363	50-140			SPK1
Methomyl	0.725	0.025 µg/g wet	0.549		132	50-140			
Methoprene	6.66	1.00 µg/g wet	6.04		110	50-140			
Methyl parathion	5.61	1.00 µg/g wet	6.04		93	50-140			
Mevinphos	0.585	0.025 µg/g wet	0.547		107	50-140			
MGK-264	7.34	1.00 µg/g wet	6.04		121	50-140			
Myclobutanil	0.647	0.010 µg/g wet	0.549		118	50-140			
Naled	5.64	1.00 µg/g wet	6.04		93	50-140			
Novaluron	0.863	0.025 µg/g wet	0.554		156	50-140			SPK1
Oxamyl	6.92	1.50 µg/g wet	6.04		115	50-140			
Paclobutrazol	0.598	0.010 µg/g wet	0.549		109	50-140			
Permethrin	9.18	2.00 µg/g wet	6.04		152	50-140			SPK1
Phenothrin	9.04	5.00 µg/g wet	6.04		150	50-140			SPK1
Phosmet	6.95	1.00 µg/g wet	6.04		115	50-140			
Piperonyl butoxide	6.64	1.25 µg/g wet	6.04		110	50-140			
Pirimicarb	0.617	0.010 µg/g wet	0.546		113	50-140			
Prallethrin	< 1.00	1.00 µg/g wet	0.554		107	50-140			
Propiconazole	< 1.00	1.00 µg/g wet	0.549		98	50-140			
Propoxur	0.566	0.010 µg/g wet	0.549		103	50-140			
Pyraclostrobin	0.608	0.010 µg/g wet	0.554		110	50-140			
Pyrethrin	1.23	1.00 µg/g wet	1.10		112	50-140			
Pyridaben	0.618	0.020 µg/g wet	0.549		113	50-140			
Resmethrin	0.582	0.050 µg/g wet	0.543		107	50-140			
Spinetoram	0.614	0.010 µg/g wet	0.549		112	50-140			
Spinosad	0.584	0.010 µg/g wet	0.546		107	50-140			
Spirodiclofen	7.66	1.00 µg/g wet	6.09		126	50-140			
Spiromesifen	6.53	1.00 µg/g wet	6.04		108	50-140			
Spirotetramat	0.592	0.010 µg/g wet	0.554		107	50-140			
Spiroxamine	< 1.00	1.00 µg/g wet	0.554		111	50-140			
Tebuconazole	0.650	0.010 µg/g wet	0.549		118	50-140			
Tebufenozide	0.546	0.010 µg/g wet	0.545		100	50-140			
Teflubenzuron	0.315	0.025 µg/g wet	0.549		57	50-140			
Tetrachlorvinphos	0.626	0.010 µg/g wet	0.554		113	50-140			
Tetramethrin	< 1.00	1.00 µg/g wet	0.549		111	50-140			
Thiacloprid	0.614	0.010 µg/g wet	0.549		112	50-140			
Thiamethoxam	0.426	0.010 µg/g wet	0.554		77	50-140			
Thiophanate methyl	< 1.00	1.00 µg/g wet	0.541		107	50-140			
Trifloxystrobin	0.657	0.010 µg/g wet	0.554		119	50-140			



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing - Dymond

WORK ORDER REPORTED 22K2769
2022-12-07 15:46

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
---------	--------	----------	-------------	---------------	-------	-----------	-------	-----------	-----------

Potency, Batch B2K2765, Continued

Blank (B2K2765-BLK1)

Prepared: 2022-11-24, Analyzed: 2022-11-24

Cannabidiolic Acid (CBDA)	< 0.100	0.100 % (wt/wt)							
Cannabidiol (CBD)	< 0.100	0.100 % (wt/wt)							
Cannabinol (CBN)	< 0.100	0.100 % (wt/wt)							
delta9-THC	< 0.100	0.100 % (wt/wt)							
Tetrahydrocannabinolic Acid (THCA)	< 0.100	0.100 % (wt/wt)							

Duplicate (B2K2765-DUP1)

Source: 22K2769-01

Prepared: 2022-11-24, Analyzed: 2022-11-24

Cannabidiolic Acid (CBDA)	< 0.100	0.625 % (wt/wt)		< 0.100				8	
Cannabidiol (CBD)	98.1	0.625 % (wt/wt)		100			2	8	
Cannabinol (CBN)	< 0.100	0.625 % (wt/wt)		< 0.100				30	
delta9-THC	< 0.100	0.625 % (wt/wt)		< 0.100				8	
Tetrahydrocannabinolic Acid (THCA)	< 0.100	0.625 % (wt/wt)		< 0.100				8	

Residual Solvents, Batch B2K3101

Blank (B2K3101-BLK1)


Prepared: 2022-11-28, Analyzed: 2022-11-29

Acetone	< 5000	5000 µg/g wet							
Anisole	< 5000	5000 µg/g wet							
1-Butanol	< 5000	5000 µg/g wet							
2-Butanol	< 5000	5000 µg/g wet							
n-Butyl Acetate	< 5000	5000 µg/g wet							
Methyl tert-butyl ether	< 5000	5000 µg/g wet							
Ethanol	< 5000	5000 µg/g wet							
Ethyl acetate	< 5000	5000 µg/g wet							
Ethyl ether	< 5000	5000 µg/g wet							
Ethyl Formate	< 5000	5000 µg/g wet							
n-Heptane	< 5000	5000 µg/g wet							
Isobutyl Acetate	< 5000	5000 µg/g wet							
Isopropyl Acetate	< 5000	5000 µg/g wet							
Methyl acetate	< 5000	5000 µg/g wet							
3-Methyl-1-Butanol	< 5000	5000 µg/g wet							
2-Butanone (MEK)	< 5000	5000 µg/g wet							
Isobutanol	< 5000	5000 µg/g wet							
Pentane	< 5000	5000 µg/g wet							
1-Pentanol	< 5000	5000 µg/g wet							
1-Propanol	< 5000	5000 µg/g wet							
Isopropanol	< 5000	5000 µg/g wet							
Propyl Acetate	< 5000	5000 µg/g wet							

LCS (B2K3101-BS1)

Prepared: 2022-11-28, Analyzed: 2022-11-29

Acetone	5360	5000 µg/g wet	4820		111	60-140
Anisole	5290	5000 µg/g wet	4790		110	60-140
1-Butanol	5540	5000 µg/g wet	4810		115	60-140
2-Butanol	5440	5000 µg/g wet	4790		113	60-140
n-Butyl Acetate	5470	5000 µg/g wet	4800		114	60-140
Methyl tert-butyl ether	5080	5000 µg/g wet	4790		106	60-140
Ethanol	5680	5000 µg/g wet	4820		118	60-140
Ethyl acetate	5350	5000 µg/g wet	4810		111	60-140
Ethyl ether	5600	5000 µg/g wet	4820		116	60-140
Ethyl Formate	5790	5000 µg/g wet	4790		121	60-140
n-Heptane	< 5000	5000 µg/g wet	4820		100	60-140
Isobutyl Acetate	5420	5000 µg/g wet	4790		113	60-140
Isopropyl Acetate	5790	5000 µg/g wet	4820		120	60-140
Methyl acetate	5600	5000 µg/g wet	4830		116	60-140
3-Methyl-1-Butanol	5290	5000 µg/g wet	4830		109	60-140
2-Butanone (MEK)	5200	5000 µg/g wet	4800		108	60-140



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing - Dymond

WORK ORDER REPORTED 22K2769
2022-12-07 15:46

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
<i>Residual Solvents, Batch B2K3101, Continued</i>									
LCS (B2K3101-BS1), Continued					Prepared: 2022-11-28, Analyzed: 2022-11-29				
Isobutanol	5560	5000 µg/g wet	4820		115	60-140			
Pentane	5780	5000 µg/g wet	4780		121	60-140			
1-Pentanol	5360	5000 µg/g wet	4800		112	60-140			
1-Propanol	5560	5000 µg/g wet	4800		116	60-140			
Isopropanol	5300	5000 µg/g wet	4820		110	60-140			
Propyl Acetate	5650	5000 µg/g wet	4820		117	60-140			

QC Qualifiers:

SPK1 The recovery of this analyte was outside of established control limits. The data was accepted based on performance of other batch QC.