



Certificate of Analysis

Company Name:	Auxly Charlottetown Inc.		
Company Address:	11 Regis Duffy Drive, Charlottetown PE, C1E 0K5		
Product Category:	Cannabis Extract - Inhalation – Vape Cartridge		
Provincial Item Number/ Customer Number (if applicable):	OCS: 300191_1g AGLC: CNB-04101874	Manufacturer's Stock Code:	FG-00072
Brand, Product Name and Size:	Foray, Indica Cartridge Blackberry Cream, 1.0 g	Date Issued:	18 Oct 2023
Product Strength:	800 mg/g THC, 800 mg/g total THC, <5 mg/g CBD, and <5 mg/g total CBD	Packaging Date:	16 Oct 2023
Product Specification & Version:	SM00072 Version: 8.0	Best Before Date:	N/AP
Lot Number:	2302441	Traceability:	Upon Request

GENERAL APPEARANCE and TOLERANCES

TESTS	METHOD	SPECIFICATIONS	RESULTS	EVALUATION (PASS/FAIL)
Appearance	Internal	Plastic chamber, yellow liquid, metal vent tube, blue plastic mouthpiece	Conforms	Pass
Appearance – Package	Internal	Blue, child-resistant, and recyclable packaging	Conforms	Pass
Weight Accuracy	Internal	1.0 g ± 10% (0.90 g - 1.10 g)	1.00 g	Pass
Volume Accuracy	Internal	1.0 mL ± 10% (0.90 mL – 1.10 mL)	0.98 mL	Pass
Total THC Content	Internal	≤ 1,000 mg	860 mg	Pass

CANNABINOIDS – FINAL PRODUCT

TESTS	METHOD	SPECIFICATIONS	RESULTS	EVALUATION (PASS/FAIL)
THCA	ANASOP0053 or validated alternative	Report	< 5 mg/g	Pass
THC	ANASOP0053 or validated alternative	Nominal: 800 mg/g ± 15 % Allowable Range: 680 mg/g – 920 mg/g	863 mg/g	Pass
Total THC	ANASOP0053 or validated alternative	Nominal: 800 mg/g ± 15 % Allowable Range: 680 mg/g – 920 mg/g	863 mg/g	Pass
CBDA	ANASOP0053 or validated alternative	Report	< 5 mg/g	Pass



Certificate of Analysis

CBD	ANASOP0053 or validated alternative	Nominal: < 5 mg/g Allowable Range: < 5 mg/g	< 5 mg/g	Pass
Total CBD	ANASOP0053 or validated alternative	Nominal: < 5 mg/g Allowable Range: < 5 mg/g	< 5 mg/g	Pass
CBN	ANASOP0053 or validated alternative	Report	17 mg/g	Pass
CBC	ANASOP0053 or validated alternative	Report	5 mg/g	Pass
CBG	ANASOP0053 or validated alternative	Report	28 mg/g	Pass

MICROBIOLOGY – DERIVED FROM DISTILLATE INPUT

TESTS	METHOD	SPECIFICATIONS	RESULTS	EVALUATION (PASS/FAIL)
Total Aerobic Microbial Count	USP <61> or validated alternative	≤ 200 CFU/g <i>Reference – USP <1111></i>	< 100 CFU/g	Pass
Total Yeasts and Mold Count	USP <61> or validated alternative	≤ 20 CFU/g <i>Reference – USP <1111></i>	< 10 CFU/g	Pass
Bile Tolerant gram-negative bacteria	USP <62> or validated alternative	Absent (1g) <i>Reference – USP <1111></i>	Absent (1g)	Pass
Staphylococcus Aureus	USP <62> or validated alternative	Absent (1g) <i>Reference – USP <1111></i>	Absent (1g)	Pass
Pseudomonas Aeruginosa	USP <62> or validated alternative	Absent (1g) <i>Reference – USP <1111></i>	Absent (1g)	Pass

CHEMICAL - DERIVED FROM DISTILLATE INPUT

TESTS	METHOD	SPECIFICATIONS	RESULTS	EVALUATION (PASS/FAIL)
HEAVY METALS				
Arsenic	ANASOP0041; EP 2.4.27 or validated alternative	≤ 0.2 ppm <i>Reference – EP 5.20 and ICH Q3D</i>	< 0.1 ppm	Pass
Cadmium	ANASOP0041; EP 2.4.27 or validated alternative	≤ 0.3 ppm <i>Reference – EP 5.20 and ICH Q3D</i>	< 0.1 ppm	Pass
Lead	ANASOP0041; EP 2.4.27 or validated alternative	≤ 0.5 ppm <i>Reference – EP 5.20 and ICH Q3D</i>	< 0.3 ppm	Pass
Mercury (total)	ANASOP0041; EP 2.4.27 or validated alternative	≤ 0.1 ppm <i>Reference – EP 5.20 and ICH Q3D</i>	< 0.1 ppm	Pass



Certificate of Analysis

RESIDUAL SOLVENT				
Residual Solvent – Ethanol	ANASOP0037 or validated alternative	≤ 5000 ppm <i>Reference – USP <467></i>	< 100 ppm	Pass
MYCOTOXINS				
Aflatoxins B1	ANASOP0032; EP 2.8.18 or validated alternative	≤ 2 ppb <i>Reference – EP 2.8.18</i>	< 1 ppb	Pass
Aflatoxins (B1, B2, G1, G2)	ANASOP0032; EP 2.8.18 or validated alternative	≤ 4 ppb <i>Reference – EP 2.8.18</i>	< 4 ppb	Pass

PESTICIDES – DERIVED FROM BIOMASS INPUT				
TESTS	METHOD	SPECIFICATIONS	RESULTS	EVALUATION (PASS/FAIL)
Pesticides	CHM .016 or validated alternative	Meets Health Canada Requirements	Conforms	Pass

The above batch has been tested and in compliance with all applicable regulations, including Part 5 (Good Production Practices) of the Cannabis Regulations.

All testing documents for the above batch have been reviewed and approved by the Quality Control Department, and the Quality Assurance Person/Alternate Quality Assurance Person (QAP/AQAP) for Auxly Charlottetown Inc., Prince Edward Island.

In connection with the above statement:

- I have verified that the product composition, labelling, and packaging are in compliance with all applicable regulations therefore deem this product acceptable for sale.
- The testing of the product is performed on a sample that is representative of the entire production lot offered for sale.
- I hereby confirm that all test methods used by internal and external labs are validated.
- The testing is performed by a laboratory qualified for the testing of cannabis products.
- The finished good complies with the Cannabis Regulation requirements for pesticide, chemical, and microbiological testing.
- All manufacturing, packaging, and testing documents for the above batch have been reviewed and approved by the Quality Assurance Department.
- The batch is released by the Quality Assurance Person/Alternate Quality Assurance Person (QAP/AQAP) for Auxly Charlottetown, Prince Edward Island.



Certificate of Analysis

Certified by:

Quality Control Signature

Quality Assurance Person/Alternate Quality Assurance Person Signature

Document Approvals
Approved Date: 7/5/2023

Author Approval Verdict: Approve	Twinkle Kwatra, (twinkle.kwatra@auxly-charlottetown.com) Author 05-Jul-2023 13:58:54 GMT+0000
-------------------------------------	--

Manager Approval Task Verdict: Approve	David Baranowski, Director of Quality, Alternate Head of Laboratory (david.baranowski@auxly-charlottetown.com) Quality Approval 05-Jul-2023 13:59:39 GMT+0000
---	---

QA Approval Task Verdict: Approve	Liam MacArthur, Quality Assurance Auditor (Liam.MacArthur@auxly-charlottetown.com) Quality Assurance Approval 05-Jul-2023 14:05:16 GMT+0000
--------------------------------------	--