

# Certificate of Analysis

Product Type: **Extract**

Product Name: **CBD Vape Sauce**

Lot: **1160A2**


POTENCY	*Total THC	<1.00	mg/g	As reported	*Total CBD	662.00	mg/g	As reported
	*THC	<1.00	mg/g	As reported	*CBD	292.00	mg/g	As reported
	*THCA	<1.00	mg/g	As reported	*CBDA	421.00	mg/g	As reported
Terpenes	Total %	11.70	%	As reported				
TEST		METHOD		LIMIT / SPECIFICATION		EXTRACT INHALATION		Results
Arsenic		ICP <233>		≤ 0.2 ppm USP <232>				PASS
Cadmium		ICP <233>		≤ 0.2 ppm USP <232>				PASS
Lead		ICP <233>		≤ 0.5 ppm USP <232>				PASS
Mercury		ICP <233>		≤ 0.1 ppm USP <232>				PASS
Total Yeast and Mold		EP 2.6.12/2.6.13 Plating Compendial AOAC <61>		≤ 20 CFU/g/ml (EP 5.1.4 or USP <2023>)				PASS
Total Aerobic Count		EP 2.6.12/2.6.13 Plating Compendial AOAC <61>		≤ 200 CFU/g/ml (EP 5.1.4 or USP <2023>)				PASS
Bile Tolerant Enumeration		EP 2.6.12/2.6.13 Plating Compendial AOAC <62>		Absent/Present in 1 ml / 1 g (EP 5.1.4 or USP <2023>)				PASS
Staphylococcus aureus		EP 2.6.12/2.6.13 Plating Compendial AOAC <62>		Absent/Present in 1 ml / 1 g (EP 5.1.4 or USP <2023>)				PASS
Pseudomonas aeruginosa		EP 2.6.12/2.6.13 Plating Compendial AOAC <62>		Absent/Present in 1 ml / 1 g (EP 5.1.4 or USP <2023>)				PASS
Aflatoxin B <sub>1</sub>		EP 2.6.12/2.6.13 LC-MSMS		≤ 2 ppb / µg/kg (EP 2.8.18/2.8.22 or USP <561>)				PASS
Aflatoxin, Total (B <sub>1</sub> , B <sub>2</sub> , G <sub>1</sub> and G <sub>2</sub> )		LC/GC		≤ 4 ppb / µg/kg (EP 2.8.18/2.8.22 or USP <561>)				PASS
*As per Health Canada's Limits for Residual Solvents		HS-GCMS		≤ 5000 ppm USP <467>				PASS
*As per Health Canada's Max. Residue Limits for Pesticides (Input material only)		LCMS/GCMS		Health Canada 96 Pesticides USP <561>				PASS

\*See validated methods per approved Stigma Grow internal SOP's and laboratory qualified for testing cannabis, testing methods.

No expiry date has been assigned to this product.

I hereby confirm that the batch has been reviewed and found to follow LIC-EHU8A57A56-2019; Stigma Grow analytical specifications, approved SOPs and meets required testing specifications associated with Parts 5 and 6 of the Cannabis Regulations, SOR/2018-144.

I verify that the product composition, labelling, and packaging are in compliance with all applicable regulations and therefore deem this product acceptable for sale.

  
 QAP, Stigma Grow

2023 June 19  
 Date