



# Certificate of Analysis

**Island Genetics Ltd.**  
andrew@islandgenetics.com  
(250)-863-3142

License: LIC-G4Z9BO116P-2022  
Sample Amount Submitted: 10.5g

Sample Received: 03/21/2024  
Report Created: 03/28/2024

**Sample: ELC2-230809-HSH-RSN**

**Sample Description:** Rosin

| Total THC<br>%* | Total CBD<br>%* | Total<br>Cannabinoids<br>% | Foreign Matter<br>Inspection<br>Ph. Eur. 2.8.2; < 2% |
|-----------------|-----------------|----------------------------|--|
| 68.82           | 0.35            | 81.53                      | PASS   |

| Cannabinoid | LOQ % | Percent by Weight | mg/g   |
|-------------|-------|-------------------|--------|
| THC Acid    | 0.01  | 77.207            | 772.07 |
| CBG Acid    | 0.01  | 1.338             | 13.38  |
| Δ9-THC      | 0.01  | 1.105             | 11.05  |
| CBC-Acid    | 0.01  | 0.752             | 7.52   |
| THCV Acid   | 0.01  | 0.449             | 4.49   |
| CBD Acid    | 0.01  | 0.404             | 4.04   |
| CBG         | 0.01  | 0.272             | 2.72   |
| CBC         | 0.01  | <LOQ              | <LOQ   |
| CBD         | 0.01  | <LOQ              | <LOQ   |
| CBDV        | 0.01  | <LOQ              | <LOQ   |
| CBDV Acid   | 0.01  | <LOQ              | <LOQ   |
| CBL         | 0.01  | <LOQ              | <LOQ   |
| CBN         | 0.01  | <LOQ              | <LOQ   |
| CBN Acid    | 0.01  | <LOQ              | <LOQ   |
| THCV        | 0.01  | <LOQ              | <LOQ   |
| Δ10-THC     | 0.01  | <LOQ              | <LOQ   |
| Δ8-THC      | 0.01  | <LOQ              | <LOQ   |

Method: HPLC-DAD. LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. **\*When reporting totals, acidic cannabinoids are multiplied by 0.877 to account for loss of mass from decarboxylation upon heating; therefore, this is the POTENTIAL amount upon complete decarboxylation from smoking/ vaping.**

# PURA ANALYTICAL LABS

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022

**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.


**Island Genetics Ltd.**  
 andrew@islandgenetics.com  
 (250)-863-3142

License: LIC-G4Z9BO116P-2022  
 Sample Amount Submitted: 10.5g

Sample Received: 03/21/2024  
 Report Created: 03/28/2024

**Sample: ELC2-230809-HSH-RSN**

**Sample Description: Rosin**



Method: GC-FID. LOQ = Limit of Quantitation; LOD = Limit of Detection. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

PURA ANALYTICAL LABS

**Pura Analytical Labs Inc.**  
 Unit 1, 2984 Boys Road, DUNCAN, BC  
 (250) 929-2002 <https://www.puralabs.ca>  
 Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
 Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Island Genetics Ltd.**  
 andrew@islandgenetics.com  
 (250)-863-3142

License: LIC-G4Z9BO116P-2022  
 Sample Amount Submitted: 10.5g

Sample Received: 03/21/2024  
 Report Created: 03/28/2024

**Sample: ELC2-230809-HSH-RSN**

**Sample Description:** Rosin


## MICROBIALS

| Microbial Parameters                      | Permissible Limit | LOQ/ LOD | Results   | Status |
|---|-------------------|----------|-----------|--------|
|   | CFU/g             | CFU/g    | CFU/g     |        |
| <b>Total Aerobic Bacteria</b>             | 200               | 10       | <b>ND</b> | PASS   |
| <b>Total Yeast/ Mold</b>                  | 20                | 10       | <b>ND</b> | PASS   |
| <b>BTGN Bacteria (Enterobacteriaceae)</b> | Absent in 1g      | 1        | <b>ND</b> | PASS   |
| <b>Pseudomonas aeruginosa</b>             | Absent in 1g      | 1        | <b>ND</b> | PASS   |
| <b>Staphylococcus aureus</b>              | Absent in 1g      | 1        | <b>ND</b> | PASS   |
|   |                   |          |           |        |
|   |                   |          |           |        |

Method: Petrifilm Plate method for enumerations; Quantitative PCR for presence/ absence assays. Criteria: Eur. Ph. 5.1.4. Inhalation Use Limits. Absence of BTGN, Pseudomonas aeruginosa and Staphylococcus aureus in 1g.  
 LOQ = Limit of Quantitation; LOD = Limit of Detection; CFU = Colony Forming Units. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

PURA ANALYTICAL LABS

**Pura Analytical Labs Inc.**  
 Unit 1, 2984 Boys Road, DUNCAN, BC  
 (250) 929-2002 <https://www.puralabs.ca>  
 Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
 Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Island Genetics Ltd.**  
andrew@islandgenetics.com  
(250)-863-3142

License: LIC-G4Z9BO116P-2022  
Sample Amount Submitted: 10.5g

Sample Received: 03/21/2024  
Report Created: 03/28/2024

**Sample: ELC2-230809-HSH-RSN**

**Sample Description:** Rosin

## HEAVY METALS

| Analyte | Permissible Limit | LOQ    | Results        | Status |
|---------|-------------------|--------|----------------|--------|
|         | ppm               | ppm    | ppm            |        |
| Arsenic | 0.2               | 0.0001 | <b>0.0139</b>  | PASS   |
| Cadmium | 0.3               | 0.0001 | <b>0.0013</b>  | PASS   |
| Lead    | 0.5               | 0.0001 | <b>0.0003</b>  | PASS   |
| Mercury | 0.1               | 0.0001 | <b>&lt;LOQ</b> | PASS   |

Method: ICP-MS. Criteria: ICH guideline Q3D (R1) on elemental impurities Table A.2.2: Inhalation Use. PPM = Parts per Million; LOQ = Limit of Quantitation; LOD = Limit of Detection. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

# PURA ANALYTICAL LABS

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Island Genetics Ltd.**  
andrew@islandgenetics.com  
(250)-863-3142

License: LIC-G4Z9BO116P-2022  
Sample Amount Submitted: 10.5g

Sample Received: 03/21/2024  
Report Created: 03/28/2024

**Sample: ELC2-230809-HSH-RSN**

**Sample Description:** Rosin

## MYCOTOXINS

| Analyte          | Permissible Limit | LOQ/LOD | Results | Status |
|------------------|-------------------|---------|---------|--------|
|                  | ppb               | ppb     | ppb     |        |
| Aflatoxin B1     | 1                 | 1       | ND      | PASS   |
| Aflatoxin B2     | 1                 | 1       | ND      | PASS   |
| Aflatoxin G1     | 1                 | 1       | ND      | PASS   |
| Aflatoxin G2     | 1                 | 1       | ND      | PASS   |
| Total Aflatoxins | 4                 | 4       | ND      | PASS   |
| Ochratoxin A     | 20                | 10      | ND      | PASS   |

Method: LC-MS/MS ESI. Criteria: Eur. Ph. 2.8.18 & 2.8.22.

LOQ = Limit of Quantitation; LOD Limit of Detection; PPB = Parts per Billion.

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detectable, NR = Not Reported, NT = Not Tested

# PURA ANALYTICAL LABS

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQYIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Island Genetics Ltd.**  
andrew@islandgenetics.com  
(250)-863-3142

License: LIC-G4Z9BO116P-2022  
Sample Amount Submitted: 10.5g

Sample Received: 03/21/2024  
Report Created: 03/28/2024

**Sample: ELC2-230809-HSH-RSN**

**Sample Description: Rosin**

## PESTICIDES

| Analyte             | Permissible Limit | LOQ  | Results | Status | Analyte            | Permissible Limit | LOQ  | Results | Status |
|---------------------|-------------------|------|---------|--------|--------------------|-------------------|------|---------|--------|
|                     | ppm               | ppm  | ppm     |        |                    | ppm               | ppm  | ppm     |        |
| Abamectin           | 0.25              | 0.25 | <LOQ    | PASS   | Cyprodinil         | 0.25              | 0.25 | <LOQ    | PASS   |
| Acephate            | 0.05              | 0.05 | <LOQ    | PASS   | Daminozide         | 0.10              | 0.10 | <LOQ    | PASS   |
| Acequinocyl         | 0.05              | 0.05 | <LOQ    | PASS   | Deltamethrin       | 1.00              | 1.00 | <LOQ    | PASS   |
| Acetamiprid         | 0.10              | 0.10 | <LOQ    | PASS   | Diazinon           | 0.02              | 0.02 | <LOQ    | PASS   |
| Aldicarb            | 1.00              | 1.00 | <LOQ    | PASS   | Dichlorvos         | 0.10              | 0.10 | <LOQ    | PASS   |
| Allethrin           | 0.20              | 0.20 | <LOQ    | PASS   | Dimethoate         | 0.02              | 0.02 | <LOQ    | PASS   |
| Azadirachtin        | 1.00              | 1.00 | <LOQ    | PASS   | Dimethomorph       | 0.05              | 0.05 | <LOQ    | PASS   |
| Azoxystrobin        | 0.02              | 0.02 | <LOQ    | PASS   | Dinotefuran        | 0.10              | 0.10 | <LOQ    | PASS   |
| Benzovindiflupyr    | 0.02              | 0.02 | <LOQ    | PASS   | Dodemorph          | 0.05              | 0.05 | <LOQ    | PASS   |
| Bifenazate          | 0.05              | 0.05 | <LOQ    | PASS   | Endosulfan Sulfate | 0.50              | 0.50 | <LOQ    | PASS   |
| Bifenthrin          | 1.00              | 1.00 | <LOQ    | PASS   | Endosulfan-alpha   | 0.20              | 0.20 | <LOQ    | PASS   |
| Boscalid            | 0.02              | 0.02 | <LOQ    | PASS   | Endosulfan-beta    | 0.50              | 0.50 | <LOQ    | PASS   |
| Buprofezin          | 0.02              | 0.02 | <LOQ    | PASS   | Ethoprophos        | 0.02              | 0.02 | <LOQ    | PASS   |
| Carbaryl            | 0.05              | 0.05 | <LOQ    | PASS   | Etofenprox         | 0.05              | 0.05 | <LOQ    | PASS   |
| Carbofuran          | 0.02              | 0.02 | <LOQ    | PASS   | Etoazole           | 0.02              | 0.02 | <LOQ    | PASS   |
| Chlorantraniliprole | 0.02              | 0.02 | <LOQ    | PASS   | Etridiazol         | 0.03              | 0.03 | <LOQ    | PASS   |
| Chlorphenapyr       | 0.10              | 0.10 | <LOQ    | PASS   | Fenoxycarb         | 0.02              | 0.02 | <LOQ    | PASS   |
| Chlorpyrifos        | 0.04              | 0.04 | <LOQ    | PASS   | Fenpyroximate      | 0.02              | 0.02 | <LOQ    | PASS   |
| Clofentezine        | 0.02              | 0.02 | <LOQ    | PASS   | Fensulfothion      | 0.02              | 0.02 | <LOQ    | PASS   |
| Clothianidin        | 0.05              | 0.05 | <LOQ    | PASS   | Fenthion           | 0.02              | 0.02 | <LOQ    | PASS   |
| Coumaphos           | 0.02              | 0.02 | <LOQ    | PASS   | Fenvalerate        | 0.10              | 0.10 | <LOQ    | PASS   |
| Cyantranilipole     | 0.02              | 0.02 | <LOQ    | PASS   | Fipronil           | 0.06              | 0.06 | <LOQ    | PASS   |
| Cyfluthrin          | 1.00              | 1.00 | <LOQ    | PASS   | Fonicamid          | 0.05              | 0.05 | <LOQ    | PASS   |
| Cypermethrin        | 1.00              | 1.00 | <LOQ    | PASS   | Fludioxonil        | 0.02              | 0.02 | <LOQ    | PASS   |

# PURA ANALYTICAL LABS

Method: LC-MS/MS Dual Ion Source. **Limits are set by Health Canada for Cannabis Concentrates.** PPM = Parts per Million; LOQ = Limit of Quantitation.

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.



# Certificate of Analysis

Island Genetics Ltd.  
andrew@islandgenetics.com  
(250)-863-3142

License: LIC-G4Z9BO116P-2022  
Sample Amount Submitted: 10.5g

Sample Received: 03/21/2024  
Report Created: 03/28/2024

Sample: ELC2-230809-HSH-RSN

Sample Description: Rosin

## PESTICIDES

| Analyte          | Permissible Limit | LOQ  | Results | Status | Analyte            | Permissible Limit | LOQ  | Results | Status |
|------------------|-------------------|------|---------|--------|--------------------|-------------------|------|---------|--------|
|                  | ppm               | ppm  | ppm     |        |                    | ppm               | ppm  | ppm     |        |
| Fluopyram        | 0.02              | 0.02 | <LOQ    | PASS   | Piperonyl Butoxide | 0.25              | 0.25 | <LOQ    | PASS   |
| Hexythiazox      | 0.01              | 0.01 | <LOQ    | PASS   | Pirimicarb         | 0.02              | 0.02 | <LOQ    | PASS   |
| Imazalil         | 0.05              | 0.05 | <LOQ    | PASS   | Prallethrin        | 0.05              | 0.05 | <LOQ    | PASS   |
| Imidacloprid     | 0.02              | 0.02 | <LOQ    | PASS   | Propiconazole      | 0.10              | 0.10 | <LOQ    | PASS   |
| Iprodione        | 1.00              | 1.00 | <LOQ    | PASS   | Propoxur           | 0.02              | 0.02 | <LOQ    | PASS   |
| Kinoprene        | 0.50              | 0.50 | <LOQ    | PASS   | Pyraclostrobin     | 0.02              | 0.02 | <LOQ    | PASS   |
| Kresoxim-methyl  | 0.02              | 0.02 | <LOQ    | PASS   | Pyrethrins         | 0.05              | 0.05 | <LOQ    | PASS   |
| Malathion        | 0.02              | 0.02 | <LOQ    | PASS   | Pyridaben          | 0.05              | 0.05 | <LOQ    | PASS   |
| Metalaxyl        | 0.02              | 0.02 | <LOQ    | PASS   | Resmethrin         | 0.10              | 0.10 | <LOQ    | PASS   |
| Methiocarb       | 0.02              | 0.02 | <LOQ    | PASS   | Spinetoram         | 0.02              | 0.02 | <LOQ    | PASS   |
| Methomyl         | 0.05              | 0.05 | <LOQ    | PASS   | Spinosad           | 0.10              | 0.10 | <LOQ    | PASS   |
| Methoprene       | 2.00              | 2.00 | <LOQ    | PASS   | Spirodiclofen      | 0.25              | 0.25 | <LOQ    | PASS   |
| Mevinphos        | 0.05              | 0.05 | <LOQ    | PASS   | Spiromesifen       | 3.00              | 3.00 | <LOQ    | PASS   |
| MGK-264          | 0.05              | 0.05 | <LOQ    | PASS   | Spirotetramat      | 0.10              | 0.10 | <LOQ    | PASS   |
| Myclobutanil     | 0.02              | 0.02 | <LOQ    | PASS   | Spiroxamine        | 0.10              | 0.10 | <LOQ    | PASS   |
| Naled            | 0.20              | 0.20 | <LOQ    | PASS   | Tebuconazole       | 0.05              | 0.05 | <LOQ    | PASS   |
| Novaluron        | 0.05              | 0.05 | <LOQ    | PASS   | Tebufenozide       | 0.02              | 0.02 | <LOQ    | PASS   |
| Oxamyl           | 3.00              | 3.00 | <LOQ    | PASS   | Teflubenzuron      | 0.05              | 0.05 | <LOQ    | PASS   |
| Paclobutrazol    | 0.02              | 0.02 | <LOQ    | PASS   | Tetramethrin       | 0.10              | 0.10 | <LOQ    | PASS   |
| Parathion Methyl | 0.05              | 0.05 | <LOQ    | PASS   | Tetrachlorvinphos  | 0.02              | 0.02 | <LOQ    | PASS   |
| PCNB             | 0.02              | 0.02 | <LOQ    | PASS   | Thiacloprid        | 0.02              | 0.02 | <LOQ    | PASS   |
| Permethrin       | 0.50              | 0.50 | <LOQ    | PASS   | Thiamethoxam       | 0.02              | 0.02 | <LOQ    | PASS   |
| Phenothrin       | 0.05              | 0.05 | <LOQ    | PASS   | Thiophanate-Methyl | 0.05              | 0.05 | <LOQ    | PASS   |
| Phosmet          | 0.02              | 0.02 | <LOQ    | PASS   | Trifloxystrobin    | 0.02              | 0.02 | <LOQ    | PASS   |

# PURA ANALYTICAL LABS

Method: LC-MS/MS Dual Ion Source. **Limits are set by Health Canada for Cannabis Concentrates.** PPM = Parts per Million; LOQ = Limit of Quantitation. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Pura Analytical Labs Inc.  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022

Denise Johnson  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Island Genetics Ltd.**  
andrew@islandgenetics.com  
(250)-863-3142

License: LIC-G4Z9BO116P-2022  
Sample Amount Submitted: 10.5g

Sample Received: 03/21/2024  
Report Created: 03/28/2024

**Sample: ELC2-230809-HSH-RSN**

**Sample Description:** Rosin

## RESIDUAL SOLVENTS

| Analyte                     | Permissible Limit ppm | LOQ ppm | Result ppm | Status |
|-----------------------------|-----------------------|---------|------------|--------|
| Acetic acid                 | ≤ 5000                | 500     | <LOQ       | PASS   |
| Acetone                     | ≤ 5000                | 50      | <LOQ       | PASS   |
| Anisole                     | ≤ 5000                | 50      | <LOQ       | PASS   |
| 1-Butanol                   | ≤ 5000                | 50      | <LOQ       | PASS   |
| 2-Butanol                   | ≤ 5000                | 50      | <LOQ       | PASS   |
| Butane (sum of n- and iso-) | ≤ 5000                | 50      | <LOQ       | PASS   |
| Butyl acetate               | ≤ 5000                | 50      | <LOQ       | PASS   |
| Tert-Butyl methyl ether     | ≤ 5000                | 50      | <LOQ       | PASS   |
| Dimethyl sulfoxide          | ≤ 5000                | 50      | <LOQ       | PASS   |
| Ethanol                     | ≤ 5000                | 50      | <LOQ       | PASS   |
| Ethyl acetate               | ≤ 5000                | 50      | <LOQ       | PASS   |
| Ethyl ether                 | ≤ 5000                | 50      | <LOQ       | PASS   |
| Ethyl formate               | ≤ 5000                | 50      | <LOQ       | PASS   |
| Formic acid                 | ≤ 5000                | 500     | <LOQ       | PASS   |
| Heptane                     | ≤ 5000                | 50      | <LOQ       | PASS   |
| Isobutyl acetate            | ≤ 5000                | 50      | <LOQ       | PASS   |
| Isopropyl acetate           | ≤ 5000                | 50      | <LOQ       | PASS   |
| Methyl acetate              | ≤ 5000                | 50      | <LOQ       | PASS   |
| 3-Methyl-1-butanol          | ≤ 5000                | 50      | <LOQ       | PASS   |
| Methyl ethyl ketone         | ≤ 5000                | 50      | <LOQ       | PASS   |
| 2-Methyl-1-propanol         | ≤ 5000                | 50      | <LOQ       | PASS   |
| Pentane                     | ≤ 5000                | 50      | <LOQ       | PASS   |
| 1-Pentanol                  | ≤ 5000                | 50      | <LOQ       | PASS   |
| 1-Propanol                  | ≤ 5000                | 50      | <LOQ       | PASS   |
| 2-Propanol (Isopropanol)    | ≤ 5000                | 50      | <LOQ       | PASS   |
| Propane                     | ≤ 5000                | 50      | <LOQ       | PASS   |
| Propyl acetate              | ≤ 5000                | 50      | <LOQ       | PASS   |
| Triethylamine               | ≤ 5000                | 500     | <LOQ       | PASS   |

PURA ANALYTICAL LABS

Method: GC-FID. Criteria: ICH guideline Q3C (R6) on impurities: guideline for residual solvents; Table 3, Class 3 Residual Solvents. LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.