

Certificate of Analysis

Product Type: **Live Resin Vape**

Product Name: **Mystery**

Lot: **23VF1961**

TEST	METHOD	LIMIT / SPECIFICATION EXTRACT INHALATION	Results	
POTENCY	*Total THC	793.00 mg/g As reported	*Total CBD	<1.00 mg/g As reported
	*THC	756.00 mg/g As reported	*CBD	<1.00 mg/g As reported
	*THCA	43.00 mg/g As reported	*CBDA	<1.00 mg/g As reported
Terpenes	Total %	10.90 % As reported		
Arsenic	ICP <233>	≤ 0.2 ppm USP <232>	PASS	
Cadmium	ICP <233>	≤ 0.2 ppm USP <232>	PASS	
Lead	ICP <233>	≤ 0.5 ppm USP <232>	PASS	
Mercury	ICP <233>	≤ 0.1 ppm USP <232>	PASS	
Total Yeast and Mold	EP 2.6.12/2.6.13 Plating Compendial AOAC <61>	≤ 20 CFU/g/ml (EP 5.1.4 or USP <2023>)	PASS	
Total Aerobic Count	EP 2.6.12/2.6.13 Plating Compendial AOAC <61>	≤ 200 CFU/g/ml (EP 5.1.4 or USP <2023>)	PASS	
Bile Tolerant Enumeration	EP 2.6.12/2.6.13 Plating Compendial AOAC <62>	Absent/Present in 1 ml / 1 g (EP 5.1.4 or USP <2023>)	PASS	
Staphylococcus aureus	EP 2.6.12/2.6.13 Plating Compendial AOAC <62>	Absent/Present in 1 ml / 1 g (EP 5.1.4 or USP <2023>)	PASS	
Pseudomonas aeruginosa	EP 2.6.12/2.6.13 Plating Compendial AOAC <62>	Absent/Present in 1 ml / 1g (EP 5.1.4 or USP <2023>)	PASS	
Aflatoxin B₁	EP 2.6.12/2.6.13 LC-MSMS	≤ 2 ppb / µg/kg (EP 2.8.18/2.8.22 or USP <561>)	PASS	
Aflatoxin, Total (B₁, B₂, G₁ and G₂)	LC/GC	≤ 4 ppb / µg/kg (EP 2.8.18/2.8.22 or USP <561>)	PASS	
*As per Health Canada's Limits for Residual Solvents	HS-GCMS	≤ 5000 ppm USP <467>	PASS	
*As per Health Canada's Max. Residue Limits for Pesticides (Input material only)	LCMS/GCMS	Health Canada 96 Pesticides USP <561>	PASS	

*See validated methods per approved Stigma Grow internal SOP's and laboratory qualified for testing cannabis, testing methods.
 No expiry date has been assigned to this product.

I hereby confirm that the batch has been reviewed and found to follow LIC-EHUBAS7A56-2019; Stigma Grow analytical specifications, approved SOPs and meets required testing specifications associated with Parts 5 and 6 of the Cannabis Regulations, SOR/2018-144.

I verify that the product composition, labelling, and packaging are in compliance with all applicable regulations and therefore deem this product acceptable for sale.



QAP, Stigma Grow

2023 June 12

Date