

## Letter of Guarantee/Manufacture

Woody  
Nelson

Woody Nelson Inc.  
2722-BC3A  
Officer  
Nelson, BC  
V1L 6L6

Contact Information:  
Karen Parent/ QAP/ Chief Compliance

Karen.parent@woodynelson.ca  
604.218.7346

Health Canada License Number: LIC-HYOZLEMROV-2022 Expiry Date: July 15, 2027

### Cannabis Material/Product Information:

|  |                             |
|--|-----------------------------|
| Product Name: IPR-RKNK-006 (FINAL LOT #) | Cultivar: PKNK-017 x TBH020 |
| Pre-roll Production LOT #: KL-PKNK-0003  | Input Flower LOT # PKNK-017 |
| Product Size: 1g                         | Quantity: 24 units          |
| Brand Name: Rocketeer                    | Product Type: Concentrate   |
| Deviations: none                         |                             |

### Analytical Results:

| Test          | Testing Method   | Limits  | Test Result                         | Pass /Fail |
|---------------|--|---|-------------------------------------|------------|
| 96 Pesticides | Health Canada Guidelines                               | Health Canada Specifications                        | Not Detectable on all 96 Pesticides | Pass       |
| Heavy Metals  | ICH Q3D (R1) Table A.2.2 Based on 3g a day consumption | Arsenic <0.60ppm                                    | 0.1160 ppm                          | Pass       |
|               |  | Cadmium <0.90ppm                                    | 0.0144 ppm                          | Pass       |
|               |  | Lead <1.50ppm                                       | <1.50 ppm                           | Pass       |
|               |  | Mercury <0.3ppm                                     | <0.3 ppm                            | Pass       |
| Aflatoxins    | Lab Method   | Aflatoxin B1 - <1 ppb                               | <1 ppb                              | Pass       |
|               |  | Aflatoxin B2 - <1 ppb                               | <1 ppb                              | Pass       |
|               |  | Aflatoxin G1 - <1 ppb                               | <1 ppb                              | Pass       |
|               |  | Aflatoxin G2 - <1 ppb                               | <1 ppb                              | Pass       |
|               |  | Total Aflatoxins (B1,B2,G1,G2) - <4 ppb             | <4 ppb                              | Pass       |
| Microbiology  | EP 5.1.8 Table C                                       | Yeast & Mould <=50,000 cfu/g                        | 100 cfu/g                           | Pass       |
|               |  | Aerobic Microbial Count <=500,000 cfu/g             | 1,850 cfu/g                         | Pass       |
|               |  | Bile-Tolerant Gram-Negative Bacteria <=10,000 cfu/g | ND                                  | Pass       |
|               |  | Staphylococcus aureus Absent in 1g                  | NT                                  | Pass       |
|               |  | Escherichia coli Absent in 1g                       | Absent in 1g                        | Pass       |
|               |  | Salmonella spp. Absent in 25g                       | Absent in 25g                       | Pass       |

|                  |                       |                                     |                         |      |
|------------------|-----------------------|-------------------------------------|-------------------------|------|
|                  |                       | Pseudomonas aeruginosa Absent in 1g | NT                      | Pass |
| Cannabinoids     | Lab Method – HPLC-DAD | N/A                                 | THC = 9.51 mg/g         | Pass |
|                  |                       | N/A                                 | THCA = 392.39 mg/g      | Pass |
|                  |                       | N/A                                 | Total THC = 353.63 mg/g | Pass |
|                  |                       | N/A                                 | CBD = <0.10 mg/g        | Pass |
|                  |                       | N/A                                 | CBDA = 1.04 mg/g        | Pass |
|                  |                       | N/A                                 | Total CBD = 0.91 mg/g   | Pass |
| Foreign Matter   | EP 2.8.2              | <2%                                 | <2%                     | Pass |
| Moisture Content | EP 2.2.32             | 10-15% +/-2%                        | 13.0%                   | Pass |
| Terpenes         | Lab Method            | N/A                                 | 3.68%                   | Pass |

Attestation:


All Cannabis materials and products created and sold by Woody Nelson abides by The Minister of Justice Cannabis Act S.C. 2018, c. 16 and Cannabis Regulations SOR/2018-144. All processes and manufacturing of Cannabis materials and products were performed by Woody Nelson at 2722 BC-3A, Nelson, BC, V1L 6L6. All Cannabis materials and products are produced using only approved Pesticides and tested as per Health Canada Guidelines “Mandatory Cannabis Testing for Pesticide Active Ingredients - Requirements” and “Mandatory Cannabis Testing for Pesticide Active ingredients – Tests and Limits” All processing activities are in compliance with Part 5: Good Production Practices (GPP) of the Cannabis Regulations.

Woody Nelson Approval:

Cannabis Material or Product Approved By (name): Samuel Parent-Davidson

Title: AQAP

Signature:



Date Approved (MMM DD, YYYY): \_\_May 2 2025\_\_ Time (##:##): 0825

**Woody Nelson**  
2722 BC-3A  
Nelson, BC V1L 6L6  
karen.parent@woodynelson.ca  
(613) 531-1020

License: LIC-HY0ZLEMROV-2022  
Sample Amount Submitted: 27.11g

Sample Received: 04/09/2025  
Report Created: 04/11/2025

**Sample: IPR-RKTR-006 (IF-PKNK-003)**

**Sample Description:** Infused Flower


| Total THC<br>mg/g* | Total CBD<br>mg/g* | Total<br>Cannabinoids<br>mg/g |
|--------------------|--------------------|-------------------------------|
| 353.63             | 0.91               | 425.85                        |

| Cannabinoid | LOQ % | Percent by Weight | mg/g   |
|-------------|-------|-------------------|--------|
| THC Acid    | 0.01  | 39.239            | 392.39 |
| CBG Acid    | 0.01  | 1.363             | 13.63  |
| Δ9-THC      | 0.01  | 0.951             | 9.51   |
| THCV Acid   | 0.01  | 0.544             | 5.44   |
| CBC-Acid    | 0.01  | 0.385             | 3.85   |
| CBD Acid    | 0.01  | 0.104             | 1.04   |
| CBG         | 0.01  | <LOQ              | <LOQ   |
| CBC         | 0.01  | <LOQ              | <LOQ   |
| CBD         | 0.01  | <LOQ              | <LOQ   |
| CBDV        | 0.01  | <LOQ              | <LOQ   |
| CBDV Acid   | 0.01  | <LOQ              | <LOQ   |
| CBL         | 0.01  | <LOQ              | <LOQ   |
| CBN         | 0.01  | <LOQ              | <LOQ   |
| CBN Acid    | 0.01  | <LOQ              | <LOQ   |
| THCV        | 0.01  | <LOQ              | <LOQ   |
| Δ10-THC     | 0.01  | <LOQ              | <LOQ   |
| Δ8-THC      | 0.01  | <LOQ              | <LOQ   |

Method: HPLC-DAD. LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. **\*When reporting totals, acidic cannabinoids are multiplied by 0.877 to account for loss of mass from decarboxylation upon heating; therefore, this is the POTENTIAL amount upon complete decarboxylation from smoking/ vaping.**

PURA ANALYTICAL LABS

Pura Analytical Labs Inc.  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022

  
**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Woody Nelson**  
2722 BC-3A  
Nelson, BC V1L 6L6  
karen.parent@woodynelson.ca  
(613) 531-1020


License: LIC-HY0ZLEMROV-2022  
Sample Amount Submitted: 27.11g

Sample Received: 04/09/2025  
Report Created: 04/11/2025

**Sample: IPR-RKTR-006 (IF-PKNK-003)**

**Sample Description:** Infused Flower


## Total Detectable Terpenes 3.68 %



Method: L-MET-003-V01-Terpenes by GC-FID. LOQ = Limit of Quantitation; LOD = Limit of Detection. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

PURA ANALYTICAL LABS

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Woody Nelson**  
2722 BC-3A  
Nelson, BC V1L 6L6  
karen.parent@woodynelson.ca  
(613) 531-1020

License: LIC-HY0ZLEMROV-2022  
Sample Amount Submitted: 10.0g

Sample Received: 04/17/2025  
Report Created: 04/23/2025

**Sample: CS25-099 (IPR-RKTR-006)**

**Sample Description:** Infused Prerolls

## MICROBIALS

| Microbial Parameters               | Permissible Limit | LOQ/ LOD | Results | Status |
|------------------------------------|-------------------|----------|---------|--------|
|                                    | CFU/g             | CFU/g    | CFU/g   |        |
| Total Aerobic Bacteria             | 500,000           | 10       | 500     | PASS   |
| Total Yeast/ Mold                  | 50,000            | 10       | 850     | PASS   |
| BTGN Bacteria (Enterobacteriaceae) | 10,000            | 10       | ND      | PASS   |
| Salmonella sp.                     | Absent in 10g     | 1        | ND      | PASS   |
| Staphylococcus aureus              | Absent in 1g      | 1        | ND      | PASS   |
| E.coli                             | Absent in 1g      | 1        | ND      | PASS   |
|                                    |                   |          |         |        |

Method: Petrifilm Plate method for enumerations; Quantitative PCR for presence/ absence assays.


Method Reference: L-MET-006A-V01-Microbiological Screening using Petrifilm Plates; L-MET-006-V01-Microbial Screening Using qPCR.

Criteria: Eur. Ph. 5.1.8 applies to plate counts; For presence/ absence, Eur. Ph. 5.1.4. \* Special provision for oral dosage forms. Absence of Salmonella in 10g; E. coli and Staphylococcus aureus in 1g. \* No kill step during processing.

LOQ = Limit of Quantitation; LOD = Limit of Detection; CFU = Colony Forming Units. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

PURA ANALYTICAL LABS

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Woody Nelson**  
2722 BC-3A  
Nelson, BC V1L 6L6  
karen.parent@woodynelson.ca  
(613) 531-1020

License: LIC-HY0ZLEMROV-2022  
Sample Amount Submitted: 10.0g

Sample Received: 04/17/2025  
Report Created: 04/23/2025

**Sample: CS25-099 (IPR-RKTR-006)**

**Sample Description:** Infused Prerolls


## HEAVY METALS

| Analyte | Permissible Limit | LOQ    | Results        | Status |
|---------|-------------------|--------|----------------|--------|
|         | ppm               | ppm    | ppm            |        |
| Arsenic | 0.2               | 0.0001 | <b>0.0390</b>  | PASS   |
| Cadmium | 0.3               | 0.0001 | <b>0.0133</b>  | PASS   |
| Lead    | 0.5               | 0.0001 | <b>0.0044</b>  | PASS   |
| Mercury | 0.1               | 0.0001 | <b>&lt;LOQ</b> | PASS   |

Method: **L-MET-009-V01-Heavy Metals using ICP-MS**. Criteria: ICH guideline Q3D (R1) on elemental impurities Table A.2.2: Inhalation Use. PPM = Parts per Million; LOQ = Limit of Quantitation; LOD = Limit of Detection. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

PURA ANALYTICAL LABS

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Woody Nelson**  
2722 BC-3A  
Nelson, BC V1L 6L6  
karen.parent@woodynelson.ca  
(613) 531-1020

License: LIC-HY0ZLEMROV-2022  
Sample Amount Submitted: 10.0g

Sample Received: 04/17/2025  
Report Created: 04/23/2025

**Sample: CS25-099 (IPR-RKTR-006)**

**Sample Description:** Infused Prerolls

## MYCOTOXINS

| Analyte          | Permissible Limit | LOQ | Results | Status |
|------------------|-------------------|-----|---------|--------|
|                  | ppb               | ppb | ppb     |        |
| Aflatoxin B1     | 1                 | 1   | ND      | PASS   |
| Aflatoxin B2     | 1                 | 1   | ND      | PASS   |
| Aflatoxin G1     | 1                 | 1   | ND      | PASS   |
| Aflatoxin G2     | 1                 | 1   | ND      | PASS   |
| Total Aflatoxins | 4                 | 4   | ND      | PASS   |
| Ochratoxin A     | 20                | 10  | ND      | PASS   |

Method: **L-MET-007-V01-Pesticides and Aflatoxins; LC-MS/MS ESI.** Criteria: Eur. Ph. 2.8.18 & 2.8.22.

LOQ = Limit of Quantitation; LOD Limit of Detection; PPB = Parts per Billion.

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detectable

PURA ANALYTICAL LABS

Pura Analytical Labs Inc.  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.



# Certificate of Analysis

Page | 1

**Woody Nelson**  
2722 BC-3A  
Nelson, BC V1L 6L6  
[karen.parent@woodynelson.ca](mailto:karen.parent@woodynelson.ca)  
(613) 531-1020

License: LIC-HY0ZLEMROV-2022  
Sample Amount Submitted: 35.0 g

Sample Received: 02/18/2025  
Report Created: 02/21/2025

**Sample: CS25-038 TBH020**

**Sample Description:** Hash

| Total THC<br>mg/g* | Total CBD<br>mg/g* | Total<br>Cannabinoids<br>mg/g |
|--------------------|--------------------|-------------------------------|
| 498.71             | 1.80               | 628.32                        |

| Cannabinoid        | LOQ % | Percent by Weight | mg/g   |
|--------------------|-------|-------------------|--------|
| THC Acid           | 0.01  | 54.782            | 547.82 |
| CBG Acid           | 0.01  | 2.629             | 26.29  |
| THCV Acid          | 0.01  | 2.449             | 24.49  |
| $\Delta^9$ -THC    | 0.01  | 1.827             | 18.27  |
| CBC-Acid           | 0.01  | 0.940             | 9.40   |
| CBD Acid           | 0.01  | 0.205             | 2.05   |
| CBG                | 0.01  | <LOQ              | <LOQ   |
| CBC                | 0.01  | <LOQ              | <LOQ   |
| CBD                | 0.01  | <LOQ              | <LOQ   |
| CBDV               | 0.01  | <LOQ              | <LOQ   |
| CBDV Acid          | 0.01  | <LOQ              | <LOQ   |
| CBL                | 0.01  | <LOQ              | <LOQ   |
| CBN                | 0.01  | <LOQ              | <LOQ   |
| CBN Acid           | 0.01  | <LOQ              | <LOQ   |
| THCV               | 0.01  | <LOQ              | <LOQ   |
| $\Delta^{10}$ -THC | 0.01  | <LOQ              | <LOQ   |
| $\Delta^8$ -THC    | 0.01  | <LOQ              | <LOQ   |

Method: HPLC-DAD. LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. **\*When reporting totals, acidic cannabinoids are multiplied by 0.877 to account for loss of mass from decarboxylation upon heating; therefore, this is the POTENTIAL amount upon complete decarboxylation from smoking/ vaping.**

# PURA ANALYTICAL LABS

Pura Analytical Labs Inc.  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022

**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.



**Woody Nelson**  
2722 BC-3A  
Nelson, BC V1L 6L6  
[karen.parent@woodynelson.ca](mailto:karen.parent@woodynelson.ca)  
(613) 531-1020

License: LIC-HY0ZLEMROV-2022  
Sample Amount Submitted: 35.0 g

Sample Received: 02/18/2025  
Report Created: 02/21/2025

**Sample: CS25-038 TBH020**

**Sample Description:** Hash

## MICROBIALS

| Microbial Parameters               | Permissible Limit | LOQ/LOD | Results | Status |
|------------------------------------|-------------------|---------|---------|--------|
|                                    | CFU/g             | CFU/g   | CFU/g   |        |
| Total Aerobic Bacteria             | 500,000           | 10      | ND      | PASS   |
| Total Yeast/ Mold                  | 50,000            | 10      | 400     | PASS   |
| BTGN Bacteria (Enterobacteriaceae) | 10,000            | 10      | ND      | PASS   |
| E. Coli                            | Absent in 1g      | 1       | ND      | PASS   |
| Salmonella sp.                     | Absent in 25g     | 1       | ND      | PASS   |
|                                    |                   |         |         |        |
|                                    |                   |         |         |        |

Method: Petrifilm Plate method for enumerations; Quantitative PCR for presence/ absence assays.

Method Reference: L-MET-006A-V01-Microbiological Screening using Petrifilm Plates; L-MET-006-V01-Microbial Screening Using qPCR.

Criteria: Eur. Ph. 5.1.8. Table C, Oral Use Limits. Absence of *Salmonella* in a 25 g sample. Absence of *E. coli* in 1g.

LOQ = Limit of Quantitation; CFU = Colony Forming Units. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detectable.

PURA ANALYTICAL LABS

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Woody Nelson**  
2722 BC-3A  
Nelson, BC V1L 6L6  
[karen.parent@woodynelson.ca](mailto:karen.parent@woodynelson.ca)  
(613) 531-1020

License: LIC-HY0ZLEMROV-2022  
Sample Amount Submitted: 35.0 g

Sample Received: 02/18/2025  
Report Created: 02/21/2025

**Sample: CS25-038 TBH020**

**Sample Description:** Hash


## HEAVY METALS

| Analyte | Permissible Limit* | LOQ    | Results        | Status |
|---------|--------------------|--------|----------------|--------|
|         | ppm                | ppm    | ppm            |        |
| Arsenic | 0.6                | 0.0001 | <b>0.0310</b>  | PASS   |
| Cadmium | 0.9                | 0.0001 | <b>0.0033</b>  | PASS   |
| Lead    | 1.5                | 0.0001 | <b>0.0163</b>  | PASS   |
| Mercury | 0.3                | 0.0001 | <b>&lt;LOQ</b> | PASS   |

Method: L-MET-009-V01-Heavy Metals using ICP-MS. Criteria: ICH guideline Q3D (R1) on elemental impurities Table A.2.2: \*Inhalation Use – permissible daily exposure based on 3g of cannabis per day. PPM = Parts per Million; LOQ = Limit of Quantitation; LOD = Limit of Detection. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

PURA ANALYTICAL LABS

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Woody Nelson**  
2722 BC-3A  
Nelson, BC V1L 6L6  
[karen.parent@woodynelson.ca](mailto:karen.parent@woodynelson.ca)  
(613) 531-1020

License: LIC-HY0ZLEMROV-2022  
Sample Amount Submitted: 35.0 g

Sample Received: 02/18/2025  
Report Created: 02/21/2025

**Sample: CS25-038 TBH020**

**Sample Description:** Hash

## MYCOTOXINS

| Analyte          | Permissible Limit | LOQ/LOD | Results | Status |
|------------------|-------------------|---------|---------|--------|
|                  | ppb               | ppb     | ppb     |        |
| Aflatoxin B1     | 1                 | 1       | ND      | PASS   |
| Aflatoxin B2     | 1                 | 1       | ND      | PASS   |
| Aflatoxin G1     | 1                 | 1       | ND      | PASS   |
| Aflatoxin G2     | 1                 | 1       | ND      | PASS   |
| Total Aflatoxins | 4                 | 4       | ND      | PASS   |
| Ochratoxin A     | 20                | 10      | ND      | PASS   |

Method: L-MET-007-V01-Pesticides and Aflatoxins; LC-MS/MS ESI. Criteria: Eur. Ph. 2.8.18 & 2.8.22.

LOQ = Limit of Quantitation; LOD Limit of Detection; PPB = Parts per Billion.

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detectable, NR = Not Reported, NT = Not Tested

PURA ANALYTICAL LABS

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Woody Nelson**  
2722 BC-3A  
Nelson, BC V1L 6L6  
karen.parent@woodynelson.ca  
(613) 531-1020

License: LIC-HY0ZLEMROV-2022  
Sample Amount Submitted: 40.0g

Sample Received: 03/24/2025  
Report Created: 03/31/2025

**Sample: CS25-066 PKNK-017**

**Sample Description:** Milled Flower

## MICROBIALS

| Microbial Parameters               | Permissible Limit | LOQ/LOD | Results | Status |
|------------------------------------|-------------------|---------|---------|--------|
|                                    | CFU/g             | CFU/g   | CFU/g   |        |
| Total Aerobic Bacteria             | 500,000           | 10      | ND      | PASS   |
| Total Yeast/ Mold                  | 50,000            | 10      | 1,850   | PASS   |
| BTGN Bacteria (Enterobacteriaceae) | 10,000            | 10      | ND      | PASS   |
| E. Coli                            | Absent in 1g      | 1       | ND      | PASS   |
| Salmonella sp.                     | Absent in 25g     | 1       | ND      | PASS   |

Method: Petrifilm Plate method for enumerations; Quantitative PCR for presence/ absence assays.

Method Reference: L-MET-006A-V01-Microbiological Screening using Petrifilm Plates; L-MET-006-V01-Microbial Screening Using qPCR.

Criteria: Eur. Ph. 5.1.8. Table C, Oral Use Limits. Absence of *Salmonella* in a 25 g sample. Absence of *E. coli* in 1g.

LOQ = Limit of Quantitation; CFU = Colony Forming Units. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detectable.

# PURA ANALYTICAL LABS

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Woody Nelson**  
2722 BC-3A  
Nelson, BC V1L 6L6  
karen.parent@woodynelson.ca  
(613) 531-1020

License: LIC-HY0ZLEMROV-2022  
Sample Amount Submitted: 41.10g

Sample Received: 03/17/2025  
Report Created: 03/25/2025

**Sample: CS25-058 PKNK-017**

**Sample Description:** Dried Flower

## Foreign Matter Inspection

Ph. Eur. 2.8.2; < 2%

**PASS**

## MICROBIALS

| Microbial Parameters                      | Permissible Limit | LOQ/LOD | Results      | Status |
|---|-------------------|---------|--------------|--------|
|   | CFU/g             | CFU/g   | CFU/g        |        |
| <b>Total Aerobic Bacteria</b>             | 500,000           | 10      | <b>100</b>   | PASS   |
| <b>Total Yeast/ Mold</b>                  | 50,000            | 10      | <b>1,950</b> | PASS   |
| <b>BTGN Bacteria (Enterobacteriaceae)</b> | 10,000            | 10      | <b>ND</b>    | PASS   |
| <b>E. Coli</b>                            | Absent in 1g      | 1       | <b>ND</b>    | PASS   |
| <b>Salmonella sp.</b>                     | Absent in 25g     | 1       | <b>ND</b>    | PASS   |

Method: Petrifilm Plate method for enumerations; Quantitative PCR for presence/ absence assays.

Method Reference: L-MET-006A-V01-Microbiological Screening using Petrifilm Plates; L-MET-006-V01-Microbial Screening Using qPCR.

Criteria: Eur. Ph. 5.1.8. Table C, Oral Use Limits. Absence of *Salmonella* in a 25 g sample. Absence of *E. coli* in 1g.

LOQ = Limit of Quantitation; CFU = Colony Forming Units. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detectable.

# PURA ANALYTICAL LABS

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Woody Nelson**  
2722 BC-3A  
Nelson, BC V1L 6L6  
karen.parent@woodynelson.ca  
(613) 531-1020

License: LIC-HY0ZLEMROV-2022  
Sample Amount Submitted: 41.10g

Sample Received: 03/17/2025  
Report Created: 03/25/2025

**Sample: CS25-058 PKNK-017**

**Sample Description:** Dried Flower


## HEAVY METALS

| Analyte | Permissible Limit | LOQ    | Results       | Status |
|---------|-------------------|--------|---------------|--------|
|         | ppm               | ppm    | ppm           |        |
| Arsenic | 0.2               | 0.0001 | <b>0.0639</b> | PASS   |
| Cadmium | 0.3               | 0.0001 | <b>0.0262</b> | PASS   |
| Lead    | 0.5               | 0.0001 | <b>0.0026</b> | PASS   |
| Mercury | 0.1               | 0.0001 | <b>0.0017</b> | PASS   |

Method: L-MET-009-V01-Heavy Metals using ICP-MS. Criteria: ICH guideline Q3D (R1) on elemental impurities Table A.2.2: Inhalation Use. PPM = Parts per Million; LOQ = Limit of Quantitation; LOD = Limit of Detection. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

# PURA ANALYTICAL LABS

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Woody Nelson**  
2722 BC-3A  
Nelson, BC V1L 6L6  
karen.parent@woodynelson.ca  
(613) 531-1020

License: LIC-HY0ZLEMROV-2022  
Sample Amount Submitted: 41.10g

Sample Received: 03/17/2025  
Report Created: 03/25/2025

**Sample: CS25-058 PKNK-017**

**Sample Description:** Dried Flower

## MYCOTOXINS

| Analyte          | Permissible Limit | LOQ/LOD | Results | Status |
|------------------|-------------------|---------|---------|--------|
|                  | ppb               | ppb     | ppb     |        |
| Aflatoxin B1     | 1                 | 1       | ND      | PASS   |
| Aflatoxin B2     | 1                 | 1       | ND      | PASS   |
| Aflatoxin G1     | 1                 | 1       | ND      | PASS   |
| Aflatoxin G2     | 1                 | 1       | ND      | PASS   |
| Total Aflatoxins | 4                 | 4       | ND      | PASS   |
| Ochratoxin A     | 20                | 10      | ND      | PASS   |


Method: L-MET-007-V01-Pesticides and Aflatoxins; LC-MS/MS ESI. Criteria: Eur. Ph. 2.8.18 & 2.8.22.

LOQ = Limit of Quantitation; LOD Limit of Detection; PPB = Parts per Billion.

The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detectable, NR = Not Reported, NT = Not Tested

PURA ANALYTICAL LABS

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.

**Woody Nelson**  
2722 BC-3A  
Nelson, BC V1L 6L6  
karen.parent@woodynelson.ca  
(613) 531-1020

License: LIC-HY0ZLEMROV-2022  
Sample Amount Submitted: 41.10g

Sample Received: 03/17/2025  
Report Created: 03/25/2025

**Sample: CS25-058 PKNK-017**

**Sample Description:** Dried Flower

## PESTICIDES

| Analyte             | Permissible Limit | LOQ  | Results | Status | Analyte            | Permissible Limit | LOQ  | Results | Status |
|---------------------|-------------------|------|---------|--------|--------------------|-------------------|------|---------|--------|
|                     | ppm               | ppm  | ppm     |        |                    | ppm               | ppm  | ppm     |        |
| Abamectin           | 0.10              | 0.10 | <LOQ    | PASS   | Cyprodinil         | 0.25              | 0.25 | <LOQ    | PASS   |
| Acephate            | 0.02              | 0.02 | <LOQ    | PASS   | Daminozide         | 0.10              | 0.10 | <LOQ    | PASS   |
| Acequinocyl         | 0.03              | 0.03 | <LOQ    | PASS   | Deltamethrin       | 0.50              | 0.50 | <LOQ    | PASS   |
| Acetamiprid         | 0.10              | 0.10 | <LOQ    | PASS   | Diazinon           | 0.02              | 0.02 | <LOQ    | PASS   |
| Aldicarb            | 1.00              | 1.00 | <LOQ    | PASS   | Dichlorvos         | 0.10              | 0.10 | <LOQ    | PASS   |
| Allethrin           | 0.20              | 0.20 | <LOQ    | PASS   | Dimethoate         | 0.02              | 0.02 | <LOQ    | PASS   |
| Azadirachtin        | 1.00              | 1.00 | <LOQ    | PASS   | Dimethomorph       | 0.05              | 0.05 | <LOQ    | PASS   |
| Azoxystrobin        | 0.02              | 0.02 | <LOQ    | PASS   | Dinotefuran        | 0.10              | 0.10 | <LOQ    | PASS   |
| Benzovindiflupyr    | 0.02              | 0.02 | <LOQ    | PASS   | Dodemorph          | 0.05              | 0.05 | <LOQ    | PASS   |
| Bifenazate          | 0.02              | 0.02 | <LOQ    | PASS   | Endosulfan Sulfate | 0.05              | 0.05 | <LOQ    | PASS   |
| Bifenthrin          | 1.00              | 1.00 | <LOQ    | PASS   | Endosulfan-alpha   | 0.20              | 0.20 | <LOQ    | PASS   |
| Boscalid            | 0.02              | 0.02 | <LOQ    | PASS   | Endosulfan-beta    | 0.05              | 0.05 | <LOQ    | PASS   |
| Buprofezin          | 0.02              | 0.02 | <LOQ    | PASS   | Ethoprophos        | 0.02              | 0.02 | <LOQ    | PASS   |
| Carbaryl            | 0.05              | 0.05 | <LOQ    | PASS   | Etofenprox         | 0.05              | 0.05 | <LOQ    | PASS   |
| Carbofuran          | 0.02              | 0.02 | <LOQ    | PASS   | Etoxazole          | 0.02              | 0.02 | <LOQ    | PASS   |
| Chlorantraniliprole | 0.02              | 0.02 | <LOQ    | PASS   | Etridiazol         | 0.03              | 0.03 | <LOQ    | PASS   |
| Chlorphenapyr       | 0.05              | 0.05 | <LOQ    | PASS   | Fenoxycarb         | 0.02              | 0.02 | <LOQ    | PASS   |
| Chlorpyrifos        | 0.04              | 0.04 | <LOQ    | PASS   | Fenpyroximate      | 0.02              | 0.02 | <LOQ    | PASS   |
| Clofentezine        | 0.02              | 0.02 | <LOQ    | PASS   | Fensulfothion      | 0.02              | 0.02 | <LOQ    | PASS   |
| Clothianidin        | 0.05              | 0.05 | <LOQ    | PASS   | Fenthion           | 0.02              | 0.02 | <LOQ    | PASS   |
| Coumaphos           | 0.02              | 0.02 | <LOQ    | PASS   | Fenvalerate        | 0.10              | 0.10 | <LOQ    | PASS   |
| Cyantranilipole     | 0.02              | 0.02 | <LOQ    | PASS   | Fipronil           | 0.06              | 0.06 | <LOQ    | PASS   |
| Cyfluthrin          | 0.20              | 0.20 | <LOQ    | PASS   | Flonicamid         | 0.05              | 0.05 | <LOQ    | PASS   |
| Cypermethrin        | 0.30              | 0.30 | <LOQ    | PASS   | Fludioxonil        | 0.02              | 0.02 | <LOQ    | PASS   |

# PURA ANALYTICAL LABS

Method: L-MET-007-V01-Pesticides and Aflatoxins; LC-MS/MS Dual Ion Source. **Limits are set by Health Canada for Dried Cannabis.** PPM = Parts per Million; LOQ = Limit of Quantitation. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

**Pura Analytical Labs Inc.**  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022



**Denise Johnson**  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.





# Certificate of Analysis

Page | 5

**Woody Nelson**  
2722 BC-3A  
Nelson, BC V1L 6L6  
karen.parent@woodynelson.ca  
(613) 531-1020

License: LIC-HY0ZLEMROV-2022  
Sample Amount Submitted: 41.10g

Sample Received: 03/17/2025  
Report Created: 03/25/2025

**Sample: CS25-058 PKNK-017**

**Sample Description:** Dried Flower

## PESTICIDES

| Analyte          | Permissible Limit | LOQ  | Results | Status | Analyte            | Permissible Limit | LOQ  | Results | Status |
|------------------|-------------------|------|---------|--------|--------------------|-------------------|------|---------|--------|
|                  | ppm               | ppm  | ppm     |        |                    | ppm               | ppm  | ppm     |        |
| Fluopyram        | 0.02              | 0.02 | <LOQ    | PASS   | Piperonyl Butoxide | 0.20              | 0.20 | <LOQ    | PASS   |
| Hexythiazox      | 0.01              | 0.01 | <LOQ    | PASS   | Pirimicarb         | 0.02              | 0.02 | <LOQ    | PASS   |
| Imazalil         | 0.05              | 0.05 | <LOQ    | PASS   | Prallethrin        | 0.05              | 0.05 | <LOQ    | PASS   |
| Imidacloprid     | 0.02              | 0.02 | <LOQ    | PASS   | Propiconazole      | 0.10              | 0.10 | <LOQ    | PASS   |
| Iprodione        | 1.00              | 1.00 | <LOQ    | PASS   | Propoxur           | 0.02              | 0.02 | <LOQ    | PASS   |
| Kinoprene        | 0.50              | 0.50 | <LOQ    | PASS   | Pyraclostrobin     | 0.02              | 0.02 | <LOQ    | PASS   |
| Kresoxim-methyl  | 0.02              | 0.02 | <LOQ    | PASS   | Pyrethrins         | 0.05              | 0.05 | <LOQ    | PASS   |
| Malathion        | 0.02              | 0.02 | <LOQ    | PASS   | Pyridaben          | 0.05              | 0.05 | <LOQ    | PASS   |
| Metalaxyl        | 0.02              | 0.02 | <LOQ    | PASS   | Resmethrin         | 0.10              | 0.10 | <LOQ    | PASS   |
| Methiocarb       | 0.02              | 0.02 | <LOQ    | PASS   | Spinetoram         | 0.02              | 0.02 | <LOQ    | PASS   |
| Methomyl         | 0.05              | 0.05 | <LOQ    | PASS   | Spinosad           | 0.10              | 0.10 | <LOQ    | PASS   |
| Methoprene       | 2.00              | 2.00 | <LOQ    | PASS   | Spirodiclofen      | 0.25              | 0.25 | <LOQ    | PASS   |
| Mevinphos        | 0.05              | 0.05 | <LOQ    | PASS   | Spiromesifen       | 3.00              | 3.00 | <LOQ    | PASS   |
| MGK-264          | 0.05              | 0.05 | <LOQ    | PASS   | Spirotetramat      | 0.02              | 0.02 | <LOQ    | PASS   |
| Myclobutanil     | 0.02              | 0.02 | <LOQ    | PASS   | Spiroxamine        | 0.10              | 0.10 | <LOQ    | PASS   |
| Naled            | 0.10              | 0.10 | <LOQ    | PASS   | Tebuconazole       | 0.05              | 0.05 | <LOQ    | PASS   |
| Novaluron        | 0.05              | 0.05 | <LOQ    | PASS   | Tebufenozide       | 0.02              | 0.02 | <LOQ    | PASS   |
| Oxamyl           | 3.00              | 3.00 | <LOQ    | PASS   | Teflubenzuron      | 0.05              | 0.05 | <LOQ    | PASS   |
| Paclobutrazol    | 0.02              | 0.02 | <LOQ    | PASS   | Tetramethrin       | 0.10              | 0.10 | <LOQ    | PASS   |
| Parathion Methyl | 0.05              | 0.05 | <LOQ    | PASS   | Tetrachlorvinphos  | 0.02              | 0.02 | <LOQ    | PASS   |
| PCNB             | 0.02              | 0.02 | <LOQ    | PASS   | Thiacloprid        | 0.02              | 0.02 | <LOQ    | PASS   |
| Permethrin       | 0.50              | 0.50 | <LOQ    | PASS   | Thiamethoxam       | 0.02              | 0.02 | <LOQ    | PASS   |
| Phenothrin       | 0.05              | 0.05 | <LOQ    | PASS   | Thiophanate-Methyl | 0.05              | 0.05 | <LOQ    | PASS   |
| Phosmet          | 0.02              | 0.02 | <LOQ    | PASS   | Trifloxystrobin    | 0.02              | 0.02 | <LOQ    | PASS   |

PURA ANALYTICAL LABS

Method: L-MET-007-V01-Pesticides and Aflatoxins; LC-MS/MS Dual Ion Source. **Limits are set by Health Canada for Dried Cannabis.** PPM = Parts per Million; LOQ = Limit of Quantitation. The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Pura Analytical Labs Inc.  
Unit 1, 2984 Boys Road, DUNCAN, BC  
(250) 929-2002 <https://www.puralabs.ca>  
Health Canada Lic # LIC-LEHSCQIYN-2022

Denise Johnson  
Head of Laboratory

This product has been tested by Pura Analytical Laboratories using valid testing methodologies and a quality system as required by Federal law. Values reported relate only to the product tested. Pura Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Pura Analytical Laboratories. Results are representative of the sample submitted by the client on the stated date.