

# STRAWBERRY CHEESECAKE



**LINEAGE:** Chronic x White Widow x Cheese

**TYPE:** Indica

**THC:** 24.946 %

**CBD:** >1 %

---

**TERPENES:** 1.734 %

Limonene · Pinene · Caryophyllene · Linalool · Myrcene

---

## EFFECTS

Sleepy · Happy · Euphoric · Soothing · Calmness

---

## AROMA/TASTE

As the name suggests, this cultivar will start off with a sweet taste of strawberries and leave you with a rather strong cheesy aftertaste. The smoke is light and soft.

---

## GENERAL DESCRIPTION

Strawberry Cheesecake comes on smooth but quick and wears off just as smoothly. Common effects are stress and pain relief and surprisingly for an almost pure indica, it is not a total couch lock. Many users have reported to feel motivated, focused and very talkative. Some will even recommend it as a day strain.



## CERTIFICATE OF ANALYSIS

### Client information

**ROXTON AIR**  
1160, Chemin Patenaude  
Roxton Pond, Canada, J0E 1Z0

### COA information

COA number **230724\_66318\_PAR18559**  
COA Date **24-Jul-2023**  
Analysis Request ID **PAR18559**

### Sample information

Sample Name **Strawberry Cheesecake**  
Sample ID **L012**  
Laboratory ID **PAT56108**  
Method Ref. **PAT-AM-019**

Sample Receiving Date **19-Jul-2023**  
Receiving Temperature **21°C**  
Analysis Date **23-Jul-2023**

### Cannabinoids Profile

Compounds	Results (%w/w)	Results (mg/g)	LOQ(%)
CBC	0.018	0.180	0.010
CBD	<0.010	<0.100	0.010
CBDA	0.049	0.490	0.010
CBDV	<0.010	<0.100	0.010
CBG	0.108	1.080	0.010
CBGA	0.537	5.370	0.010
CBN	<0.010	<0.100	0.010
D8-THC	<0.010	<0.100	0.010
D9-THC	0.943	9.430	0.010
THCA-A	27.370	273.700	0.010
THCV	<0.010	<0.100	0.010
<b>Total THC</b>	<b>24.946</b>	<b>249.465</b>	
<b>Total CBD</b>	<b>0.043</b>	<b>0.430</b>	

**24.946%**  
Total THC

**0.043%**  
Total CBD

Total THC = THC + (THCA\*0.877), Total CBD = CBD + (CBDA\*0.877)

Total THC/CBD is calculated using the formulas to take into account the loss of carboxyl group during decarboxylation step.

Authorized by: Laboratory Manager

Signature:



## Details of testing

---

1. LOQ- Limit of quantification
2. % w/w: percent (weight of analyte/ weight of product)
3. Results only apply to the items tested and to the sample(s) as received.
4. This report may not be distributed or reproduced except in full



This COA can be verified by  
scanning the QR code

\*\*\*\*\* This is end of the Certificate of Analysis \*\*\*\*\*

**Date :** 2023-07-25

*CERTIFICATE OF ANALYSIS - GC PROFILING (MAIN TERPENES)*

*SAMPLE IDENTIFICATION*

**Internal code :** 23G19-POU03

**Customer Identification :** Strawberry Cheesecake - L012

**Type :** Plant material

**Source :** *Cannabis sativa*

**Customer :** Roxton Air Inc.

Checked and approved by:

---

Alexis St-Gelais, Ph. D., Chimiste 2013-174

*Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.*

### PHYSICOCHEMICAL DATA

**Method :** PC-MAT-024 - Vegetal material moisture content determination

**Moisture content :** 14.22 % m/m

**Analyst :** Cassandra Baker

**Date :** 2023-07-25

### GAS CHROMATOGRAPHIC ANALYSIS

**Method :** PC-MAT-004 - Terpenes and volatiles profiling by response factor

**Results :** See analysis summary (table)

**Analyst :** Amélie Simard, Analyste

**Date :** 2023-07-25

### REFERENCE

(1) Cachet, T.; Brevard, H.; Chaintreau, A.; Demyttenaere, J.; French, L.; Gassenmeier, K.; Joulain, D.; Koenig, T.; Leijs, H.; Liddle, P.; et al. IOFI Recommended Practice for the Use of Predicted Relative-Response Factors for the Rapid Quantification of Volatile Flavouring Compounds by GC-FID. *Flavour Fragr. J.* 2016, 31 (3), 191–194.

### ANALYSIS SUMMARY - CONSOLIDATED CONTENTS

Identification	Anhydrous (mg/g)	As is (mg/g)	Class
Hexanol	0.01	0.01	Aliphatic alcohol
Hashishene	tr	tr	Monoterpene
$\alpha$ -Thujene	0.01	0.01	Monoterpene
$\alpha$ -Pinene	1.16	0.99	Monoterpene
Camphene	0.17	0.15	Monoterpene
$\alpha$ -Fenchene	0.01	0.01	Monoterpene
$\beta$ -Pinene	1.19	1.02	Monoterpene
Sabinene	0.01	0.01	Monoterpene
Myrcene	1.03	0.89	Monoterpene
$\alpha$ -Phellandrene	tr	tr	Monoterpene
$\alpha$ -Terpinene	tr	tr	Monoterpene
1,8-Cineole	0.03	0.02	Monoterpenic ether
$\beta$ -Phellandrene	0.01	0.01	Monoterpene
Limonene	3.16	2.71	Monoterpene
(Z)- $\beta$ -Ocimene	0.01	0.01	Monoterpene
(E)- $\beta$ -Ocimene	0.44	0.37	Monoterpene
$\gamma$ -Terpinene	0.01	0.01	Monoterpene
cis-Sabinene hydrate	0.03	0.03	Monoterpenic alcohol

Fenchone	0.11	0.09	Monoterpenic ketone
Terpinolene	0.08	0.07	Monoterpene
<i>trans</i> -Sabinene hydrate	0.01	0.01	Monoterpenic alcohol
Linalool	1.00	0.86	Monoterpenic alcohol
endo-Fenchol	0.77	0.66	Monoterpenic alcohol
<i>trans</i> -Pinene hydrate	0.58	0.50	Monoterpenic alcohol
<i>cis</i> -Pinene hydrate	0.11	0.09	Monoterpenic alcohol
Camphene hydrate	0.04	0.03	Monoterpenic alcohol
Ipsdienol	0.01	0.01	Monoterpenic alcohol
Borneol	0.18	0.16	Monoterpenic alcohol
Terpinen-4-ol	0.02	0.02	Monoterpenic alcohol
$\alpha$ -Terpineol	0.68	0.58	Monoterpenic alcohol
Citronellol	0.01	0.00	Monoterpenic alcohol
Geraniol	0.01	0.00	Monoterpenic alcohol
Decanol	0.01	0.01	Aliphatic alcohol
$\alpha$ -Cubebene	0.01	0.01	Sesquiterpene
$\alpha$ -Ylangene	0.02	0.02	Sesquiterpene
Unknown	0.01	0.01	Sesquiterpene
Hexyl hexanoate	0.02	0.01	Aliphatic ester
$\beta$ -Caryophyllene	1.96	1.68	Sesquiterpene
$\alpha$ -Santalene	0.07	0.06	Sesquiterpene
$\gamma$ -Elemene	0.01	0.01	Sesquiterpene
$\alpha$ -Guaiene	[0.39]	[0.33]	Sesquiterpene
<i>trans</i> - $\alpha$ -Bergamotene	[0.39]	[0.33]	Sesquiterpene
$\alpha$ -Humulene	0.71	0.61	Sesquiterpene
allo-Aromadendrene	0.05	0.05	Sesquiterpene
( <i>E</i> )- $\beta$ -Farnesene	0.65	0.56	Sesquiterpene
Unknown	0.08	0.07	Sesquiterpene
$\beta$ -Selinene	0.05	0.04	Sesquiterpene
Valencene	0.04	0.03	Sesquiterpene
$\alpha$ -Selinene	0.09	0.07	Sesquiterpene
$\delta$ -Guaiene	0.04	0.03	Sesquiterpene
$\beta$ -Bisabolene	0.21	0.18	Sesquiterpene
(3 <i>E</i> ,6 <i>E</i> )- $\alpha$ -Farnesene	0.25	0.22	Sesquiterpene
Spirovetiva-1(10),7(11)-diene	0.07	0.06	Sesquiterpene
Eremophila-1(10),7(11)-diene	0.03	0.03	Sesquiterpene
Selina-4(15),7(11)-diene	0.06	0.05	Sesquiterpene
Selina-4,7(11)-diene?	0.14	0.12	Sesquiterpene
Selina-3,7(11)-diene	0.10	0.09	Sesquiterpene
( <i>E</i> )- $\alpha$ -Bisabolene	0.19	0.17	Sesquiterpene
Germacrene B	0.02	0.02	Sesquiterpene
Eudesma-5,7(11)-diene	0.07	0.06	Sesquiterpene
( <i>E</i> )-Nerolidol	0.02	0.02	Sesquiterpenic alcohol
Caryophyllene oxide	0.07	0.06	Sesquiterpenic ether
Guaiol	0.67	0.57	Sesquiterpenic alcohol



Humulene epoxide II	0.09	0.08	Sesquiterpenic ether
Selin-6-en-4 $\alpha$ -ol isomer	0.06	0.06	Sesquiterpenic alcohol
10-epi- $\gamma$ -Eudesmol	0.66	0.57	Sesquiterpenic alcohol
Selin-6-en-4 $\alpha$ -ol	0.03	0.02	Sesquiterpenic alcohol
$\gamma$ -Eudesmol	0.13	0.11	Sesquiterpenic alcohol
$\beta$ -Eudesmol	0.34	0.29	Sesquiterpenic alcohol
$\alpha$ -Eudesmol	0.38	0.32	Sesquiterpenic alcohol
Bulnesol	0.59	0.51	Sesquiterpenic alcohol
(3Z)-Caryophylla-3,8(13)-dien-5 $\beta$ -ol	0.05	0.04	Sesquiterpenic alcohol
$\alpha$ -Bisabolol	0.56	0.48	Sesquiterpenic alcohol
Juniper camphor	0.08	0.07	Sesquiterpenic alcohol
Aromadendrane-4,10-diol	0.03	0.02	Sesquiterpenic alcohol
(2E,6E)-Farnesol	0.02	0.02	Sesquiterpenic alcohol
Cryptomeridiol	0.09	0.08	Sesquiterpenic alcohol
<i>meta</i> -Camphorene	tr	tr	Diterpene
Phytol	0.11	0.09	Diterpenic alcohol
<b>Consolidated total</b>	<b>20.21</b>	<b>17.34</b>	

tr: The compound has been detected below 0.01 mg/g.

[xx]: Duplicate concentration due to coelutions, taken only once into account in the consolidated total

Note: Individual compounds contents were corrected following the method of Cachet et al., 2016 (Flavour and Fragrance Journal guidelines).  
Unknown compounds are expressed in equivalents of internal standard without correction factor.

**About "consolidated" data:** The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic.

**Unknowns:** The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion. Some recurring, characteristic unknowns are listed for cannabis samples as they are representative of the actual composition of the material.

<b>Terpene Analysis</b>	LOD (%)	LOQ (%)	wt%
Sabinene Hydrate	0.0006	0.005	ND
Eucalyptol	0.0011	0.005	ND
Cymene*	0.0004	0.005	ND
Alpha-Phellandrene	0.0010	0.005	ND
Sabinene	0.0003	0.005	ND
<b>Total of all quantified terpenes:</b>			1.263

<b>Moisture Analysis</b>	12.74%
--------------------------	--------

<b>Foreign Matter Analysis</b>	None Detected
--------------------------------	---------------

<b>Mycotoxin Analysis</b>	LOD (ppb)	LOQ (ppb)	RL (ppb)	Result (ppb)	Status
Aflatoxin-B1	1.0	2	2	ND	PASS
Aflatoxin-B2	0.9	2		ND	PASS
Aflatoxin-G1	0.7	2		ND	PASS
Aflatoxin-G2	1.0	2		ND	PASS
<b>Sum of Aflatoxins:</b>			4	0	PASS
Ochratoxin-A	8.7	20	20	ND	PASS

<b>Microbial Analysis</b>	LOD (CFU/g)	RL (CFU/g)	Result (CFU/g)	Status
Total Aerobic Count	12	100,000	ND	PASS
Total Yeast and Mold Count	1.8	1,000	ND	PASS
Bile-Tolerant Gram-Negative	5	1,000	ND	PASS
Salmonella			Absent in 10g	PASS
E.coli			Absent in 10g	PASS

<b>Heavy Metals Analysis</b>	LOD (ppm)	LOQ (ppm)	RL (ppm)	Result (ppm)	Status
Arsenic	0.034	0.200	0.2	ND	PASS
Cadmium	0.016	0.058	0.3	ND	PASS
Lead	0.014	0.493	0.5	ND	PASS
Mercury	0.009	0.061	0.1	ND	PASS

Abbreviations: wt% = percentage of weight, CFU = colony forming units, ppm = Parts per million, ppb = Parts per billion, ND = None Detected, BLQ = Below Limit of Quantification, LOQ = Limit of Quantification, LOD = Limit of Detection, RL = Reporting Limit, \* = Mixture of Isomers

Authorized by:

*Kintesh Sutaria*  
Kintesh Sutaria  
QA Specialist



<b>Pesticides Analysis</b>	LOD (ppm)	LOQ (ppm)	RL (ppm)	Result (ppm)	Status
Abamectin	0.0057	0.1	0.1	ND	PASS
Acephate	0.0100	0.02	0.02	ND	PASS
Acequinocyl	0.0115	0.03	0.03	ND	PASS
Acetamiprid	0.0017	0.1	0.1	ND	PASS
Aldicarb	0.0442	1	1	ND	PASS
Allethrin	0.0314	0.2	0.2	ND	PASS
Azadirachtin	0.0729	1	1	ND	PASS
Azoxystrobin	0.0029	0.02	0.02	ND	PASS
Benzovindiflupyr	0.0038	0.02	0.02	ND	PASS
Bifenazate	0.0022	0.02	0.02	ND	PASS
Bifenthrin	0.0660	1	1	ND	PASS
Boscalid	0.0035	0.02	0.02	ND	PASS
Buprofezin	0.0014	0.02	0.02	ND	PASS
Carbaryl	0.0134	0.05	0.05	ND	PASS
Carbofuran	0.0018	0.02	0.02	ND	PASS
Chlorantraniliprole	0.0039	0.02	0.02	ND	PASS
Chlorfenapyr	0.0263	0.05	0.05	ND	PASS
Chlorpyrifos	0.0033	0.04	0.04	ND	PASS
Clofentezine	0.0022	0.02	0.02	ND	PASS
Clothianidin	0.0220	0.05	0.05	ND	PASS
Coumaphos	0.0038	0.02	0.02	ND	PASS
Cyantraniliprole	0.0032	0.02	0.02	ND	PASS
Cyfluthrin	0.0653	0.2	0.2	ND	PASS
Cypermethrin	0.1550	0.3	0.3	ND	PASS
Cyprodinil	0.0139	0.25	0.25	ND	PASS
Daminozide	0.0138	0.1	0.1	ND	PASS
Deltamethrin	0.0060	0.5	0.5	ND	PASS
Diazinon	0.0016	0.02	0.02	ND	PASS
Dichlorvos	0.0072	0.1	0.1	ND	PASS
Dimethoate	0.0053	0.02	0.02	ND	PASS
Dimethomorph	0.0023	0.05	0.05	ND	PASS
Dinotefuran	0.0076	0.1	0.1	ND	PASS
Dodemorph	0.0026	0.05	0.05	ND	PASS
Endosulfan-alpha	0.0357	0.2	0.2	ND	PASS
Endosulfan-beta	0.0173	0.05	0.05	ND	PASS
Endosulfan sulfate	0.0029	0.05	0.05	ND	PASS
Ethoprophos	0.0060	0.02	0.02	ND	PASS
Etofenprox	0.0059	0.05	0.05	ND	PASS
Etoxazole	0.0007	0.02	0.02	ND	PASS
Etridiazol	0.0036	0.03	0.03	ND	PASS
Fenoxycarb	0.0031	0.02	0.02	ND	PASS
Fenpyroximate	0.0008	0.02	0.02	ND	PASS
Fensulfothion	0.0046	0.02	0.02	ND	PASS

Abbreviations: wt% = percentage of weight, CFU = colony forming units, ppm = Parts per million, ppb = Parts per billion, ND = None Detected, BLQ = Below Limit of Quantification, LOQ = Limit of Quantification, LOD = Limit of Detection, RL = Reporting Limit, \* = Mixture of Isomers

Authorized by:

*Kintesh Sutaria*  
Kintesh Sutaria  
QA Specialist

<b>Pesticides Analysis</b>	LOD (ppm)	LOQ (ppm)	RL (ppm)	Result (ppm)	Status
Fenthion	0.0085	0.02	0.02	ND	PASS
Fenvalerate	0.0767	0.1	0.1	ND	PASS
Fipronil	0.0013	0.06	0.06	ND	PASS
Flonicamid	0.0041	0.05	0.05	ND	PASS
Fludioxonil	0.0043	0.02	0.02	ND	PASS
Fluopyram	0.0014	0.02	0.02	ND	PASS
Hexythiazox	0.0016	0.01	0.01	ND	PASS
Imazalil	0.0060	0.05	0.05	ND	PASS
Imidacloprid	0.0018	0.02	0.02	ND	PASS
Iprodione	0.1217	1	1	ND	PASS
Kinoprene	0.1142	0.5	0.5	ND	PASS
Kresoxim-methyl	0.0069	0.02	0.02	ND	PASS
Malathion	0.0041	0.02	0.02	ND	PASS
Metalaxyl	0.0016	0.02	0.02	ND	PASS
Methiocarb	0.0027	0.02	0.02	ND	PASS
Methomyl	0.0093	0.05	0.05	ND	PASS
Methoprene	0.4544	2	2	ND	PASS
Mevinphos	0.0044	0.05	0.05	ND	PASS
MGK-264	0.0035	0.05	0.05	ND	PASS
Myclobutanil	0.0062	0.02	0.02	ND	PASS
Naled	0.0218	0.1	0.1	ND	PASS
Novaluron	0.0019	0.05	0.05	ND	PASS
Oxamyl	0.0123	3	3	ND	PASS
Paclobutrazol	0.0187	0.02	0.02	ND	PASS
Parathion-methyl	0.0312	0.05	0.05	ND	PASS
Permethrin	0.0609	0.5	0.5	ND	PASS
Phenothrin	0.0294	0.05	0.05	ND	PASS
Phosmet	0.0046	0.02	0.02	ND	PASS
Piperonyl butoxide	0.0010	0.2	0.2	ND	PASS
Pirimicarb	0.0020	0.02	0.02	ND	PASS
Prallethrin	0.0097	0.05	0.05	ND	PASS
Propiconazole	0.0687	0.1	0.1	ND	PASS
Propoxur	0.0035	0.02	0.02	ND	PASS
Pyraclostrobin	0.0020	0.02	0.02	ND	PASS
Pyrethrins	0.0135	0.05	0.05	ND	PASS
Pyridaben	0.0010	0.05	0.05	ND	PASS
Quintozene	0.0074	0.02	0.02	ND	PASS
Resmethrin	0.0090	0.1	0.1	ND	PASS
Spinetoram	0.0012	0.02	0.02	ND	PASS
Spinosad	0.0020	0.1	0.1	ND	PASS
Spirodiclofen	0.0140	0.25	0.25	ND	PASS
Spiromesifen	0.0025	3	3	ND	PASS
Spirotetramat	0.0027	0.02	0.02	ND	PASS

Abbreviations: wt% = percentage of weight, CFU = colony forming units, ppm = Parts per million, ppb = Parts per billion, ND = None Detected, BLQ = Below Limit of Quantification, LOQ = Limit of Quantification, LOD = Limit of Detection, RL = Reporting Limit, \* = Mixture of Isomers

Authorized by:

*Kintesh Sutaria*  
Kintesh Sutaria  
QA Specialist

<b>Pesticides Analysis</b>	LOD (ppm)	LOQ (ppm)	RL (ppm)	Result (ppm)	Status
Spiroxamine	0.0013	0.1	0.1	ND	PASS
Tebuconazole	0.0020	0.05	0.05	ND	PASS
Tebufenozide	0.0021	0.02	0.02	ND	PASS
Teflubenzuron	0.0015	0.05	0.05	ND	PASS
Tetrachlorvinphos	0.0026	0.02	0.02	ND	PASS
Tetramethrin	0.0239	0.1	0.1	ND	PASS
Thiacloprid	0.0014	0.02	0.02	ND	PASS
Thiamethoxam	0.0076	0.02	0.02	ND	PASS
Thiophanate-methyl	0.0174	0.05	0.05	ND	PASS
Trifloxystrobin	0.0018	0.02	0.02	ND	PASS

---

Abbreviations: wt% = percentage of weight, CFU = colony forming units, ppm = Parts per million, ppb = Parts per billion, ND = None Detected, BLQ = Below Limit of Quantification, LOQ = Limit of Quantification, LOD = Limit of Detection, RL = Reporting Limit, \* = Mixture of Isomers

Authorized by:

*Kintesh Sutaria*  
**Kintesh Sutaria**  
 QA Specialist

---

## Details of Testing

### **Cannabinoid Analysis**

LAB-MTD-020: Determination of 11 Cannabinoids in Cannabis Flower (LOQ 0.06%), Fresh Flower (LOQ 0.015%), Oil (LOQ 0.03%) and Concentrates (LOQ 0.6%) by HPLC and UHPLC

LAB-MTD-021: Determination of Cannabinoids of Individually Isolated Sample by HPLC/UHPLC

LAB-MTD-023: Determination of 11 Cannabinoids in Cannabis Tablets and Granules (LOQ 0.025%) by HPLC/UHPLC

LAB-MTD-030: Determination of 11 Cannabinoids in Cannabis Topicals (LOQ 0.005%) by HPLC/UHPLC

LAB-MTD-039: Determination of 11 Cannabinoids in Cannabis Edibles; Liquid Edibles (LOQ 0.0005%) and Solid Edibles (LOQ 0.005%) by UHPLC

LAB-MTD-051: Assay of Cannabinoids in Cannabis Flower as per DAB by HPLC

LAB-MTD-052: Identification of CBD and THCA as per DAB by Thin-Layer Chromatography

### **Terpene Analysis**

LAB-MTD-044: Determination of Terpene Content in Cannabis Dried Flower, Fresh Flower and Extracts by GC-MS

### **Pesticide Analysis**

LAB-MTD-010: Determination of Pesticide and Mycotoxins in Cannabis by LC-MS/MS and GC-MS/MS

LAB-MTD-040: Determination of EP Pesticide Residues in Cannabis Oil and Related Products by GC-MS/MS

LAB-MTD-041: Determination of EP Pesticide Residues in Cannabis Flower and Related Products by GC-MS/MS

LAB-MTD-046: Determination of Health Canada Pesticide Residues and Toxins in Cannabis Oil and Related Products by LC-MS/MS

LAB-MTD-048: Determination of Health Canada Pesticide Residues and Toxins in Fresh Cannabis Flower by LC-MS/MS and GC-MS/MS

### **Mycotoxin Analysis**

LAB-MTD-010: Determination of Pesticide and Mycotoxins in Cannabis by LC-MS/MS and GC-MS/MS

LAB-MTD-029: Determination of Toxins in Tablet Samples by LC-MS/MS

LAB-MTD-037: Determination of Mycotoxins in Topical/Cream Samples by LC-MS/MS

### **Heavy Metal Analysis**

LAB-MTD-050: Multi-Element Analysis of Cannabis Dried Flower, Fresh Flower, Extracts, Rolling Papers, and Related Products by ICP-MS

### **Flavonoid Analysis**

LAB-MTD-045: Determination of Flavonoids in Cannabis Dried Flower, Fresh Flower, and Extracts by LC-MS/MS

Information is accurate unless otherwise stated. The results of this report are reflective only to material and product analyzed as received. This report shall not be reproduced, without written approval from High North Laboratories. Test Results are confidential unless explicitly waived otherwise.

---

Abbreviations: wt% = percentage of weight, CFU = colony forming units, ppm = Parts per million, ppb = Parts per billion, ND = None Detected, BLQ = Below Limit of Quantification, LOQ = Limit of Quantification, LOD = Limit of Detection, RL = Reporting Limit, \* = Mixture of Isomers

Authorized by:

*Kintesh Sutaria*  
Kintesh Sutaria  
QA Specialist

---

## Details of Testing

### **Microbial Analysis**

MIC-MTD-001: Microbial Analysis of Cannabis Flower and Oil by qPCR

MIC-MTD-006: Determination of Viruses in Cannabis via qPCR and ELISA

MIC-MTD-007: Microbial Analysis of Cannabis by Culture Techniques

MIC-MTD-009: Cannabis Gender Determination by qPCR

### **Moisture Analysis**

LAB-MTD-017: Determination of Moisture Content in Cannabis Flower

LAB-MTD-031: Water Activity Meter Setup and Operation

LAB-MTD-053: Determination of Moisture Content by Loss on Drying Technique using Vacuum Oven

### **Sample Appearance and Foreign Matter**

LAB-MTD-022: Sample Appearance and Detection of Foreign Matter Content in Cannabis Samples

### **Total Ash Analysis**

LAB-MTD-043: Total Ash by Muffle Furnace in Cannabis Products

### **Residual Solvents Analysis**

LAB-MTD-036: Determination of Residual Solvents in Cannabis Oil by GC-MS

LAB-MTD-028: Determination of Residual Solvents in Tablet Samples by GC-MS

LAB-MTD-034: Determination of Propane and Butane in Cannabis Oil by GC-MS

LAB-MTD-038: Determination of Toluene in Cannabis Isolate by GC-MS

Information is accurate unless otherwise stated. The results of this report are reflective only to material and product analyzed as received. This report shall not be reproduced, without written approval from High North Laboratories. Test Results are confidential unless explicitly waived otherwise.

---

Abbreviations: wt% = percentage of weight, CFU = colony forming units, ppm = Parts per million, ppb = Parts per billion, ND = None Detected, BLQ = Below Limit of Quantification, LOQ = Limit of Quantification, LOD = Limit of Detection, RL = Reporting Limit, \* = Mixture of Isomers

Authorized by:

*Kintesh Sutaria*  
Kintesh Sutaria  
QA Specialist



## ABOUT ROXTON AIR

Based on a farm of Highland cattle in rural Quebec (Canada), Roxton Air is a newly licensed producer of craft and refined aeroponic grown cannabis.

Growing our cannabis in 8-foot high aeroponic towers combined with 100% led lighting allows us to cut on energy and water consumption in order to offer our consumers a much more sustainable product.

We focus on high potency, low riding strains for quicker yields in a sea-of-green type environment. Our current portfolio features very fruity strains such as the Banana Sorbet, the Frosted Cherry Cookies and the Strawberry Cheesecake.



### STAY TUNED!

418-952-5559

[info@roxtonair.com](mailto:info@roxtonair.com)

[facebook.com/roxtonair](https://facebook.com/roxtonair)

[instagram.com/roxtonair/](https://instagram.com/roxtonair/)

