

**To** Token Naturals  
12526 126 Ave NW  
Edmonton, Alberta T5L 3C7 Canada  
ATT: Hassan Qureshi

**REPORT #:** 1104443  
**Sample Number:** 3774665  
**PROJECT ID:** EDM16190-2209-001  
**DATE:** 2022-10-05  
**RECEIVED:** 2022-09-29

**RC22-0361,-0519,-0520; Lot #: RC22-0361,-0519,-0520, 50.09g**

Test	Specification	Test Result	Method	Date	Loc.
<b>Aflatoxins</b>			SOP6_554		
AFLATOXIN B1	≤ 5 ppb	<1.25 ppb		2022-10-04	EDM
AFLATOXIN B2	N/A	<1.25 ppb		2022-10-04	EDM
AFLATOXIN G2	N/A	<1.25 ppb		2022-10-04	EDM
AFLATOXIN G1	N/A	<1.25 ppb		2022-10-04	EDM
TOTAL AFLATOXINS	≤ 20 ppb	<1.25 ppb		2022-10-04	EDM
<b>Cannabinoids</b>			SOP6_385		
CANNABIDIOLIC ACID (CBDA)	N/A	0.0440 %		2022-10-04	EDM
CANNABIGEROLIC ACID (CBG A)	N/A	0.682 %		2022-10-04	EDM
CANNABIGEROL (CBG)	N/A	0.125 %		2022-10-04	EDM
CANNABIDIOL (CBD)	N/A	0.00900 %		2022-10-04	EDM
TETRAHYDROCANNABIVARIN (THCV)	N/A	0.0200 %		2022-10-04	EDM
CANNABINOL (CBN)	N/A	0.0350 %		2022-10-04	EDM
DELTA-9-TETRAHYDROCANNA BINOL	N/A	3.68 %		2022-10-04	EDM
DELTA-8-TETRAHYDROCANNA BINOL	N/A	0.0660 %		2022-10-04	EDM
DELTA-9-TETRAHYDROCANNA BINOLIC ACID	N/A	17.0 %		2022-10-04	EDM
CANNABICHROMENE (CBC)	N/A	0.0340 %		2022-10-04	EDM
TOTAL THC	N/A	18.6 %		2022-10-04	EDM
TOTAL CBD	N/A	0.0476 %		2022-10-04	EDM
TOTAL CANNABINOIDS	N/A	21.7 %		2022-10-04	EDM
<b>Terpene Profile</b>			SOP6_396		
(-)-VERBENONE	N/A	MQL <0.05 %		2022-10-04	EDM
CAMPHOR	N/A	MQL <0.05 %		2022-10-04	EDM
(S)-(-)-CARVONE	N/A	MQL <0.05 %		2022-10-04	EDM

Raw data are archived by Labstat dba Labs-Mart. Results shown relate only to samples submitted and tested.

Labstat dba Labs-Mart assumes no liability for the use of the results by any party.

Testing may be completed at other Certified Group locations.

Statement of conformity only applies to tests currently presented on our scope of accreditation. All required parts of the standard (17025) applicable to a test laboratory are met. Accreditation is location and parameter specific. The tests listed in this report may not be included in the current scope of accreditation.

The sample(s) were provided by the customer as listed on this report and therefore results reported apply to the samples as received.

Page 1 of 8

This analytical test report shall not be reproduced, except in full, without written permission from Labstat dba Labs-Mart

**To** Token Naturals  
12526 126 Ave NW  
Edmonton, Alberta T5L 3C7 Canada  
ATT: Hassan Qureshi

**REPORT #:** 1104443  
**Sample Number:** 3774665  
**PROJECT ID:** EDM16190-2209-001  
**DATE:** 2022-10-05  
**RECEIVED:** 2022-09-29

**RC22-0361,-0519,-0520; Lot #: RC22-0361,-0519,-0520, 50.09g**

Test	Specification	Test Result	Method	Date	Loc.
(R)-(-)-PULEGONE	N/A	MQL <0.05 %		2022-10-04	EDM
(-)-ALPHA-THUJONE	N/A	MQL <0.05 %		2022-10-04	EDM
L(-)-BORNEOL	N/A	MQL <0.05 %		2022-10-04	EDM
(-)-BORNEOL	N/A	MQL <0.05 %		2022-10-04	EDM
TERPINEN-4-OL	N/A	MQL <0.05 %		2022-10-04	EDM
MENTHONE	N/A	MQL <0.05 %		2022-10-04	EDM
O-ISOPROPYLTOLUENE	N/A	MQL <0.01 %		2022-10-04	EDM
(-)-A-CEDRENE	N/A	MQL <0.05 %		2022-10-04	EDM
CAMPHENE	N/A	0.0100 %		2022-10-04	EDM
GAMMA-TERPINENE	N/A	MQL <0.01 %		2022-10-04	EDM
SAFRANAL	N/A	MQL <0.05 %		2022-10-04	EDM
GERANIOL	N/A	MQL <0.05 %		2022-10-04	EDM
BETA-CARYOPHYLLENE	N/A	0.240 %		2022-10-04	EDM
M-ISOPROPYLTOLUENE	N/A	MQL <0.05 %		2022-10-04	EDM
CARVACROL	N/A	MQL <0.01 %		2022-10-04	EDM
ALPHA-TERPINENE	N/A	MQL <0.05 %		2022-10-04	EDM
TERPINOLENE	N/A	MQL <0.05 %		2022-10-04	EDM
(-)-NOOTKATONE	N/A	MQL <0.05 %		2022-10-04	EDM
(1R)-(-)-FENCHONE	N/A	MQL <0.05 %		2022-10-04	EDM
(-)-GUAJOL	N/A	MQL <0.05 %		2022-10-04	EDM
VALENCENE	N/A	MQL <0.05 %		2022-10-04	EDM
THYMOL	N/A	MQL <0.05 %		2022-10-04	EDM
D-VALEROLACTAM	N/A	MQL <0.05 %		2022-10-04	EDM
SABINENE	N/A	0.0300 %		2022-10-04	EDM
(-)-ISOPULEGOL	N/A	MQL <0.05 %		2022-10-04	EDM
GERANYL ACETATE	N/A	MQL <0.05 %		2022-10-04	EDM
NEROLIDOL	N/A	MQL <0.05 %		2022-10-04	EDM
1,8-CINEOLE (EUCALYPTOL)	N/A	MQL <0.01 %		2022-10-04	EDM

Raw data are archived by Labstat dba Labs-Mart. Results shown relate only to samples submitted and tested.

Labstat dba Labs-Mart assumes no liability for the use of the results by any party.

Testing may be completed at other Certified Group locations.

Statement of conformity only applies to tests currently presented on our scope of accreditation. All required parts of the standard (17025) applicable to a test laboratory are met. Accreditation is location and parameter specific. The tests listed in this report may not be included in the current scope of accreditation.

The sample(s) were provided by the customer as listed on this report and therefore results reported apply to the samples as received.

Page 2 of 8

This analytical test report shall not be reproduced, except in full, without written permission from Labstat dba Labs-Mart

**To** Token Naturals  
12526 126 Ave NW  
Edmonton, Alberta T5L 3C7 Canada  
ATT: Hassan Qureshi

**REPORT #:** 1104443  
**Sample Number:** 3774665  
**PROJECT ID:** EDM16190-2209-001  
**DATE:** 2022-10-05  
**RECEIVED:** 2022-09-29

**RC22-0361,-0519,-0520; Lot #: RC22-0361,-0519,-0520, 50.09g**

Test	Specification	Test Result	Method	Date	Loc.
OCTYL ACETATE	N/A	MQL <0.05 %		2022-10-04	EDM
SABINENE HYDRATE	N/A	0.0600 %		2022-10-04	EDM
(-)-CAROPHYLLENE OXIDE	N/A	MQL <0.05 %		2022-10-04	EDM
PHYTANE	N/A	MQL <0.05 %		2022-10-04	EDM
A-TERPINEOL	N/A	MQL <0.05 %		2022-10-04	EDM
D-LIMONENE	N/A	0.0900 %		2022-10-04	EDM
CITRONELLOL	N/A	MQL <0.05 %		2022-10-04	EDM
FARNESOL	N/A	MQL <0.05 %		2022-10-04	EDM
FARNESENES	N/A	0.240 %		2022-10-04	EDM
TRANS-BETA-FARNESENE	N/A	MQL <0.05 %		2022-10-04	EDM
LINALOOL	N/A	MQL <0.05 %		2022-10-04	EDM
MENTHOL	N/A	MQL <0.01 %		2022-10-04	EDM
(-)-BETA-PINENE	N/A	0.570 %		2022-10-04	EDM
BETA-MYRCENE	N/A	0.0800 %		2022-10-04	EDM
(1R)-ENDO-( )-FENCHYL ALCOHOL	N/A	MQL <0.05 %		2022-10-04	EDM
SQUALENE	N/A	0.0100 %		2022-10-04	EDM
PIPERITONE	N/A	MQL <0.05 %		2022-10-04	EDM
3-CARENE	N/A	MQL <0.05 %		2022-10-04	EDM
P-ISOPROPYLTOLUENE (P-CY MENE)	N/A	MQL <0.05 %		2022-10-04	EDM
ALPHA-PINENE	N/A	0.190 %		2022-10-04	EDM
R(-)-ALPHA-PHELLANDRENE	N/A	MQL <0.05 %		2022-10-04	EDM
OCIMENE	N/A	MQL <0.05 %		2022-10-04	EDM
(-)-ALPHA-BISABOLOL	N/A	MQL <0.05 %		2022-10-04	EDM
ALPHA-HUMULENE	N/A	0.0600 %		2022-10-04	EDM
ISOBORNEOL	N/A	MQL <0.01 %		2022-10-04	EDM
ISOBORNYL ACETATE	N/A	MQL <0.05 %		2022-10-04	EDM

Raw data are archived by Labstat dba Labs-Mart. Results shown relate only to samples submitted and tested.

Labstat dba Labs-Mart assumes no liability for the use of the results by any party.

Testing may be completed at other Certified Group locations.

Statement of conformity only applies to tests currently presented on our scope of accreditation. All required parts of the standard (17025) applicable to a test laboratory are met. Accreditation is location and parameter specific. The tests listed in this report may not be included in the current scope of accreditation.

The sample(s) were provided by the customer as listed on this report and therefore results reported apply to the samples as received.

Page 3 of 8

This analytical test report shall not be reproduced, except in full, without written permission from Labstat dba Labs-Mart

**To** Token Naturals  
12526 126 Ave NW  
Edmonton, Alberta T5L 3C7 Canada  
ATT: Hassan Qureshi

**REPORT #:** 1104443  
**Sample Number:** 3774665  
**PROJECT ID:** EDM16190-2209-001  
**DATE:** 2022-10-05  
**RECEIVED:** 2022-09-29

**RC22-0361,-0519,-0520; Lot #: RC22-0361,-0519,-0520, 50.09g**

Test	Specification	Test Result	Method	Date	Loc.
CEDROL	N/A	MQL <0.05 %		2022-10-04	EDM
CITRAL	N/A	MQL <0.05 %		2022-10-04	EDM
NEROL	N/A	0.0100 %		2022-10-04	EDM
TOTAL REPORTED TERPENES	N/A	1.81 %		2022-10-04	EDM
<b><u>MICRO</u></b>					
TOTAL PLATE COUNT	≤ 500000 CFU/g	<10 CFU/g	SOP6_506	2022-10-04	EDM
BILE TOLERANT GRAM NEGATIVE	≤ 10000 CFU/g	<10 CFU/g	SOP6_506	2022-10-04	EDM
YEAST & MOLD	≤ 50000 CFU/g	<10 CFU/g	SOP6_506	2022-10-04	EDM
E. COLI	Equal to Absent in 1g	Absent in 1g	SOP6_506	2022-10-04	EDM
<b><u>Foreign Matter</u></b>					
FOREIGN MATTER	Equal to Absent	Not Detected	SOP6_561	2022-09-30	EDM
PICTURE	N/A	SEE ATTACHED		2022-09-30	EDM
<b><u>Moisture</u></b>					
MOISTURE	N/A	12.9 %	SOP6_18	2022-09-30	EDM
<b><u>Pesticide Residues (HC)</u></b>					
ABAMECTIN	≤ 0.1 ppm	< QL 0.1 ppm	SOP6_554	2022-10-05	EDM
ACEPHATE	≤ 0.02 ppm	< QL 0.02 ppm		2022-10-05	EDM
ACEQUINOCYL	≤ 0.03 ppm	< QL 0.025 ppm		2022-10-05	EDM
ACETAMIPRID	≤ 0.1 ppm	< QL 0.05 ppm		2022-10-05	EDM
ALDICARB	≤ 1 ppm	< QL 0.5 ppm		2022-10-05	EDM
ALLETHRIN	≤ 0.2 ppm	< QL 0.1 ppm		2022-10-05	EDM
AZADIRACHTIN	≤ 1 ppm	< QL 0.5 ppm		2022-10-05	EDM
AZOXYSTROBIN	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
BENZOVINDIFLUPYR	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
BIFENAZATE	≤ 0.02 ppm	< QL 0.02 ppm		2022-10-05	EDM
BIFENTHRIN	≤ 1 ppm	< QL 1 ppm		2022-10-05	EDM
BOSCALID	≤ 0.02 ppm	< QL 0.0125 ppm		2022-10-05	EDM

Raw data are archived by Labstat dba Labs-Mart. Results shown relate only to samples submitted and tested.

Labstat dba Labs-Mart assumes no liability for the use of the results by any party.

Testing may be completed at other Certified Group locations.

Statement of conformity only applies to tests currently presented on our scope of accreditation. All required parts of the standard (17025) applicable to a test laboratory are met. Accreditation is location and parameter specific. The tests listed in this report may not be included in the current scope of accreditation.

The sample(s) were provided by the customer as listed on this report and therefore results reported apply to the samples as received.

Page 4 of 8

This analytical test report shall not be reproduced, except in full, without written permission from Labstat dba Labs-Mart

**To** Token Naturals  
12526 126 Ave NW  
Edmonton, Alberta T5L 3C7 Canada  
ATT: Hassan Qureshi

**REPORT #:** 1104443  
**Sample Number:** 3774665  
**PROJECT ID:** EDM16190-2209-001  
**DATE:** 2022-10-05  
**RECEIVED:** 2022-09-29

**RC22-0361,-0519,-0520; Lot #: RC22-0361,-0519,-0520, 50.09g**

Test	Specification	Test Result	Method	Date	Loc.
BUPROFEZIN	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
CARBARYL	≤ 0.05 ppm	< QL 0.025 ppm		2022-10-05	EDM
CARBOFURAN	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
CHLORANTRANILIPROLE	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
CHLORPHENAPYR	≤ 0.05 ppm	< QL 0.05 ppm		2022-10-05	EDM
CHLORPYRIFOS	≤ 0.04 ppm	< QL 0.01 ppm		2022-10-05	EDM
CLOFENTEZINE	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
CLOTHIANIDIN	≤ 0.05 ppm	< QL 0.025 ppm		2022-10-05	EDM
COUMAPHOS	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
CYANTRANILIPROLE	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
CYFLUTHRIN	≤ 0.2 ppm	< QL 0.1 ppm		2022-10-05	EDM
CYPERMETHRIN	≤ 0.3 ppm	< QL 0.2 ppm		2022-10-05	EDM
CYPRODINIL	≤ 0.25 ppm	< QL 0.01 ppm		2022-10-05	EDM
DAMINOZIDE	≤ 0.1 ppm	< QL 0.05 ppm		2022-10-05	EDM
DELTAMETHRIN	≤ 0.5 ppm	< QL 0.5 ppm		2022-10-05	EDM
DIAZINON	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
DICHLORVOS	≤ 0.1 ppm	< QL 0.05 ppm		2022-10-05	EDM
DIMETHOATE	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
DIMETHOMORPH	≤ 0.05 ppm	< QL 0.05 ppm		2022-10-05	EDM
DINOTEFURAN	≤ 0.1 ppm	< QL 0.05 ppm		2022-10-05	EDM
DODEMORPH	≤ 0.05 ppm	< QL 0.05 ppm		2022-10-05	EDM
ENDOSULFAN-ALPHA	≤ 0.2 ppm	< QL 0.1 ppm		2022-10-05	EDM
ENDOSULFAN-BETA	≤ 0.05 ppm	< QL 0.05 ppm		2022-10-05	EDM
ENDOSULFAN SULFATE	≤ 0.05 ppm	< QL 0.05 ppm		2022-10-05	EDM
ETHOPROPHOS	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
ETOFENPROX	≤ 0.05 ppm	< QL 0.01 ppm		2022-10-05	EDM
ETOXAZOLE	≤ 0.02 ppm	< QL 0.005 ppm		2022-10-05	EDM
ETRIDIAZOLE	≤ 0.03 ppm	< QL 0.0125 ppm		2022-10-05	EDM

Raw data are archived by Labstat dba Labs-Mart. Results shown relate only to samples submitted and tested.

Labstat dba Labs-Mart assumes no liability for the use of the results by any party.

Testing may be completed at other Certified Group locations.

Statement of conformity only applies to tests currently presented on our scope of accreditation. All required parts of the standard (17025) applicable to a test laboratory are met. Accreditation is location and parameter specific. The tests listed in this report may not be included in the current scope of accreditation.

The sample(s) were provided by the customer as listed on this report and therefore results reported apply to the samples as received.

Page 5 of 8

This analytical test report shall not be reproduced, except in full, without written permission from Labstat dba Labs-Mart

**To** Token Naturals  
12526 126 Ave NW  
Edmonton, Alberta T5L 3C7 Canada  
ATT: Hassan Qureshi

**REPORT #:** 1104443  
**Sample Number:** 3774665  
**PROJECT ID:** EDM16190-2209-001  
**DATE:** 2022-10-05  
**RECEIVED:** 2022-09-29

**RC22-0361,-0519,-0520; Lot #: RC22-0361,-0519,-0520, 50.09g**

Test	Specification	Test Result	Method	Date	Loc.
FENOXYCARB	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
FENPYROXIMATE	≤ 0.02 ppm	< QL 0.02 ppm		2022-10-05	EDM
FENSULFOTHION	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
FENTHION	≤ 0.02 ppm	< QL 0.0125 ppm		2022-10-05	EDM
FENVALERATE	≤ 0.1 ppm	< QL 0.1 ppm		2022-10-05	EDM
FIPRONIL	≤ 0.06 ppm	< QL 0.01 ppm		2022-10-05	EDM
FLONICAMID	≤ 0.05 ppm	< QL 0.025 ppm		2022-10-05	EDM
FLUDIOXONIL	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
FLUOPYRAM	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
HEXYTHIAZOX	≤ 0.01 ppm	< QL 0.01 ppm		2022-10-05	EDM
IMAZALIL	≤ 0.05 ppm	< QL 0.01 ppm		2022-10-05	EDM
IMIDACLOPRID	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
IPRODIONE	≤ 1 ppm	< QL 0.5 ppm		2022-10-05	EDM
KINOPRENE	≤ 0.50 ppm	< QL 0.5 ppm		2022-10-05	EDM
KRESOXIM-METHYL	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
MALATHION	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
METALAXYL	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
METHIOCARB	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
METHOMYL	≤ 0.05 ppm	< QL 0.05 ppm		2022-10-05	EDM
METHOPRENE	≤ 2 ppm	< QL 1 ppm		2022-10-05	EDM
PARATHION-METHYL	≤ 0.05 ppm	< QL 0.05 ppm		2022-10-05	EDM
MEVINPHOS	≤ 0.05 ppm	< QL 0.025 ppm		2022-10-05	EDM
MGK-264	≤ 0.05 ppm	< QL 0.05 ppm		2022-10-05	EDM
MYCLOBUTANIL	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
NALED	≤ 0.1 ppm	< QL 0.1 ppm		2022-10-05	EDM
NOVALURON	≤ 0.05 ppm	< QL 0.025 ppm		2022-10-05	EDM
OXAMYL	≤ 3.0 ppm	< QL 1.5 ppm		2022-10-05	EDM
PACLOBUTRAZOL	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM

Raw data are archived by Labstat dba Labs-Mart. Results shown relate only to samples submitted and tested.

Labstat dba Labs-Mart assumes no liability for the use of the results by any party.

Testing may be completed at other Certified Group locations.

Statement of conformity only applies to tests currently presented on our scope of accreditation. All required parts of the standard (17025) applicable to a test laboratory are met. Accreditation is location and parameter specific. The tests listed in this report may not be included in the current scope of accreditation.

The sample(s) were provided by the customer as listed on this report and therefore results reported apply to the samples as received.

This analytical test report shall not be reproduced, except in full, without written permission from Labstat dba Labs-Mart

**To** Token Naturals  
12526 126 Ave NW  
Edmonton, Alberta T5L 3C7 Canada  
ATT: Hassan Qureshi

**REPORT #:** 1104443  
**Sample Number:** 3774665  
**PROJECT ID:** EDM16190-2209-001  
**DATE:** 2022-10-05  
**RECEIVED:** 2022-09-29

**RC22-0361,-0519,-0520; Lot #: RC22-0361,-0519,-0520, 50.09g**

Test	Specification	Test Result	Method	Date	Loc.
PERMETHRIN	≤ 0.5 ppm	< QL 0.5 ppm		2022-10-05	EDM
PHENOTHRIN	≤ 0.05 ppm	< QL 0.02 ppm		2022-10-05	EDM
PHOSMET	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
PIPERONYL BUTOXIDE	≤ 0.2 ppm	< QL 0.2 ppm		2022-10-05	EDM
PIRIMICARB	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
PRALLETHRIN	≤ 0.05 ppm	< QL 0.05 ppm		2022-10-05	EDM
PROPICONAZOLE	≤ 0.1 ppm	< QL 0.1 ppm		2022-10-05	EDM
PROPOXUR	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
PYRACLOSTROBIN	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
PYRETHRINS	≤ 0.05 ppm	< QL 0.025 ppm		2022-10-05	EDM
PYRIDABEN	≤ 0.05 ppm	< QL 0.025 ppm		2022-10-05	EDM
QUINTOZENE	≤ 0.02 ppm	< QL 0.0125 ppm		2022-10-05	EDM
RESMETHRIN	≤ 0.1 ppm	< QL 0.02 ppm		2022-10-05	EDM
SPINETORAM	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
SPINOSAD	≤ 0.1 ppm	< QL 0.01 ppm		2022-10-05	EDM
SPIRODICLOFEN	≤ 0.25 ppm	< QL 0.2 ppm		2022-10-05	EDM
SPIROMESIFEN	≤ 3 ppm	< QL 0.05 ppm		2022-10-05	EDM
SPIROTETRAMAT	≤ 0.02 ppm	< QL 0.02 ppm		2022-10-05	EDM
SPIROXAMINE	≤ 0.1 ppm	< QL 0.01 ppm		2022-10-05	EDM
TEBUCONAZOLE	≤ 0.05 ppm	< QL 0.01 ppm		2022-10-05	EDM
TEBUFENOZIDE	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
TEFLUBENZURON	≤ 0.05 ppm	< QL 0.025 ppm		2022-10-05	EDM
TETRACHLORVINPHOS	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
TETRAMETHRIN	≤ 0.1 ppm	< QL 0.05 ppm		2022-10-05	EDM
THIACLOPRID	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
THIAMETHOXAM	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM
THIOPHANATE-METHYL	≤ 0.05 ppm	< QL 0.025 ppm		2022-10-05	EDM
TRIFLOXYSTROBIN	≤ 0.02 ppm	< QL 0.01 ppm		2022-10-05	EDM

Raw data are archived by Labstat dba Labs-Mart. Results shown relate only to samples submitted and tested.

Labstat dba Labs-Mart assumes no liability for the use of the results by any party.

Testing may be completed at other Certified Group locations.

Statement of conformity only applies to tests currently presented on our scope of accreditation. All required parts of the standard (17025) applicable to a test laboratory are met. Accreditation is location and parameter specific. The tests listed in this report may not be included in the current scope of accreditation.

The sample(s) were provided by the customer as listed on this report and therefore results reported apply to the samples as received.

**To** Token Naturals  
12526 126 Ave NW  
Edmonton, Alberta T5L 3C7 Canada  
ATT: Hassan Qureshi

**REPORT #:** 1104443  
**Sample Number:** 3774665  
**PROJECT ID:** EDM16190-2209-001  
**DATE:** 2022-10-05  
**RECEIVED:** 2022-09-29

**RC22-0361,-0519,-0520; Lot #: RC22-0361,-0519,-0520, 50.09g**

Test	Specification	Test Result	Method	Date	Loc.
<b>Heavy Metals</b>			SOP6_358		
ARSENIC	≤ 0.2 ppm	<0.0300 ppm		2022-10-03	EDM
CADMIUM	≤ 0.3 ppm	<0.0200 ppm		2022-10-03	EDM
LEAD	≤ 0.5 ppm	<0.0200 ppm		2022-10-03	EDM
MERCURY	≤ 0.1 ppm	<0.0200 ppm		2022-10-03	EDM

#### References

SOP 6\_561: Visual Inspection with a Microscope  
SOP6\_358: ICP-MS based on USP <232>/<233>  
SOP6\_385: HPLC-UV  
SOP6\_396: GC-MS  
SOP6\_506: Internal SOP modified from Ph.Eur. 2.6.12/5.1.8-C and 2.6.13/5.1.8-C  
Suitability is not performed unless requested. Method validated on July 18, 2019.  
SOP6\_554: LC-MS-MS and GC-MS-MS


#### Testing Locations:

EDM: Labstat dba Labs-Mart Edmonton

Prepared by

  
 \_\_\_\_\_  
 Ruby Vu, Account Manager

Approved by

  
 \_\_\_\_\_  
 Igor Likhobabin, Laboratory Supervisor

Date 2022-10-05

Raw data are archived by Labstat dba Labs-Mart. Results shown relate only to samples submitted and tested.  
Labstat dba Labs-Mart assumes no liability for the use of the results by any party.  
Testing may be completed at other Certified Group locations.  
Statement of conformity only applies to tests currently presented on our scope of accreditation. All required parts of the standard (17025) applicable to a test laboratory are met. Accreditation is location and parameter specific. The tests listed in this report may not be included in the current scope of accreditation.  
The sample(s) were provided by the customer as listed on this report and therefore results reported apply to the samples as received.

Page 8 of 8


This analytical test report shall not be reproduced, except in full, without written permission from Labstat dba Labs-Mart



**Report Number:** 3774665  
**Client:** TOKEN\_NATURALS  
**Sample:** RC22-0361, -0519, -0520  
**Lot Number:** RC22-0361, -0519, -0520, 50.09g  
**Received:** 2022-09-29

**Test:** Microscopic/Macroscopic (calibrated), and organoleptic identification.


**Analyst:**



(Jona Merine Thomas, Analyst)

**Date:** 2022-09-30

**Results:** Foreign matter was not detected.



1 Div = 10  $\mu$ m at 40x Objective



1 $\times$  Objective



3 $\times$  Objective



3 $\times$  Objective