

#### CERTIFICATE OF COMPLIANCE

**Product Brand:** Censored Edibles

Product name: Glazed Banana Penis 2.5mg THC per unit

**Product type:** Gelatin gummy

Lot: GG220810045

Packaging date: September 06, 2022

Manufactured by: Loosh Inc.

Address: 160 Steeprock Dr. M3J 2T4, North York, ON

**Input Cannabinoids** 

Ingredient name	Lot Number
THC Distillate	DI10009022266

Loosh Inc. certifies that product - Censored Edibles Censored Glazed Banana 2.5mg THC per unit, lot # GG220810045 produced at Loosh Inc. facility using the Cannabinoids with lot # listed in the table above.

Loosh Inc. is cannabis licensed processing facility with License No. LIC-Z651PJ5EEN-2021-4 and complies with Cannabis regulations.

**QAP: Donald Bowins** 

Date: November 29, 2022



#### **CERTIFICATE OF ANALYSIS**

#### SAMPLE INFORMATION

Client:	Loosh Inc	Vivariant Sample #:	VV-22-00336
		Sample Matrix Type:	Edible Cannabis
	Client Address: 160 Steeprock dr Unit 3, M3J 2T4 North York, ON	Sample Matrix Subtype:	Gummy
Client Address:		Sample Name:	Censored Edible Glazed Banana Penis Gelatin Gummy, 2.5mg THC per unit(Fresh from slurry)
			GG220810045
		Date Sample Collected:	2022-AUG-10
Contact Name:	Natasha Botinova	Strain Name:	N. A
Contact Email:	natasha@looshbrands.com	Sample Receipt Date:	2022-AUG-15

Revision #:	0	Sample Comments:
Report Prepared On:	2022-AUG-23	Mean unit weight: 3.5797 g

	POTENCY
Date Tested:	2022-AUG-22
Method:	SOP-01-002-08

Analyte	Result (mg/g)	Limit of Quantitation (mg/g)	Client Specifications
Cannabidiol (CBD)	< LOQ	0.035	Report
Cannabidiolic Acid (CBDA)	< LOQ	0.03	Report
Total Potential CBD	N. A	N.A	Report
delta-9-Tetrahydrocannabinol (THC)	0.67	0.16	Report
delta-9-Tetrahydrocannabinolic acid (THCA-A)	< LOQ	0.04	Report
Total Potential THC	0.67	N.A	Report

OK- QAP - Aug 24 2022 1. 8 0 1 40 6 1

Approved by: Anand Thota Date Approved: 8/23/2022

These results relate only to the items tested. This test report shall not be reproduced except in full, without written approval of the laboratory.

\* End of report \*



#### **CERTIFICATE OF ANALYSIS**

#### SAMPLE INFORMATION

Client:	Loosh Inc.	Vivariant Sample #:	VV-22-00373
		Sample Matrix Type:	Edible Cannabis
		Sample Matrix Subtype:	Gummies
Client Address:	160 Steeprock dr Unit 3, M3J 2T4 North York, ON	Sample Name:	Censored Edible Glazed Banana Penis Fresh from slurry 2.5 mg THC per unit
		Lot/Batch #:	GG220810045
		Date Sample Collected:	2022-AUG-18
Contact Name:	Natasha Botinova	Strain Name:	NA ·
Contact Email:	natasha@looshbrands.com	Sample Receipt Date:	2022-AUG-22

Revision #:	0	Sample Comments:
Report Prepared On:	2022-AUG-29	NA .

MICROBIAL ANALYSIS  Date Tested: 2022-AUG-23					
					Method: USP NF

Test	Result	Method	Client Specifications
Total Aerobic Microbial Count	< 10 CFU/g	USP <61>	Report
Total Yeast and Mold Count	< 10 CFU/g	USP <61>	Report
Bile Tolerant Gram-Negative Bacteria	< 10 CFU/g	USP <62>	Report
Detection of Escherichia Coli	No Growth Detected	USP <62>	Report
Detection of Salmonella ssp.	No Growth Detected	USP <62>	Report

OK- QAP - Aug 29 2022

21. 8 am 4 Hobe

Approved by: Anand Thota Date Approved: 8/29/2022

These results relate only to the items tested. This test report shall not be reproduced except in full, without written approval of the laboratory.

\* End of report \*

ACCOUNT NUMBER

# A & L Canada Laboratories Inc.

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



02270 TO:MOTIF LABS LTD. 516 JOHN ST. N.

ATTN: Nav Sidhu Phone:519-272-3363

AYLMER, ON N5H 2B8 CANADA hereinafter the "Recipient"

CERTIFICATE OF ANALYSIS

PAGE:

1 / 1

**CATEGORY:**Potency

PO#:Nav Sidhu LAB NUMBER: 1589286 SAMPLE ID: DI10009022266 STRAIN: Distillate

**SAMPLE MATRIX:**Cannabis Concentrate **DATE SAMPLED:**2022-06-04 DATE RECEIVED:2022-06-07 DATE REPORTED:2022-06-09 **DATE PRINTED:**2022-06-09

STRAIN: Distillate		arout T			The second second second	
Cannabinoid Profile	RE:	RESULT % w/w mg/g		mg/g	METHOD REFERENCE	
CBC	1.07	10.7	0.25	2.5	ORG-M-071	
CBCA	<loq< td=""><td><loq< td=""><td>1.65</td><td>16.5</td><td>ORG-M-071</td></loq<></td></loq<>	<loq< td=""><td>1.65</td><td>16.5</td><td>ORG-M-071</td></loq<>	1.65	16.5	ORG-M-071	
CBD	<loq< td=""><td><loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<></td></loq<>	<loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<>	0.25	2.5	ORG-M-071	
CBDA	<loq< td=""><td><loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<></td></loq<>	<loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<>	0.25	2.5	ORG-M-071	
CBDV	<loq< td=""><td><loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<></td></loq<>	<loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<>	0.25	2.5	ORG-M-071	
CBDVA	<loq< td=""><td><loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<></td></loq<>	<loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<>	0.25	2.5	ORG-M-071	
CBG	1.85	18.5	0.25	2.5	ORG-M-071	
CBGA	<loq< td=""><td><loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<></td></loq<>	<loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<>	0.25	2.5	ORG-M-071	
CBL	<loq< td=""><td><loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<></td></loq<>	<loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<>	0.25	2.5	ORG-M-071	
CBN	1.18	11.8	0.25	2.5	ORG-M-071	
CBNA	0.91	9.1	0.25	2.5	ORG-M-071	
Delta 8-THC	<loq< td=""><td><loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<></td></loq<>	<loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<>	0.25	2.5	ORG-M-071	
THC	90.72	907.2	0.25	2.5	ORG-M-071	
THCA	<loq< td=""><td><loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<></td></loq<>	<loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<>	0.25	2.5	ORG-M-071	
THCV	0.49	4.9	0.25	2.5	ORG-M-071	
THCVA	<loq< td=""><td><loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<></td></loq<>	<loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<>	0.25	2.5	ORG-M-071	
Total CBD	<loq< td=""><td><loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<></td></loq<>	<loq< td=""><td>0.25</td><td>2.5</td><td>ORG-M-071</td></loq<>	0.25	2.5	ORG-M-071	
Total THC	90.72	907.2	0.25	2.5	ORG-M-071	
101011110						

Jun- 22.2022

LOQ - Limit of Quantification

The results of this report relate to the sample submitted and analyzed.

C22158-92032

Results Authorized By:

Haifeng Song, Ph.D., C.Chem.

Lab Director

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.sca.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca

Additional information available upon request

Additional information in which is the right to reproduction in whole or in partaner may it be used by anyone other than the Recipient without the prior written consent and approval of A & L Canada Laboratory

L Canada"). Upon receipt of this Certificate of Analysis by the Recipient from A&L Canada, A&L Canada shall not be responsible for and no claim shall be advanced against A&L Canada as a result of the unauthorized reproduction, use or distribution of this Certificate of Analysis.

## A & L Canada Laboratories Inc.

**ACCOUNT NUMBER** 02270

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:MOTIF LABS LTD. 516 JOHN ST. N. AYLMER, ON N5H 2B8 **CANADA** hereinafter the "Recipient"

ATTN:Nav Sidhu Phone:519-272-3363

## **CERTIFICATE OF ANALYSIS**

PAGE:

1/5

Concentrate

**CATEGORY:**Contamination

**SAMPLE MATRIX:**Cannabis

PO#:Nav Sidhu **LAB NUMBER:**1589289 **SAMPLE ID:**DI10009022266 **STRAIN:**Distillate

**DATE SAMPLED:**2022-06-04 **DATE RECEIVED:**2022-06-07 **DATE REPORTED:**2022-06-13 **DATE PRINTED:**2022-06-13

Regulated Heavy Metals	RESULT	UNIT	LOQ	METHOD REFERENCE
Arsenic (As)	<loq< td=""><td>ppm</td><td>0.1</td><td>USP 233/EP 2.4.20</td></loq<>	ppm	0.1	USP 233/EP 2.4.20
Cadmium (Cd)	<loq< td=""><td>ppm</td><td>0.1</td><td>USP 233/EP 2.4.20</td></loq<>	ppm	0.1	USP 233/EP 2.4.20
Lead (Pb)	<loq< td=""><td>ppm</td><td>0.25</td><td>USP 233/EP 2.4.20</td></loq<>	ppm	0.25	USP 233/EP 2.4.20
Mercury (Hg)	<loq< td=""><td>ppm</td><td>0.05</td><td>USP 233/EP 2.4.20</td></loq<>	ppm	0.05	USP 233/EP 2.4.20
Aflatoxins	RESULT	UNIT	LOQ	METHOD REFERENCE
Aflatoxin B1	<loq< td=""><td>ppb</td><td>1</td><td>ORG-M-069</td></loq<>	ppb	1	ORG-M-069
Aflatoxin B2	<loq< td=""><td>ppb</td><td>1</td><td>ORG-M-069</td></loq<>	ppb	1	ORG-M-069
Aflatoxin G1	<loq< td=""><td>ppb</td><td>1</td><td>ORG-M-069</td></loq<>	ppb	1	ORG-M-069
Aflatoxin G2	<loq< td=""><td>ppb</td><td>1</td><td>ORG-M-069</td></loq<>	ppb	1	ORG-M-069
Ochratoxin A	<loq< td=""><td>ppb</td><td>10</td><td>ORG-M-069</td></loq<>	ppb	10	ORG-M-069
Total Aflatoxins	<loq< td=""><td>ppb</td><td>4</td><td>ORG-M-069</td></loq<>	ppb	4	ORG-M-069
Microbiological Scan	RESULT	UNIT	LOQ	METHOD REFERENCE
Microbiological Scan  Bile-Tolerant Gram Negative Bacteria	RESULT Negative	P-A/g	<b>LOQ</b> 1	USP62/EP2.6.13
		_	- •	
Bile-Tolerant Gram Negative Bacteria	Negative	P-A/g	1	USP62/EP2.6.13
Bile-Tolerant Gram Negative Bacteria  E. coli	Negative Negative	P-A/g P.A/g(ml)	1	USP62/EP2.6.13 USP62/EP2.6.13
Bile-Tolerant Gram Negative Bacteria  E. coli  Pseudomonas aeruginosa	Negative Negative Negative	P-A/g P.A/g(ml) P-A/g	1 1 1	USP62/EP2.6.13 USP62/EP2.6.13 USP62/EP2.6.13
Bile-Tolerant Gram Negative Bacteria  E. coli  Pseudomonas aeruginosa  Salmonella spp.	Negative Negative Negative Negative	P-A/g P.A/g(ml) P-A/g P-A/10.0g	1 1 1 1 CFU	USP62/EP2.6.13 USP62/EP2.6.13 USP62/EP2.6.13 USP62/EP2.6.13
Bile-Tolerant Gram Negative Bacteria  E. coli  Pseudomonas aeruginosa  Salmonella spp.  Staphylococcus aureus	Negative Negative Negative Negative Negative Negative	P-A/g P.A/g(ml) P-A/g P-A/10.0g P-A/g	1 1 1 1 CFU 1	USP62/EP2.6.13 USP62/EP2.6.13 USP62/EP2.6.13 USP62/EP2.6.13 USP62/EP2.6.13
Bile-Tolerant Gram Negative Bacteria  E. coli Pseudomonas aeruginosa Salmonella spp. Staphylococcus aureus Total Aerobic Microbial Count	Negative Negative Negative Negative Negative <100	P-A/g P.A/g(ml) P-A/g P-A/10.0g P-A/g CFU/g	1 1 1 1 CFU 1 100	USP62/EP2.6.13 USP62/EP2.6.13 USP62/EP2.6.13 USP62/EP2.6.13 USP62/EP2.6.13 USP61/EP2.6.12
Bile-Tolerant Gram Negative Bacteria  E. coli  Pseudomonas aeruginosa  Salmonella spp.  Staphylococcus aureus  Total Aerobic Microbial Count  Total Yeasts & Moulds	Negative Negative Negative Negative Negative <100 <10	P-A/g P.A/g(ml) P-A/g P-A/10.0g P-A/g CFU/g CFU/g	1 1 1 1 CFU 1 100	USP62/EP2.6.13 USP62/EP2.6.13 USP62/EP2.6.13 USP62/EP2.6.13 USP62/EP2.6.13 USP61/EP2.6.12 USP61/EP2.6.12
Bile-Tolerant Gram Negative Bacteria  E. coli  Pseudomonas aeruginosa  Salmonella spp.  Staphylococcus aureus  Total Aerobic Microbial Count  Total Yeasts & Moulds  Residual Solvents	Negative Negative Negative Negative Negative <100 <10 RESULT	P-A/g P.A/g(ml) P-A/g P-A/10.0g P-A/g CFU/g CFU/g UNIT ppm	1 1 1 1 CFU 1 100 10 LOQ	USP62/EP2.6.13 USP62/EP2.6.13 USP62/EP2.6.13 USP62/EP2.6.13 USP62/EP2.6.13 USP61/EP2.6.12 USP61/EP2.6.12 METHOD REFERENCE

LOQ - Limit of Quantification

The results of this report relate to the sample submitted and analyzed.

C22158-92035

**Results Authorized By:** 

Haifeng Song, Ph.D., C.Chem.

Lab Director

A&L Canada Laboratories Inc. is accredited by the Standards Council of Canada for specific tests as listed on www.scc.ca and by the Canadian Association for Laboratory Accreditation as listed on www.cala.ca Additional information available upon request

This Certificate of Analysis has been prepared for use by the Recipient only. Possession of this Certificate of Analysis, does not carry with it the right to reproduction or publication in whole or in part, nor may it be used by anyone other than the Recipient without the prior written consent and approval of A & L Canada a Laboratories Inc. ("A&L Canada as a result of the unauthorized reproduction, use or distribution of this Certificate of Analysis.

## A & L Canada Laboratories Inc.

**ACCOUNT NUMBER** 02270

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:MOTIF LABS LTD. 516 JOHN ST. N. AYLMER, ON N5H 2B8 **CANADA** hereinafter the "Recipient"

ATTN:Nav Sidhu Phone:519-272-3363

### **CERTIFICATE OF ANALYSIS**

PAGE:

2 / 5

**CATEGORY:**Pesticides

PO#:Nav Sidhu **LAB NUMBER:**1589289 **SAMPLE ID:**DI10009022266 **STRAIN:**Distillate

**SAMPLE MATRIX:**Cannabis Concentrate **DATE SAMPLED:**2022-06-04 **DATE RECEIVED:**2022-06-07 **DATE REPORTED:**2022-06-13 **DATE PRINTED:**2022-06-13

Pesticide Scan	RESULT	UNIT	LOQ	HEALTH CANADA REPORTING LIMIT	METHOD REFERENCE
Abamectin	<loq< td=""><td>ppm</td><td>0.01</td><td>0.25</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.25	ORG-M-052
Acephate	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Acequinocyl	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Acetamiprid	<loq< td=""><td>ppm</td><td>0.01</td><td>0.1</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.1	ORG-M-052
Aldicarb	<loq< td=""><td>ppm</td><td>0.01</td><td>1</td><td>ORG-M-052</td></loq<>	ppm	0.01	1	ORG-M-052
Allethrin	<loq< td=""><td>ppm</td><td>0.01</td><td>0.2</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.2	ORG-M-052
Azadirachtin	<loq< td=""><td>ppm</td><td>0.05</td><td>1</td><td>ORG-M-052</td></loq<>	ppm	0.05	1	ORG-M-052
Azoxystrobin	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Benzovindiflupyr	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Bifenazate	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Bifenthrin	<loq< td=""><td>ppm</td><td>0.01</td><td>1</td><td>ORG-M-052</td></loq<>	ppm	0.01	1	ORG-M-052
Boscalid	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Buprofezin	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Carbaryl	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Carbofuran	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Chlorantraniliprole	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Chlorphenapyr	<loq< td=""><td>ppm</td><td>0.05</td><td>1.5</td><td>ORG-M-052</td></loq<>	ppm	0.05	1.5	ORG-M-052
Chlorpyrifos	<loq< td=""><td>ppm</td><td>0.01</td><td>0.5</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.5	ORG-M-052
Clofentezine	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Clothianidin	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Coumaphos	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Cyantraniliprole	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Cyfluthrin	<loq< td=""><td>ppm</td><td>0.5</td><td>1</td><td>ORG-M-052</td></loq<>	ppm	0.5	1	ORG-M-052
Cypermethrin	<loq< td=""><td>ppm</td><td>0.5</td><td>1</td><td>ORG-M-052</td></loq<>	ppm	0.5	1	ORG-M-052
Cyprodinil	<loq< td=""><td>ppm</td><td>0.01</td><td>0.25</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.25	ORG-M-052
Daminozide	<loq< td=""><td>ppm</td><td>0.01</td><td>0.1</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.1	ORG-M-052

LOQ - Limit of Quantification

The results of this report relate to the sample submitted and analyzed.

C22158-92035

**Results Authorized By:** 

Haifeng Song, Ph.D., C.Chem.

## A & L Canada Laboratories Inc.

**ACCOUNT NUMBER** 02270

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:MOTIF LABS LTD. 516 JOHN ST. N. AYLMER, ON N5H 2B8 **CANADA** hereinafter the "Recipient"

ATTN:Nav Sidhu Phone:519-272-3363

### **CERTIFICATE OF ANALYSIS**

PAGE:

3/5

**CATEGORY:**Pesticides

PO#:Nav Sidhu **LAB NUMBER:**1589289 **SAMPLE ID:**DI10009022266 **STRAIN:**Distillate

**SAMPLE MATRIX:**Cannabis Concentrate **DATE SAMPLED:**2022-06-04 **DATE RECEIVED:**2022-06-07 **DATE REPORTED:**2022-06-13 **DATE PRINTED:**2022-06-13

Pesticide Scan	RESULT	UNIT	LOQ	HEALTH CANADA REPORTING LIMIT	METHOD REFERENCE
Deltamethrin	<loq< td=""><td>ppm</td><td>0.05</td><td>1</td><td>ORG-M-052</td></loq<>	ppm	0.05	1	ORG-M-052
Diazinon	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Dichlorvos	<loq< td=""><td>ppm</td><td>0.02</td><td>0.1</td><td>ORG-M-052</td></loq<>	ppm	0.02	0.1	ORG-M-052
Dimethoate	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Dimethomorph	<loq< td=""><td>ppm</td><td>0.05</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.05	0.05	ORG-M-052
Dinotefuran	<loq< td=""><td>ppm</td><td>0.01</td><td>0.1</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.1	ORG-M-052
Dodemorph	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Endosulfan sulfate	<loq< td=""><td>ppm</td><td>0.05</td><td>2.5</td><td>ORG-M-052</td></loq<>	ppm	0.05	2.5	ORG-M-052
Endosulfan-alpha	<loq< td=""><td>ppm</td><td>0.05</td><td>2.5</td><td>ORG-M-052</td></loq<>	ppm	0.05	2.5	ORG-M-052
Endosulfan-beta	<loq< td=""><td>ppm</td><td>0.05</td><td>2.5</td><td>ORG-M-052</td></loq<>	ppm	0.05	2.5	ORG-M-052
Ethoprophos	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Etofenprox	<loq< td=""><td>ppm</td><td>0.05</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.05	0.05	ORG-M-052
Etoxazole	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Etridiazole	<loq< td=""><td>ppm</td><td>0.05</td><td>0.15</td><td>ORG-M-052</td></loq<>	ppm	0.05	0.15	ORG-M-052
Fenoxycarb	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Fenpyroximate	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Fensulfothion	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Fenthion	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Fenvalerate	<loq< td=""><td>ppm</td><td>0.05</td><td>0.1</td><td>ORG-M-052</td></loq<>	ppm	0.05	0.1	ORG-M-052
Fipronil	<loq< td=""><td>ppm</td><td>0.01</td><td>0.06</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.06	ORG-M-052
Flonicamid	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Fludioxonil	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Fluopyram	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Hexythiazox	<loq< td=""><td>ppm</td><td>0.01</td><td>0.01</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.01	ORG-M-052
Imazalil	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Imidacloprid	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052

LOQ - Limit of Quantification

The results of this report relate to the sample submitted and analyzed.

C22158-92035

**Results Authorized By:** 

Haifeng Song, Ph.D., C.Chem.

## A & L Canada Laboratories Inc.

ACCOUNT NUMBER 02270 2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:MOTIF LABS LTD.
516 JOHN ST. N.
AYLMER, ON N5H 2B8
CANADA
hereinafter the "Recipient"

ATTN:Nav Sidhu Phone:519-272-3363

## **CERTIFICATE OF ANALYSIS**

PAGE:

4/5

**CATEGORY:**Pesticides

PO#:Nav Sidhu LAB NUMBER:1589289 SAMPLE ID:DI10009022266 STRAIN:Distillate SAMPLE MATRIX:Cannabis Concentrate DATE SAMPLED:2022-06-04 DATE RECEIVED:2022-06-07 DATE REPORTED:2022-06-13 DATE PRINTED:2022-06-13

Pesticide Scan	RESULT	UNIT	LOQ	HEALTH CANADA REPORTING LIMIT	METHOD REFERENCE
Iprodione	<loq< td=""><td>ppm</td><td>0.05</td><td>1</td><td>ORG-M-052</td></loq<>	ppm	0.05	1	ORG-M-052
Kinoprene	<loq< td=""><td>ppm</td><td>0.5</td><td>1.25</td><td>ORG-M-052</td></loq<>	ppm	0.5	1.25	ORG-M-052
Kresoxim-methyl	<loq< td=""><td>ppm</td><td>0.05</td><td>0.15</td><td>ORG-M-052</td></loq<>	ppm	0.05	0.15	ORG-M-052
Malathion	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Metalaxyl	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Methiocarb	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Methomyl	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Methoprene	<loq< td=""><td>ppm</td><td>0.01</td><td>2</td><td>ORG-M-052</td></loq<>	ppm	0.01	2	ORG-M-052
Mevinphos	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
MGK-264	<loq< td=""><td>ppm</td><td>0.05</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.05	0.05	ORG-M-052
Myclobutanil	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Naled	<loq< td=""><td>ppm</td><td>0.01</td><td>0.2</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.2	ORG-M-052
Novaluron	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Oxamyl	<loq< td=""><td>ppm</td><td>0.01</td><td>3</td><td>ORG-M-052</td></loq<>	ppm	0.01	3	ORG-M-052
Paclobutrazol	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Parathion-methyl	<loq< td=""><td>ppm</td><td>0.05</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.05	0.05	ORG-M-052
Permethrin	<loq< td=""><td>ppm</td><td>0.01</td><td>0.5</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.5	ORG-M-052
Phenothrin	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Phosmet	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Piperonyl Butoxide	<loq< td=""><td>ppm</td><td>0.01</td><td>1.25</td><td>ORG-M-052</td></loq<>	ppm	0.01	1.25	ORG-M-052
Pirimicarb	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Prallethrin	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Propiconazole	<loq< td=""><td>ppm</td><td>0.01</td><td>0.1</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.1	ORG-M-052
Propoxur	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Pyraclostrobin	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Pyrethrins	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052

LOQ - Limit of Quantification

The results of this report relate to the sample submitted and analyzed.

C22158-92**0**35

**Results Authorized By:** 

Haifeng Song, Ph.D., C.Chem.

## A & L Canada Laboratories Inc.

**ACCOUNT NUMBER** 02270

2136 Jetstream Road, London, ON, N5V 3P5 Tel: (519) 457-2575 Fax: (519) 457-2664



TO:MOTIF LABS LTD. 516 JOHN ST. N. AYLMER, ON N5H 2B8 **CANADA** hereinafter the "Recipient"

ATTN:Nav Sidhu Phone:519-272-3363

## **CERTIFICATE OF ANALYSIS**

PAGE:

5 / 5

**CATEGORY:**Pesticides

PO#:Nav Sidhu **LAB NUMBER:**1589289 **SAMPLE ID:**DI10009022266 **STRAIN:**Distillate

**SAMPLE MATRIX:**Cannabis Concentrate **DATE SAMPLED:**2022-06-04 **DATE RECEIVED:**2022-06-07 **DATE REPORTED:**2022-06-13 **DATE PRINTED:**2022-06-13

Pesticide Scan	RESULT	UNIT	LOQ	HEALTH CANADA REPORTING LIMIT	METHOD REFERENCE
Pyridaben	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Quintozene	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Resmethrin	<loq< td=""><td>ppm</td><td>0.01</td><td>0.1</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.1	ORG-M-052
Spinetoram	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Spinosad	<loq< td=""><td>ppm</td><td>0.01</td><td>0.1</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.1	ORG-M-052
Spirodiclofen	<loq< td=""><td>ppm</td><td>0.01</td><td>0.25</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.25	ORG-M-052
Spiromesifen	<loq< td=""><td>ppm</td><td>0.01</td><td>3</td><td>ORG-M-052</td></loq<>	ppm	0.01	3	ORG-M-052
Spirotetramat	<loq< td=""><td>ppm</td><td>0.01</td><td>0.1</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.1	ORG-M-052
Spiroxamine	<loq< td=""><td>ppm</td><td>0.01</td><td>0.1</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.1	ORG-M-052
Tebuconazole	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Tebufenozide	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Teflubenzuron	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Tetrachlorvinphos	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Tetramethrin	<loq< td=""><td>ppm</td><td>0.01</td><td>0.1</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.1	ORG-M-052
Thiacloprid	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Thiamethoxam	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052
Thiophanate-methyl	<loq< td=""><td>ppm</td><td>0.01</td><td>0.05</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.05	ORG-M-052
Trifloxystrobin	<loq< td=""><td>ppm</td><td>0.01</td><td>0.02</td><td>ORG-M-052</td></loq<>	ppm	0.01	0.02	ORG-M-052

LOQ - Limit of Quantification

The results of this report relate to the sample submitted and analyzed.

C22158-92035

**Results Authorized By:** 

Haifeng Song, Ph.D., C.Chem.