






CERTIFICATE OF ANALYSIS

REPORTED TO	Cann Group Development Corp 56 Hadow Road Enderby, BC V0E 1V3	WORK ORDER	22F4091
ATTENTION	Branden Beaupre	RECEIVED / TEMP REPORTED	2022-06-28 12:10 / NA 2022-07-14 15:29
PO NUMBER	CDC	COC NUMBER	NO#
PROJECT	Cannabis Testing		
PROJECT INFO			

Introduction:

CARO Analytical Services is a testing laboratory full of smart, engaged scientists driven to make the world a safer and healthier place. Through our clients' projects we become an essential element for a better world. We employ methods conducted in accordance with recognized professional standards using accepted testing methodologies and quality control efforts. CARO is accredited by the Canadian Association for Laboratories Accreditation (CALA) to ISO/IEC 17025:2017 for specific tests listed in the scope of accreditation approved by CALA.


<p><i>Big Picture Sidekicks</i></p>  <p>You know that the sample you collected after snowshoeing to site, digging 5 meters, and racing to get it on a plane so you can submit it to the lab for time sensitive results needed to make important and expensive decisions (whew) is VERY important. We know that too.</p>	<p><i>We've Got Chemistry</i></p>  <p>It's simple. We figure the more you enjoy working with our fun and engaged team members; the more likely you are to give us continued opportunities to support you.</p>	<p><i>Ahead of the Curve</i></p>  <p>Through research, regulation knowledge, and instrumentation, we are your analytical centre for the technical knowledge you need, BEFORE you need it, so you can stay up to date and in the know.</p>
--	---	--


Work Order Comments: Custody Seals Intact: Yes
This is a revised report; please refer to Appendix 3 for details.

If you have any questions or concerns, please contact me at pmand@caro.ca

Authorized By:

Brent Coates
Director of Operations





TEST RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing

WORK ORDER REPORTED 22F4091
2022-07-14 15:29

Analyte	Result	RL	Units	Analyzed	Qualifier
---------	--------	----	-------	----------	-----------

H08JUN22MI (22F4091-01) | Matrix: Cannabis Concentrate | Sampled: 2022-06-24 15:00

Aflatoxins

Aflatoxin B1	< 1.00	1.00	µg/kg	2022-07-11	
Aflatoxin B2	< 1.00	1.00	µg/kg	2022-07-11	
Aflatoxin G1	< 1.00	1.00	µg/kg	2022-07-11	
Aflatoxin G2	< 1.00	1.00	µg/kg	2022-07-11	
Total Aflatoxins	< 4.00	4.00	µg/kg	2022-07-11	

Calculated Parameters

Total CBD	1.86	0.100	% (wt/wt)	N/A	
Total THC	< 0.100	0.100	% (wt/wt)	N/A	
Total CBD	1.86	0.100	% (wt/wt)	N/A	
Total THC	< 0.100	0.100	% (wt/wt)	N/A	

Foreign Matter

Appearance	0		%	2022-07-04	CST2
Foreign Matter	0		%	2022-07-04	

Metals in Cannabis

Arsenic	< 0.200	0.200	ppm	2022-07-10	
Cadmium	< 0.200	0.200	ppm	2022-07-10	
Lead	< 0.500	0.500	ppm	2022-07-10	
Mercury	< 0.100	0.100	ppm	2022-07-10	

Microbiological Parameters


Total Aerobic Microbial Count (EP)	75	50	CFU/g	2022-07-06	
Total Yeast and Mould Count (EP)	< 10	10	CFU/g	2022-07-04	
BTGN Bacteria (EP)	Absent	1	/1 g	2022-07-08	
E. coli (EP)	Absent	1	/1 g	2022-07-05	
Salmonella (EP)	Absent	1	/25 g	2022-07-05	
Staphylococcus aureus (EP)	Absent	1	/1 g	2022-07-05	
Pseudomonas aeruginosa (EP)	Absent	1	/1 g	2022-07-05	

Ochratoxins

Ochratoxin A	< 20.0	20.0	µg/kg	2022-07-14	
--------------	--------	------	-------	------------	--

Pesticides, Herbicides, and Fungicides

Abamectin	< 0.250	0.250	µg/g wet	2022-07-06	
Endosulfan sulfate	< 2.50	2.50	µg/g wet	2022-07-06	
Acephate	< 0.050	0.050	µg/g wet	2022-07-06	
Endosulfan-alpha	< 2.50	2.50	µg/g wet	2022-07-06	
Acetamiprid	< 0.050	0.050	µg/g wet	2022-07-06	
Endosulfan-beta	< 2.50	2.50	µg/g wet	2022-07-06	
Acequinocyl	< 1.00	1.00	µg/g wet	2022-07-06	
Etridiazole	< 0.150	0.150	µg/g wet	2022-07-06	
Aldicarb	< 0.500	0.500	µg/g wet	2022-07-06	
Fenvalerate	< 2.50	2.50	µg/g wet	2022-07-06	




TEST RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing

WORK ORDER REPORTED 22F4091
2022-07-14 15:29

Analyte	Result	RL	Units	Analyzed	Qualifier
H08JUN22MI (22F4091-01) Matrix: Cannabis Concentrate Sampled: 2022-06-24 15:00, Continued					
<i>Pesticides, Herbicides, and Fungicides, Continued</i>					
Allethrin	< 0.100	0.100	µg/g wet	2022-07-06	
Azadirachtin	< 0.500	0.500	µg/g wet	2022-07-06	
Fipronil	< 0.010	0.010	µg/g wet	2022-07-06	
Azoxystrobin	< 0.010	0.010	µg/g wet	2022-07-06	
Fludioxonil	< 0.010	0.010	µg/g wet	2022-07-06	
Benzovindiflupyr	< 0.010	0.010	µg/g wet	2022-07-06	
Quintozene	< 0.500	0.500	µg/g wet	2022-07-06	
Bifenazate	< 0.010	0.010	µg/g wet	2022-07-06	
Bifenthrin	< 5.00	5.00	µg/g wet	2022-07-06	
Boscalid	< 0.010	0.010	µg/g wet	2022-07-06	
Buprofezin	< 1.00	1.00	µg/g wet	2022-07-06	
Carbaryl	< 0.025	0.025	µg/g wet	2022-07-06	
Carbofuran	< 0.010	0.010	µg/g wet	2022-07-06	
Chlorantraniliprole	< 1.00	1.00	µg/g wet	2022-07-06	
Chlorfenapyr	< 1.50	1.50	µg/g wet	2022-07-06	
Chlorpyrifos	< 0.500	0.500	µg/g wet	2022-07-06	
Clofentezine	< 0.010	0.010	µg/g wet	2022-07-06	
Clothianidin	< 0.025	0.025	µg/g wet	2022-07-06	
Coumaphos	< 0.010	0.010	µg/g wet	2022-07-06	
Cyantraniliprole	< 0.010	0.010	µg/g wet	2022-07-06	
Cyfluthrin (I, II, III, IV)	< 2.00	2.00	µg/g wet	2022-07-06	
Cypermethrin	< 2.00	2.00	µg/g wet	2022-07-06	
Cyprodinil	< 0.010	0.010	µg/g wet	2022-07-06	
Daminozide	< 1.00	1.00	µg/g wet	2022-07-06	
Deltamethrin	< 4.00	4.00	µg/g wet	2022-07-06	
Diazinon	< 1.00	1.00	µg/g wet	2022-07-06	
Dichlorvos	< 0.050	0.050	µg/g wet	2022-07-06	
Dimethoate	< 0.010	0.010	µg/g wet	2022-07-06	
Dimethomorph	< 1.00	1.00	µg/g wet	2022-07-06	
Dinotefuran	< 0.050	0.050	µg/g wet	2022-07-06	
Dodemorph	< 1.00	1.00	µg/g wet	2022-07-06	
Ethoprop	< 0.010	0.010	µg/g wet	2022-07-06	
Etofenprox	< 1.00	1.00	µg/g wet	2022-07-06	
Etoxazole	< 1.00	1.00	µg/g wet	2022-07-06	
Fenoxycarb	< 0.010	0.010	µg/g wet	2022-07-06	
Fenpyroximate	< 1.00	1.00	µg/g wet	2022-07-06	
Fensulfothion	< 0.010	0.010	µg/g wet	2022-07-06	
Fenthion	< 0.010	0.010	µg/g wet	2022-07-06	
Flonicamid	< 0.025	0.025	µg/g wet	2022-07-06	
Fluopyram	< 0.010	0.010	µg/g wet	2022-07-06	
Hexythiazox	< 1.00	1.00	µg/g wet	2022-07-06	
Imazalil	< 0.010	0.010	µg/g wet	2022-07-06	
Imidacloprid	< 0.010	0.010	µg/g wet	2022-07-06	



TEST RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing


WORK ORDER REPORTED 22F4091
2022-07-14 15:29

Analyte	Result	RL	Units	Analyzed	Qualifier
---------	--------	----	-------	----------	-----------

H08JUN22MI (22F4091-01) | Matrix: Cannabis Concentrate | Sampled: 2022-06-24 15:00, Continued

Pesticides, Herbicides, and Fungicides, Continued

Iprodione	< 0.500	0.500	µg/g wet	2022-07-06	
Kinoprene	< 1.25	1.25	µg/g wet	2022-07-06	
Kresoxim-methyl	< 0.150	0.150	µg/g wet	2022-07-06	
Malathion	< 0.010	0.010	µg/g wet	2022-07-06	
Metalaxyl	< 0.010	0.010	µg/g wet	2022-07-06	
Methiocarb	< 0.010	0.010	µg/g wet	2022-07-06	
Methomyl	< 0.025	0.025	µg/g wet	2022-07-06	
Methoprene	< 1.00	1.00	µg/g wet	2022-07-06	
Methyl parathion	< 1.00	1.00	µg/g wet	2022-07-06	
Mevinphos	< 0.025	0.025	µg/g wet	2022-07-06	
MGK-264	< 1.00	1.00	µg/g wet	2022-07-06	
Myclobutanil	< 0.010	0.010	µg/g wet	2022-07-06	
Naled	< 1.00	1.00	µg/g wet	2022-07-06	
Novaluron	< 0.025	0.025	µg/g wet	2022-07-06	
Oxamyl	< 1.50	1.50	µg/g wet	2022-07-06	
Paclobutrazol	< 0.010	0.010	µg/g wet	2022-07-06	
Permethrin	< 2.00	2.00	µg/g wet	2022-07-06	
Phenothrin	< 5.00	5.00	µg/g wet	2022-07-06	
Phosmet	< 1.00	1.00	µg/g wet	2022-07-06	
Piperonyl butoxide	< 1.25	1.25	µg/g wet	2022-07-06	
Pirimicarb	< 0.010	0.010	µg/g wet	2022-07-06	
Prallethrin	< 1.00	1.00	µg/g wet	2022-07-06	
Propiconazole	< 1.00	1.00	µg/g wet	2022-07-06	
Propoxur	< 0.010	0.010	µg/g wet	2022-07-06	
Pyraclostrobin	< 0.010	0.010	µg/g wet	2022-07-06	
Pyrethrin	< 1.00	1.00	µg/g wet	2022-07-06	
Pyridaben	< 0.020	0.020	µg/g wet	2022-07-06	
Resmethrin	< 0.050	0.050	µg/g wet	2022-07-06	
Spinetoram	< 0.010	0.010	µg/g wet	2022-07-06	
Spinosad	< 0.010	0.010	µg/g wet	2022-07-06	
Spirodiclofen	< 1.00	1.00	µg/g wet	2022-07-06	
Spiromesifen	< 1.00	1.00	µg/g wet	2022-07-06	
Spirotetramat	< 0.010	0.010	µg/g wet	2022-07-06	
Spiroxamine	< 1.00	1.00	µg/g wet	2022-07-06	
Tebuconazole	< 0.010	0.010	µg/g wet	2022-07-06	
Tebufenozide	< 0.010	0.010	µg/g wet	2022-07-06	
Teflubenzuron	< 0.025	0.025	µg/g wet	2022-07-06	
Tetrachlorvinphos	< 0.010	0.010	µg/g wet	2022-07-06	
Tetramethrin	< 1.00	1.00	µg/g wet	2022-07-06	
Thiacloprid	< 0.010	0.010	µg/g wet	2022-07-06	
Thiamethoxam	< 0.010	0.010	µg/g wet	2022-07-06	
Thiophanate methyl	< 1.00	1.00	µg/g wet	2022-07-06	
Trifloxystrobin	< 0.010	0.010	µg/g wet	2022-07-06	



TEST RESULTS


REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing

WORK ORDER REPORTED 22F4091
2022-07-14 15:29

Analyte	Result	RL	Units	Analyzed	Qualifier
H08JUN22MI (22F4091-01) Matrix: Cannabis Concentrate Sampled: 2022-06-24 15:00, Continued					
Potency					
Cannabidiolic Acid (CBDA)	< 0.100	0.100	% (wt/wt)	2022-06-29	
Cannabidiol (CBD)	1.86	0.100	% (wt/wt)	2022-06-29	
Cannabinol (CBN)	< 0.100	0.100	% (wt/wt)	2022-06-29	
delta9-THC	< 0.100	0.100	% (wt/wt)	2022-06-29	
Tetrahydrocannabinolic Acid (THCA)	< 0.100	0.100	% (wt/wt)	2022-06-29	
Residual Solvents					
Acetone	< 5000	5000	µg/g wet	2022-07-07	
Anisole	< 5000	5000	µg/g wet	2022-07-07	
1-Butanol	< 5000	5000	µg/g wet	2022-07-07	
2-Butanol	< 5000	5000	µg/g wet	2022-07-07	
n-Butyl Acetate	< 5000	5000	µg/g wet	2022-07-07	
Methyl tert-butyl ether	< 5000	5000	µg/g wet	2022-07-07	
Ethanol	< 5000	5000	µg/g wet	2022-07-07	
Ethyl acetate	< 5000	5000	µg/g wet	2022-07-07	
Ethyl ether	< 5000	5000	µg/g wet	2022-07-07	
Ethyl Formate	< 5000	5000	µg/g wet	2022-07-07	
n-Heptane	< 5000	5000	µg/g wet	2022-07-07	
Isobutyl Acetate	< 5000	5000	µg/g wet	2022-07-07	
Isopropyl Acetate	< 5000	5000	µg/g wet	2022-07-07	
Methyl acetate	< 5000	5000	µg/g wet	2022-07-07	
3-Methyl-1-Butanol	< 5000	5000	µg/g wet	2022-07-07	
2-Butanone (MEK)	< 5000	5000	µg/g wet	2022-07-07	
Isobutanol	< 5000	5000	µg/g wet	2022-07-07	
Pentane	< 5000	5000	µg/g wet	2022-07-07	
1-Pentanol	< 5000	5000	µg/g wet	2022-07-07	
1-Propanol	< 5000	5000	µg/g wet	2022-07-07	
Isopropanol	< 5000	5000	µg/g wet	2022-07-07	
Propyl Acetate	< 5000	5000	µg/g wet	2022-07-07	

Sample Qualifiers:

CST2 Yellowish white uniform powdered concentrate.



APPENDIX 1: SUPPORTING INFORMATION


REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing

WORK ORDER REPORTED 22F4091
2022-07-14 15:29

Analysis Description	Method Ref.	Technique	Accredited	Location
Aflatoxins in Cannabis Concentrate	Methanol Extraction for Cannabis / USP <561>	Methanol Extraction for Cannabis / USP 561 Botanical Origin		Burnaby
BTGN, Presence/Absence of in Cannabis Concentrate	Presence Absence / EP 2.6.13	Presence Absence / European Pharmacopoeia: Microbiological Examination of Non-Sterile Products (spec. micro-organisms)		Burnaby
Cannabis Potency in Cannabis Concentrate	Methanol Extraction for Cannabis / AHP Cannabis Inflorescence	Methanol Extraction for Cannabis / American Herbal Pharmacopoeia Cannabis Inflorescence		Burnaby
Determination of Total Aerobic Microbial Count in Cannabis Concentrate	Enumeration / EP 2.6.12	Enumeration / European Pharmacopoeia:Microbi. Examination of Non-Sterile Products:Total Viable Aerobic Count	✓	Burnaby
Determination of Total Yeast and Mold Count in Cannabis Concentrate	Enumeration / EP 2.6.12	Enumeration / European Pharmacopoeia:Microbi. Examination of Non-Sterile Products:Total Viable Aerobic Count	✓	Burnaby
E. coli, Presence/Absence of in Cannabis Concentrate	Presence Absence / EP 2.6.31	Presence Absence / European Pharmacopoeia: Microbiological Examination of Herbal Medicinal Products (oral)	✓	Burnaby
Foreign Matter in Cannabis in Cannabis Concentrate	USP <561>	USP 561 Botanical Origin		Burnaby
Heavy Metals in Cannabis in Cannabis Concentrate	EPA 200.3 / Custom	HNO3+HCl+H2O2 Hot Block Digestion / N/A		Burnaby
Ochratoxin A in Cannabis in Cannabis Concentrate	Ph. Eur. 2.8.22	European Pharmacopoeia Determination of Ochratoxin A		Burnaby
P. aeruginosa, Presence/Absence of in Cannabis Concentrate	Presence Absence / EP 2.6.13	Presence Absence / European Pharmacopoeia: Microbiological Examination of Non-Sterile Products (spec. micro-organisms)	✓	Burnaby
Pesticides in Cannabis in Cannabis Concentrate	CR-TM-160 - Custom	Shaker Extraction for Cannabis		Burnaby
Pesticides in Cannabis in LC/MS in Cannabis Concentrate	CR-TM-160 - Custom	Shaker Extraction for Cannabis		Burnaby
Residual Solvents in Cannabis in Cannabis Concentrate	Solvent Extraction / Custom	Solvent Extraction / N/A		Burnaby
S. aureus, Presence/Absence of in Cannabis Concentrate	Presence Absence / EP 2.6.13	Presence Absence / European Pharmacopoeia: Microbiological Examination of Non-Sterile Products (spec. micro-organisms)	✓	Burnaby
Salmonella, Presence/Absence in Cannabis Concentrate	Presence Absence / EP 2.6.31	Presence Absence / European Pharmacopoeia: Microbiological Examination of Herbal Medicinal Products (oral)	✓	Burnaby

Glossary of Terms:

RL	Reporting Limit (default)
%	Percent
% (wt/wt)	Percent weight per weight
/1 g	per 1 gram
/25 g	Per 25 grams
<	Less than the specified Reporting Limit (RL) - the actual RL may be higher than the default RL due to various factors
CFU/g	Colony Forming Units per gram (dry weight basis)
ppm	Parts per million by weight
µg/g wet	Micrograms per gram (as received basis)
µg/kg	Micrograms per kilogram (dry weight basis)
EPA	United States Environmental Protection Agency Test Methods



APPENDIX 1: SUPPORTING INFORMATION

REPORTED TO Cann Group Development Corp
PROJECT Cannabis Testing


WORK ORDER 22F4091
REPORTED 2022-07-14 15:29

General Comments:

The results in this report apply to the samples analyzed in accordance with the Chain of Custody document. This analytical report must be reproduced in its entirety. CARO is not responsible for any loss or damage resulting directly or indirectly from error or omission in the conduct of testing. Liability is limited to the cost of analysis. Samples will be disposed of 30 days after the test report has been issued or once samples expire, whichever comes first. Longer hold is possible if agreed to in writing.

Results in **Bold** indicate values that are above CARO's method reporting limits. Any results that are above regulatory limits are highlighted **red**. Please note that results will only be highlighted red if the regulatory limits are included on the CARO report. Any Bold and/or highlighted results do not take into account method uncertainty. If you would like method uncertainty or regulatory limits to be included on your report, please contact your Account Manager: pmand@caro.ca

Please note any regulatory guidelines applied to this report are added as a convenience to the client, at their request, to help provide some initial context to analytical results obtained. Although CARO makes every effort to ensure accuracy of the associated regulatory guideline(s) applied, the guidelines applied cannot be assumed to be correct due to a variety of factors and as such CARO Analytical Services assumes no liability or responsibility for the use of those guidelines to make any decisions. The original source of the regulation should be verified and a review of the guideline(s) should be validated as correct in order to make any decisions arising from the comparison of the analytical data obtained to the relevant regulatory guideline for one's particular circumstances. Further, CARO Analytical Services assumes no liability or responsibility for any loss attributed from the use of these guidelines in any way.



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing

WORK ORDER REPORTED 22F4091
2022-07-14 15:29

The following section displays the quality control (QC) data that is associated with your sample data. Groups of samples are prepared in "batches" and analyzed in conjunction with QC samples that ensure your data is of the highest quality. Common QC types include:

- **Method Blank (Blk):** A blank sample that undergoes sample processing identical to that carried out for the test samples. Method blank results are used to assess contamination from the laboratory environment and reagents.
- **Duplicate (Dup):** An additional or second portion of a randomly selected sample in the analytical run carried through the entire analytical process. Duplicates provide a measure of the analytical method's precision (reproducibility).
- **Blank Spike (BS):** A sample of known concentration which undergoes processing identical to that carried out for test samples, also referred to as a laboratory control sample (LCS). Blank spikes provide a measure of the analytical method's accuracy.
- **Matrix Spike (MS):** A second aliquot of sample is fortified with a known concentration of target analytes and carried through the entire analytical process. Matrix spikes evaluate potential matrix effects that may affect the analyte recovery.
- **Reference Material (SRM):** A homogenous material of similar matrix to the samples, certified for the parameter(s) listed. Reference Materials ensure that the analytical process is adequate to achieve acceptable recoveries of the parameter(s) tested.

Each QC type is analyzed at a 5-10% frequency, i.e. one blank/duplicate/spike for every 10-20 samples. For all types of QC, the specified recovery (% Rec) and relative percent difference (RPD) limits are derived from long-term method performance averages and/or prescribed by the reference method.

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
---------	--------	----------	-------------	---------------	-------	-----------	-------	-----------	-----------

Aflatoxins, Batch B2G0716

Blank (B2G0716-BLK1)			Prepared: 2022-07-07, Analyzed: 2022-07-11						
Aflatoxin B1	< 1.00	1.00 µg/kg							
Aflatoxin B2	< 1.00	1.00 µg/kg							
Aflatoxin G1	< 1.00	1.00 µg/kg							
Aflatoxin G2	< 1.00	1.00 µg/kg							
Total Aflatoxins	< 4.00	4.00 µg/kg							

LCS (B2G0716-BS1)			Prepared: 2022-07-07, Analyzed: 2022-07-11						
Aflatoxin B1	5.16	1.00 µg/kg	4.98		104	70-130			
Aflatoxin B2	5.62	1.00 µg/kg	5.03		112	70-130			
Aflatoxin G1	5.50	1.00 µg/kg	5.03		109	70-130			
Aflatoxin G2	5.67	1.00 µg/kg	4.98		114	70-130			
Total Aflatoxins	22.0	4.00 µg/kg	19.9		110	70-130			


LCS Dup (B2G0716-BSD1)			Prepared: 2022-07-07, Analyzed: 2022-07-11						
Aflatoxin B1	4.33	1.00 µg/kg	4.94		87	70-130	18		
Aflatoxin B2	4.94	1.00 µg/kg	4.99		99	70-130	13		
Aflatoxin G1	4.61	1.00 µg/kg	4.99		92	70-130	18		
Aflatoxin G2	4.92	1.00 µg/kg	4.94		99	70-130	14		
Total Aflatoxins	18.8	4.00 µg/kg	19.8		95	70-130	16		

Metals in Cannabis, Batch B2G0748

Blank (B2G0748-BLK1)			Prepared: 2022-07-07, Analyzed: 2022-07-10						
Arsenic	< 0.200	0.200 ppm							
Cadmium	< 0.200	0.200 ppm							
Lead	< 0.500	0.500 ppm							
Mercury	< 0.100	0.100 ppm							

LCS (B2G0748-BS1)			Prepared: 2022-07-07, Analyzed: 2022-07-10						
Arsenic	83.5	1.00 ppm	77.0		108	70-130			
Cadmium	75.6	0.250 ppm	77.0		98	70-130			
Lead	77.3	0.500 ppm	77.0		100	70-130			
Mercury	7.69	0.100 ppm	7.70		100	70-130			

Duplicate (B2G0748-DUP1)			Source: 22F4091-01		Prepared: 2022-07-07, Analyzed: 2022-07-10				
Arsenic	< 1.00	0.0200 ppm			< 0.200				



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT	Cann Group Development Corp Cannabis Testing	WORK ORDER REPORTED	22F4091 2022-07-14 15:29
----------------------------	---	----------------------------	-----------------------------

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
---------	--------	----------	-------------	---------------	-------	-----------	-------	-----------	-----------

Metals in Cannabis, Batch B2G0748, Continued

Duplicate (B2G0748-DUP1), Continued		Source: 22F4091-01		Prepared: 2022-07-07, Analyzed: 2022-07-10					
Cadmium	< 0.250	0.0200 ppm		< 0.200					30
Lead	< 0.500	0.0500 ppm		< 0.500					30
Mercury	< 0.100	0.0100 ppm		< 0.100					30
Matrix Spike (B2G0748-MS1)		Source: 22F4091-01		Prepared: 2022-07-07, Analyzed: 2022-07-10					
Arsenic	83.7	1.00 ppm	77.3	< 0.200	108	70-130			
Cadmium	77.2	0.250 ppm	77.3	< 0.200	100	70-130			
Lead	78.8	0.500 ppm	77.3	< 0.500	102	70-130			
Mercury	7.78	0.100 ppm	7.73	< 0.100	101	70-130			
Reference (B2G0748-SRM1)				Prepared: 2022-07-07, Analyzed: 2022-07-10					
Arsenic	5.80	1.00 ppm	5.06		115	70-130			
Cadmium	3.91	0.250 ppm	3.36		116	70-130			
Lead	3.97	0.500 ppm	3.36		118	70-130			
Mercury	0.337	0.100 ppm	0.344		98	70-130			

Microbiological Parameters, Batch B2G0114

Blank (B2G0114-BLK1)		Prepared: 2022-07-04, Analyzed: 2022-07-04							
Total Yeast and Mould Count (EP)	< 50	50 CFU/g							

Microbiological Parameters, Batch B2G0208

Blank (B2G0208-BLK1)		Prepared: 2022-07-05, Analyzed: 2022-07-05							
Salmonella (EP)	Absent	1 /25 g							
LCS (B2G0208-BS1)		Prepared: 2022-07-05, Analyzed: 2022-07-05							
Salmonella (EP)	Present	1 /25 g	0.0400	NR	0-200				

Microbiological Parameters, Batch B2G0212


Blank (B2G0212-BLK1)		Prepared: 2022-07-05, Analyzed: 2022-07-05							
E. coli (EP)	Absent	1 /1 g							
LCS (B2G0212-BS1)		Prepared: 2022-07-05, Analyzed: 2022-07-05							
E. coli (EP)	Present	1 /1 g	1.00	100	0-200				

Microbiological Parameters, Batch B2G0215

Blank (B2G0215-BLK1)		Prepared: 2022-07-05, Analyzed: 2022-07-05							
Staphylococcus aureus (EP)	Absent	1 /1 g							
LCS (B2G0215-BS1)		Prepared: 2022-07-05, Analyzed: 2022-07-05							
Staphylococcus aureus (EP)	Present	1 /1 g	1.00	100	0-200				
Duplicate (B2G0215-DUP1)		Source: 22F4091-01		Prepared: 2022-07-05, Analyzed: 2022-07-05					
Staphylococcus aureus (EP)	Absent	1 /1 g		< 1					

Microbiological Parameters, Batch B2G0218

Blank (B2G0218-BLK1)		Prepared: 2022-07-05, Analyzed: 2022-07-05							
Pseudomonas aeruginosa (EP)	Absent	1 /1 g							
LCS (B2G0218-BS1)		Prepared: 2022-07-05, Analyzed: 2022-07-05							
Pseudomonas aeruginosa (EP)	Present	1 /1 g	1.00	100	0-200				



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT	Cann Group Development Corp Cannabis Testing	WORK ORDER REPORTED	22F4091 2022-07-14 15:29
----------------------------	---	----------------------------	-----------------------------

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
---------	--------	----------	-------------	---------------	-------	-----------	-------	-----------	-----------

Microbiological Parameters, Batch B2G0218, Continued

Duplicate (B2G0218-DUP1)		Source: 22F4091-01		Prepared: 2022-07-05, Analyzed: 2022-07-05					
Pseudomonas aeruginosa (EP)	Absent	1 /1 g		< 1					

Microbiological Parameters, Batch B2G0454

Blank (B2G0454-BLK1)		Prepared: 2022-07-06, Analyzed: 2022-07-06							
Total Aerobic Microbial Count (EP)	< 50	50 CFU/g							

Microbiological Parameters, Batch B2G0784

Blank (B2G0784-BLK1)		Prepared: 2022-07-08, Analyzed: 2022-07-08							
BTGN Bacteria (EP)	Absent	1 /1 g							

Ochratoxins, Batch B2G1470


LCS (B2G1470-BS1)		Prepared: 2022-07-13, Analyzed: 2022-07-14							
Ochratoxin A	36.0	20.0 µg/kg	40.2		89	70-130			

LCS Dup (B2G1470-BSD1)		Prepared: 2022-07-13, Analyzed: 2022-07-14							
Ochratoxin A	30.5	20.0 µg/kg	40.0		76	70-130	16		

Pesticides, Herbicides, and Fungicides, Batch B2G0319

Blank (B2G0319-BLK1)		Prepared: 2022-07-05, Analyzed: 2022-07-05							
-----------------------------	--	--	--	--	--	--	--	--	--

Abamectin	< 0.250	0.250 µg/g wet							
Endosulfan sulfate	< 2.50	2.50 µg/g wet							
Acephate	< 0.050	0.050 µg/g wet							
Endosulfan-alpha	< 2.50	2.50 µg/g wet							
Acetamiprid	< 0.050	0.050 µg/g wet							
Endosulfan-beta	< 2.50	2.50 µg/g wet							
Acequinocyl	< 1.00	1.00 µg/g wet							
Etridiazole	< 0.150	0.150 µg/g wet							
Aldicarb	< 0.500	0.500 µg/g wet							
Fenvalerate	< 2.50	2.50 µg/g wet							
Allethrin	< 0.100	0.100 µg/g wet							
Azadirachtin	< 0.500	0.500 µg/g wet							
Fipronil	< 0.010	0.010 µg/g wet							
Azoxystrobin	< 0.010	0.010 µg/g wet							
Fludioxonil	< 0.010	0.010 µg/g wet							
Benzovindiflupyr	< 0.010	0.010 µg/g wet							
Quintozene	< 0.500	0.500 µg/g wet							
Bifenazate	< 0.010	0.010 µg/g wet							
Bifenthrin	< 5.00	5.00 µg/g wet							
Boscalid	< 0.010	0.010 µg/g wet							
Buprofezin	< 1.00	1.00 µg/g wet							
Carbaryl	< 0.025	0.025 µg/g wet							
Carbofuran	< 0.010	0.010 µg/g wet							
Chlorantraniliprole	< 1.00	1.00 µg/g wet							
Chlorfenapyr	< 1.50	1.50 µg/g wet							
Chlorpyrifos	< 0.500	0.500 µg/g wet							
Clofentezine	< 0.010	0.010 µg/g wet							
Clothianidin	< 0.025	0.025 µg/g wet							
Coumaphos	< 0.010	0.010 µg/g wet							
Cyantraniliprole	< 0.010	0.010 µg/g wet							
Cyfluthrin (I, II, III, IV)	< 2.00	2.00 µg/g wet							



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing

WORK ORDER REPORTED 22F4091
2022-07-14 15:29


Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
---------	--------	----------	-------------	---------------	-------	-----------	-------	-----------	-----------

Pesticides, Herbicides, and Fungicides, Batch B2G0319, Continued

Blank (B2G0319-BLK1), Continued

Prepared: 2022-07-05, Analyzed: 2022-07-05

Cypermethrin	< 2.00	2.00 µg/g wet							
Cyprodinil	< 0.010	0.010 µg/g wet							
Daminozide	< 1.00	1.00 µg/g wet							
Deltamethrin	< 4.00	4.00 µg/g wet							
Diazinon	< 1.00	1.00 µg/g wet							
Dichlorvos	< 0.050	0.050 µg/g wet							
Dimethoate	< 0.010	0.010 µg/g wet							
Dimethomorph	< 1.00	1.00 µg/g wet							
Dinotefuran	< 0.050	0.050 µg/g wet							
Dodemorph	< 1.00	1.00 µg/g wet							
Ethoprop	< 0.010	0.010 µg/g wet							
Etofenprox	< 1.00	1.00 µg/g wet							
Etoxazole	< 1.00	1.00 µg/g wet							
Fenoxycarb	< 0.010	0.010 µg/g wet							
Fenpyroximate	< 1.00	1.00 µg/g wet							
Fensulfothion	< 0.010	0.010 µg/g wet							
Fenthion	< 0.010	0.010 µg/g wet							
Fonicamid	< 0.025	0.025 µg/g wet							
Fluopyram	< 0.010	0.010 µg/g wet							
Hexythiazox	< 1.00	1.00 µg/g wet							
Imazalil	< 0.010	0.010 µg/g wet							
Imidacloprid	< 0.010	0.010 µg/g wet							
Iprodione	< 0.500	0.500 µg/g wet							
Kinoprene	< 1.25	1.25 µg/g wet							
Kresoxim-methyl	< 0.150	0.150 µg/g wet							
Malathion	< 0.010	0.010 µg/g wet							
Metalaxyl	< 0.010	0.010 µg/g wet							
Methiocarb	< 0.010	0.010 µg/g wet							
Methomyl	< 0.025	0.025 µg/g wet							
Methoprene	< 1.00	1.00 µg/g wet							
Methyl parathion	< 1.00	1.00 µg/g wet							
Mevinphos	< 0.025	0.025 µg/g wet							
MGK-264	< 1.00	1.00 µg/g wet							
Myclobutanil	< 0.010	0.010 µg/g wet							
Naled	< 1.00	1.00 µg/g wet							
Novaluron	< 0.025	0.025 µg/g wet							
Oxamyl	< 1.50	1.50 µg/g wet							
Paclobutrazol	< 0.010	0.010 µg/g wet							
Permethrin	< 2.00	2.00 µg/g wet							
Phenothrin	< 5.00	5.00 µg/g wet							
Phosmet	< 1.00	1.00 µg/g wet							
Piperonyl butoxide	< 1.25	1.25 µg/g wet							
Pirimicarb	< 0.010	0.010 µg/g wet							
Prallethrin	< 1.00	1.00 µg/g wet							
Propiconazole	< 1.00	1.00 µg/g wet							
Propoxur	< 0.010	0.010 µg/g wet							
Pyraclostrobin	< 0.010	0.010 µg/g wet							
Pyrethrin	< 1.00	1.00 µg/g wet							
Pyridaben	< 0.020	0.020 µg/g wet							
Resmethrin	< 0.050	0.050 µg/g wet							
Spinetoram	< 0.010	0.010 µg/g wet							
Spinosad	< 0.010	0.010 µg/g wet							
Spirodiclofen	< 1.00	1.00 µg/g wet							
Spiromesifen	< 1.00	1.00 µg/g wet							
Spirotetramat	< 0.010	0.010 µg/g wet							
Spiroxamine	< 1.00	1.00 µg/g wet							




APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing

WORK ORDER REPORTED 22F4091
2022-07-14 15:29

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
Pesticides, Herbicides, and Fungicides, Batch B2G0319, Continued									
Blank (B2G0319-BLK1), Continued					Prepared: 2022-07-05, Analyzed: 2022-07-05				
Tebuconazole	< 0.010	0.010 µg/g wet							
Tebuconazole	< 0.010	0.010 µg/g wet							
Teflubenzuron	< 0.025	0.025 µg/g wet							
Tetrachlorvinphos	< 0.010	0.010 µg/g wet							
Tetramethrin	< 1.00	1.00 µg/g wet							
Thiacloprid	< 0.010	0.010 µg/g wet							
Thiamethoxam	< 0.010	0.010 µg/g wet							
Thiophanate methyl	< 1.00	1.00 µg/g wet							
Trifloxystrobin	< 0.010	0.010 µg/g wet							
LCS (B2G0319-BS1)					Prepared: 2022-07-05, Analyzed: 2022-07-05				
Abamectin	5.54	0.250 µg/g wet	6.56		85	50-140			
Endosulfan sulfate	6.65	2.50 µg/g wet	6.50		102	50-140			
Acephate	0.553	0.050 µg/g wet	0.591		94	50-140			
Endosulfan-alpha	6.03	2.50 µg/g wet	6.50		93	50-140			
Acetamiprid	0.537	0.050 µg/g wet	0.589		91	50-140			
Endosulfan-beta	6.55	2.50 µg/g wet	6.50		101	50-140			
Acequinocyl	50.6	1.00 µg/g wet	6.50		779	50-140			SPK1
Etridiazole	0.579	0.150 µg/g wet	0.591		98	50-140			
Aldicarb	5.83	0.500 µg/g wet	6.50		90	50-140			
Fenvalerate	5.23	2.50 µg/g wet	6.50		80	50-140			
Allethrin	0.632	0.100 µg/g wet	0.589		107	50-140			
Azadirachtin	5.44	0.500 µg/g wet	6.56		83	50-140			
Fipronil	0.564	0.010 µg/g wet	0.591		96	50-140			
Azoxystrobin	0.529	0.010 µg/g wet	0.591		90	50-140			
Fludioxonil	0.509	0.010 µg/g wet	0.597		85	50-140			
Benzovindiflupyr	0.515	0.010 µg/g wet	0.591		87	50-140			
Quintozene	6.08	0.500 µg/g wet	6.56		93	50-140			
Bifenazate	0.539	0.010 µg/g wet	0.591		91	50-140			
Bifenthrin	7.16	5.00 µg/g wet	6.50		110	50-140			
Boscalid	0.539	0.010 µg/g wet	0.597		90	50-140			
Buprofezin	5.60	1.00 µg/g wet	6.50		86	50-140			
Carbaryl	0.527	0.025 µg/g wet	0.591		89	50-140			
Carbofuran	0.531	0.010 µg/g wet	0.591		90	50-140			
Chlorantraniliprole	< 1.00	1.00 µg/g wet	0.591		53	50-140			
Chlorfenapyr	6.00	1.50 µg/g wet	6.50		92	50-140			
Chlorpyrifos	0.594	0.500 µg/g wet	0.597		100	50-140			
Clofentezine	0.461	0.010 µg/g wet	0.597		77	50-140			
Clothianidin	0.638	0.025 µg/g wet	0.591		108	50-140			
Coumaphos	0.563	0.010 µg/g wet	0.591		95	50-140			
Cyantraniliprole	0.561	0.010 µg/g wet	0.589		95	50-140			
Cyfluthrin (I, II, III, IV)	6.48	2.00 µg/g wet	6.50		100	50-140			
Cypermethrin	6.17	2.00 µg/g wet	6.50		95	50-140			
Cyprodinil	0.529	0.010 µg/g wet	0.597		89	50-140			
Daminozide	50.3	1.00 µg/g wet	6.50		774	50-140			SPK1
Deltamethrin	5.70	4.00 µg/g wet	6.50		88	50-140			
Diazinon	< 1.00	1.00 µg/g wet	0.603		89	50-140			
Dichlorvos	0.664	0.050 µg/g wet	0.591		112	50-140			
Dimethoate	0.585	0.010 µg/g wet	0.587		100	50-140			
Dimethomorph	5.53	1.00 µg/g wet	6.56		84	50-140			
Dinotefuran	0.709	0.050 µg/g wet	0.589		120	50-140			
Dodemorph	5.86	1.00 µg/g wet	6.50		90	50-140			
Ethoprop	0.548	0.010 µg/g wet	0.603		91	50-140			
Etofenprox	1.24	1.00 µg/g wet	0.597		208	50-140			SPK1
Etoxazole	< 1.00	1.00 µg/g wet	0.597		95	50-140			
Fenoxycarb	0.509	0.010 µg/g wet	0.587		87	50-140			



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing

WORK ORDER REPORTED 22F4091
2022-07-14 15:29


Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
Pesticides, Herbicides, and Fungicides, Batch B2G0319, Continued									
LCS (B2G0319-BS1), Continued					Prepared: 2022-07-05, Analyzed: 2022-07-05				
Fenpyroximate	< 1.00	1.00 µg/g wet	0.591		91	50-140			
Fensulfothion	0.508	0.010 µg/g wet	0.589		86	50-140			
Fenthion	0.559	0.010 µg/g wet	0.582		96	50-140			
Flonicamid	0.598	0.025 µg/g wet	0.591		101	50-140			
Fluopyram	0.533	0.010 µg/g wet	0.597		89	50-140			
Hexythiazox	6.30	1.00 µg/g wet	6.50		97	50-140			
Imazail	0.523	0.010 µg/g wet	0.597		88	50-140			
Imidacloprid	0.602	0.010 µg/g wet	0.591		102	50-140			
Iprodione	8.43	0.500 µg/g wet	6.50		130	50-140			
Kinoprene	5.41	1.25 µg/g wet	6.74		80	50-140			
Kresoxim-methyl	0.506	0.150 µg/g wet	0.597		85	50-140			
Malathion	0.511	0.010 µg/g wet	0.591		86	50-140			
Metalaxyl	0.574	0.010 µg/g wet	0.586		98	50-140			
Methiocarb	0.555	0.010 µg/g wet	0.597		93	50-140			
Methomyl	0.583	0.025 µg/g wet	0.597		98	50-140			
Methoprene	6.78	1.00 µg/g wet	6.50		104	50-140			
Methyl parathion	5.73	1.00 µg/g wet	6.56		87	50-140			
Mevinphos	0.615	0.025 µg/g wet	0.589		105	50-140			
MGK-264	6.15	1.00 µg/g wet	6.50		95	50-140			
Myclobutanil	0.510	0.010 µg/g wet	0.597		85	50-140			
Naled	5.02	1.00 µg/g wet	6.56		76	50-140			
Novaluron	0.531	0.025 µg/g wet	0.597		89	50-140			
Oxamyl	6.08	1.50 µg/g wet	6.50		94	50-140			
Paclobutrazol	0.521	0.010 µg/g wet	0.597		87	50-140			
Permethrin	9.46	2.00 µg/g wet	6.50		145	50-140			SPK1
Phenothrin	7.48	5.00 µg/g wet	6.50		115	50-140			
Phosmet	5.83	1.00 µg/g wet	6.50		90	50-140			
Piperonyl butoxide	6.04	1.25 µg/g wet	6.50		93	50-140			
Pirimicarb	0.559	0.010 µg/g wet	0.588		95	50-140			
Prallethrin	< 1.00	1.00 µg/g wet	0.591		89	50-140			
Propiconazole	< 1.00	1.00 µg/g wet	0.597		91	50-140			
Propoxur	0.561	0.010 µg/g wet	0.597		94	50-140			
Pyraclostrobin	0.528	0.010 µg/g wet	0.597		88	50-140			
Pyrethrin	< 1.00	1.00 µg/g wet	1.18		50	50-140			
Pyridaben	0.553	0.020 µg/g wet	0.597		93	50-140			
Resmethrin	0.568	0.050 µg/g wet	0.585		97	50-140			
Spinetoram	0.532	0.010 µg/g wet	0.591		90	50-140			
Spinosad	0.519	0.010 µg/g wet	0.586		89	50-140			
Spirodiclofen	5.83	1.00 µg/g wet	6.50		90	50-140			
Spiromesifen	6.06	1.00 µg/g wet	6.56		92	50-140			
Spirotetramat	0.545	0.010 µg/g wet	0.591		92	50-140			
Spiroxamine	< 1.00	1.00 µg/g wet	0.591		85	50-140			
Tebuconazole	0.567	0.010 µg/g wet	0.597		95	50-140			
Tebufenozide	0.544	0.010 µg/g wet	0.587		93	50-140			
Teflubenzuron	0.594	0.025 µg/g wet	0.591		100	50-140			
Tetrachlorvinphos	0.562	0.010 µg/g wet	0.597		94	50-140			
Tetramethrin	< 1.00	1.00 µg/g wet	0.591		95	50-140			
Thiacloprid	0.556	0.010 µg/g wet	0.591		94	50-140			
Thiamethoxam	0.527	0.010 µg/g wet	0.597		88	50-140			
Thiophanate methyl	< 1.00	1.00 µg/g wet	0.582		94	50-140			
Trifloxystrobin	0.535	0.010 µg/g wet	0.597		90	50-140			

Potency, Batch B2F3621

Blank (B2F3621-BLK1)

Prepared: 2022-06-28, Analyzed: 2022-06-29

Cannabidiolic Acid (CBDA)	< 0.100	0.100 % (wt/wt)
---------------------------	---------	-----------------



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing

WORK ORDER REPORTED 22F4091
2022-07-14 15:29

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
---------	--------	----------	-------------	---------------	-------	-----------	-------	-----------	-----------

Potency, Batch B2F3621, Continued

Blank (B2F3621-BLK1), Continued

Prepared: 2022-06-28, Analyzed: 2022-06-29

Cannabidiol (CBD)	< 0.100	0.100 % (wt/wt)							
Cannabinol (CBN)	< 0.100	0.100 % (wt/wt)							
delta9-THC	< 0.100	0.100 % (wt/wt)							
Tetrahydrocannabinolic Acid (THCA)	< 0.100	0.100 % (wt/wt)							

Residual Solvents, Batch B2G0483

Blank (B2G0483-BLK1)


Prepared: 2022-07-06, Analyzed: 2022-07-07

Acetone	< 5000	5000 µg/g wet							
Anisole	< 5000	5000 µg/g wet							
1-Butanol	< 5000	5000 µg/g wet							
2-Butanol	< 5000	5000 µg/g wet							
n-Butyl Acetate	< 5000	5000 µg/g wet							
Methyl tert-butyl ether	< 5000	5000 µg/g wet							
Ethanol	< 5000	5000 µg/g wet							
Ethyl acetate	< 5000	5000 µg/g wet							
Ethyl ether	< 5000	5000 µg/g wet							
Ethyl Formate	< 5000	5000 µg/g wet							
n-Heptane	< 5000	5000 µg/g wet							
Isobutyl Acetate	< 5000	5000 µg/g wet							
Isopropyl Acetate	< 5000	5000 µg/g wet							
Methyl acetate	< 5000	5000 µg/g wet							
3-Methyl-1-Butanol	< 5000	5000 µg/g wet							
2-Butanone (MEK)	< 5000	5000 µg/g wet							
Isobutanol	< 5000	5000 µg/g wet							
Pentane	< 5000	5000 µg/g wet							
1-Pentanol	< 5000	5000 µg/g wet							
1-Propanol	< 5000	5000 µg/g wet							
Isopropanol	< 5000	5000 µg/g wet							
Propyl Acetate	< 5000	5000 µg/g wet							

LCS (B2G0483-BS1)

Prepared: 2022-07-06, Analyzed: 2022-07-07

Acetone	< 5000	5000 µg/g wet	4850	93	60-140
Anisole	< 5000	5000 µg/g wet	4860	99	60-140
1-Butanol	5000	5000 µg/g wet	4870	103	60-140
2-Butanol	< 5000	5000 µg/g wet	4900	87	60-140
n-Butyl Acetate	< 5000	5000 µg/g wet	4870	97	60-140
Methyl tert-butyl ether	5020	5000 µg/g wet	4860	103	60-140
Ethanol	< 5000	5000 µg/g wet	4860	85	60-140
Ethyl acetate	< 5000	5000 µg/g wet	4850	95	60-140
Ethyl ether	< 5000	5000 µg/g wet	4850	102	60-140
Ethyl Formate	< 5000	5000 µg/g wet	4870	98	60-140
n-Heptane	< 5000	5000 µg/g wet	4860	91	60-140
Isobutyl Acetate	< 5000	5000 µg/g wet	4880	97	60-140
Isopropyl Acetate	< 5000	5000 µg/g wet	4890	98	60-140
Methyl acetate	< 5000	5000 µg/g wet	4860	96	60-140
3-Methyl-1-Butanol	5250	5000 µg/g wet	4860	108	60-140
2-Butanone (MEK)	< 5000	5000 µg/g wet	4890	94	60-140
Isobutanol	< 5000	5000 µg/g wet	4890	100	60-140
Pentane	5260	5000 µg/g wet	4850	108	60-140
1-Pentanol	6040	5000 µg/g wet	4860	124	60-140
1-Propanol	< 5000	5000 µg/g wet	4870	85	60-140
Isopropanol	< 5000	5000 µg/g wet	4900	90	60-140
Propyl Acetate	< 5000	5000 µg/g wet	4870	97	60-140



APPENDIX 2: QUALITY CONTROL RESULTS


REPORTED TO PROJECT Cann Group Development Corp
Cannabis Testing

WORK ORDER REPORTED 22F4091
2022-07-14 15:29

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
<i>Residual Solvents, Batch B2G0483, Continued</i>									
Duplicate (B2G0483-DUP1)		Source: 22F4091-01		Prepared: 2022-07-06, Analyzed: 2022-07-07					
Acetone	< 5000	5000 µg/g wet		< 5000				30	
Anisole	< 5000	5000 µg/g wet		< 5000				30	
1-Butanol	< 5000	5000 µg/g wet		< 5000				30	
2-Butanol	< 5000	5000 µg/g wet		< 5000				30	
n-Butyl Acetate	< 5000	5000 µg/g wet		< 5000				30	
Methyl tert-butyl ether	< 5000	5000 µg/g wet		< 5000				30	
Ethanol	< 5000	5000 µg/g wet		< 5000				30	
Ethyl acetate	< 5000	5000 µg/g wet		< 5000				30	
Ethyl ether	< 5000	5000 µg/g wet		< 5000				30	
Ethyl Formate	< 5000	5000 µg/g wet		< 5000				30	
n-Heptane	< 5000	5000 µg/g wet		< 5000				30	
Isobutyl Acetate	< 5000	5000 µg/g wet		< 5000				30	
Isopropyl Acetate	< 5000	5000 µg/g wet		< 5000				30	
Methyl acetate	< 5000	5000 µg/g wet		< 5000				30	
3-Methyl-1-Butanol	< 5000	5000 µg/g wet		< 5000				30	
2-Butanone (MEK)	< 5000	5000 µg/g wet		< 5000				30	
Isobutanol	< 5000	5000 µg/g wet		< 5000				30	
Pentane	< 5000	5000 µg/g wet		< 5000				30	
1-Pentanol	< 5000	5000 µg/g wet		< 5000				30	
1-Propanol	< 5000	5000 µg/g wet		< 5000				30	
Isopropanol	< 5000	5000 µg/g wet		< 5000				30	
Propyl Acetate	< 5000	5000 µg/g wet		< 5000				30	

QC Qualifiers:

SPK1 The recovery of this analyte was outside of established control limits. The data was accepted based on performance of other batch QC.



APPENDIX 3: REVISION HISTORY

REPORTED TO PROJECT	Cann Group Development Corp Cannabis Testing			WORK ORDER REPORTED	22F4091 2022-07-14 15:29
Sample ID	Changed	Change	Analysis	Analyte(s)	
22F4091-01	2022-07-04	Added	Canadian Cannabis Regulations - (Opt D) EP - Oil		
22F4091-01	2022-07-04	Added	Ochratoxin A in Cannabis		
22F4091-01	2022-07-04	Added	P. aeruginosa, Presence/Absence of		
22F4091-01	2022-07-04	Added	S. aureus, Presence/Absence of		

Asal Malekzadeh

From: Branden <branden@canngroupcorp.com>
Sent: Monday, July 4, 2022 10:28 AM
To: Asal Malekzadeh
Subject: Fwd: CARO Analytical Services OTHER - Work Order: 22F4091, Project: Cannabis Testing
Attachments: 22F4091_1 CARO-E1 2022 06 30 1220.pdf

CAUTION: This email originated from outside the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hello Asal,

Can we move forward with the full panel on this testing result?

Microbials: 5.1.4 ingested+ P.A and S.A, salmonella, and ecoli.
Heavy metals :USP 232 ingested
Pesticides: As per 7.2
residuals: standard
Alfatoxins: EP+ Ochratoxin A

Thanks,

Branden Beaupre
Assistant Quality Assurance Manager
CannGroup Development Corp
236-550-6953

CannGroup Development Corp
flowers + edibles + oils
Suite 480 - 116-5100 Anderson Way
Vernon BC V1T 0C4
Canada

----- Original Message -----

Subject: CARO Analytical Services OTHER - Work Order: 22F4091, Project:
Cannabis Testing
Date: 2022-06-30 13:00
From: reports@caro.ca
To: branden@canngroupcorp.com
Cc: satya@canngroupcorp.com

Dear Branden Beaupre: Please find your document(s) attached (Project:
[none]).

Please note that this email is generated by a Robot Scientist who is unable to receive replies.

If you have any questions, please contact pmand@caro.ca