

Perennia Food and Agriculture Certificate of Analysis

173 Dr Bernie MacDonald Drive, Bible Hill, Nova Scotia B6L 2H5 | License: LIC-SSO85RTR5Z-2018-1
Cannabis Analytical Services



Sample **R00024-S1**

Sample ID	RC-0028-100322 (6744)	Matrix	Extract (Cannabis Oil)
Tested for	Retro Cannabis and Hemp Extracts (nick@retroextracts.com)		
Sampled -	Sampled by Client	Received	Mar 10, 2022
		Reported	Mar 25, 2022
Analyses executed CAN, TER, RES, MIB, ATO, PES, HME, FMI, DEN			

CAN - Cannabinoid Profile Analysis

Analyzed Mar 16, 2022 | Instrument HPLC/UPLC | Method BL-AL-ME-01

Analyte	LOD %	Result %	Result mg/g
Cannabidiolic Acid (CBDA)	0.01	ND	ND
Cannabigerolic Acid (CBGA)		ND	ND
Cannabigerol (CBG)	0.02	0.07	0.70
Cannabidiol (CBD)	0.01	3.02	30.20
Tetrahydrocannabivarin (THCV)	0.01	ND	ND
Cannabinol (CBN)	0.01	ND	ND
Δ-9-tetrahydrocannabinol (Δ9-THC)	0.02	0.15	1.50
Δ8-tetrahydrocannabinol (Δ8-THC)	0.02	ND	ND
Cannabichromene (CBC)	0.01	0.16	1.60
Tetrahydrocannabinolic Acid (THCA)	0.01	ND	ND
Total THC (THCa * 0.877 + THC)		0.15	1.50
Total CBD (CBDA * 0.877 + CBD)		3.02	30.20

HME - Heavy Metals Detection Analysis

Analyzed Mar 17, 2022 | Instrument ICP-MS | Method BL-AL-ME-06

Analyte	LOD ug/g	Result ug/g	Analyte	LOD ug/g	Result ug/g
Cadmium (Cd)	0.06	ND	Arsenic (As)	0.014	ND
Mercury (Hg)	0.02	ND	Lead (Pb)	0.03	ND

LOD Limit of Detection
LOQ Limit of Quantification
NT Not Reported
ND Not Detected
BDL Below Detection Limit
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

S. Nichole Taylor

Nichole Taylor, MSc, Lab Director
Fri, 25 Mar 2022 12:52:15 PM ADT

Adele Joyce

Adele Joyce, QA Coordinator

Perennia Food and Agriculture | 173 Dr Bernie MacDonald Drive, Bible Hill, Nova Scotia B6L 2H5 | 902.890.4052 | Cannabis Analytical Services



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.

MIB - Microbial Testing Analysis

Analyzed Mar 16, 2022 | Instrument Traditional Plating Method | Method TAMC: BL-ML-ME-01, EP 2.6.12 | TYMC: BL-ML-ME-02, EP 2.6.12 | BTGN: BL-ML-ME-03, EP 2.6.31 | E. Coli: BL-ML-ME-04, EP 2.6.31 | Salm: BL-ML-ME-05, EP 2.6.31 | Staph: BL-ML-ME-06, EP 2.6.31 | Pseudo: BL-ML-ME-07, EP 2.6.31

Analyte	LOD	Result	Unit	Limit
Bile-tolerant gram negative bacteria	10	ND	CFU/g	
Total Aerobic Microbial Count	10	ND	CFU/g	
Total Combined Yeast and Molds Count	10	ND	CFU/g	
Salmonella spp.		ND		Absent in 25g
E. Coli		ND		Absent in 1g
Staphylococcus aureus		NT		Absent in 1g
Pseudomonas aeruginosa		NT		Absent in 1g

ATO - Aflatoxins Testing Analysis

Analyzed Mar 24, 2022 | Instrument LC/MS/MS | Method BL-AL-ME-03

Analyte	LOD ug / kg	Result ug / kg	Limit ug / kg	Analyte	LOD ug / kg	Result ug / kg	Limit ug / kg
Aflatoxin B1	0.65	ND	2 ug / kg	Aflatoxin B2	0.5	ND	2 ug / kg
Aflatoxin G1	0.94	ND	2 ug / kg	Aflatoxin G2	0.57	ND	2 ug / kg
Total Aflatoxins	2.66	ND	4 ug / kg				

LOD Limit of Detection
 LOQ Limit of Quantification
 NT Not Reported
 ND Not Detected
 BDL Below Detection Limit
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Nichole Taylor, MSc, Lab Director
 Fri, 25 Mar 2022 12:52:15 PM ADT

Adele Joyce, QA Coordinator

Perennia Food and Agriculture | 173 Dr Bernie MacDonald Drive, Bible Hill, Nova Scotia B6L 2H5 | 902.890.4052 | Cannabis Analytical Services



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.

PES - Pesticides Screening Analysis

Analyzed Mar 25, 2022 | Instrument LC/MS/MS and GC/MS/MS | Method BLM-010 - Last Val. (Dry flower) Nov. 28, 2019, BLM-017 - Last Val. (Oil) Sept. 4, 2020

Analyte	LOD ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	Result ug/g	Limit ug/g
Abamectin	0.25	BDL	0.25	Acephate	0.05	BDL	0.05
Acetamiprid	0.05	BDL	0.05	Acequinocyl	1.5	BDL	0.05
Aldicarb	0.5	BDL	1.0	Allethrin	0.1	BDL	0.2
Azadirachtin	0.5	BDL	1.0	Azoxystrobin	0.01	BDL	0.02
Benzovindiflupyr	0.01	BDL	0.02	Bifenazate	0.01	BDL	0.05
Bifenthrin	5.0	BDL	1.0	Boscalid	0.01	BDL	0.02
Buprofezin	0.01	BDL	0.02	Carbaryl	0.025	BDL	0.05
Carbofuran	0.01	BDL	0.02	Chlorantranilprole	0.01	BDL	0.02
Chlorphenapyr	0.5	BDL	1.5	Chlorpyrifos	0.2	BDL	0.5
Clofentezine	0.01	BDL	0.02	Clothianidin	0.025	BDL	0.05
Coumaphos	0.01	BDL	0.02	Cyantranilipole	0.01	BDL	0.02
Cyfluthrin	1.0	BDL	1.0	Cypermethrin	1.0	BDL	1.0
Cyprodinil	0.01	BDL	0.25	Daminozide	0.5	BDL	0.1
Deltamethrin	0.25	BDL	1.0	Diazinon	1.0	BDL	0.02
Dichlorvos	0.05	BDL	0.1	Dimethoate	0.01	BDL	0.02
Dimethomorph	0.025	BDL	0.05	Dinotefuran	0.05	BDL	0.1
Dodemorph	0.25	BDL	0.05	Endosulfan-alpha	2.0	BDL	2.5
Endosulfan-beta	0.25	BDL	2.5	Endosulfan-sulfate	2.5	BDL	2.5
Ethoprophos	0.01	BDL	0.02	Etofenprox	0.25	BDL	0.05
Etoxazole	0.1	BDL	0.02	Etridiazol	0.15	BDL	0.15
Fenoxycarb	0.01	BDL	0.02	Fenpyroximate	0.1	BDL	0.02
Fensulfothion	0.01	BDL	0.02	Fenthion	0.01	BDL	0.02
Fenvalerate	0.5	BDL	0.1	Fipronil	0.01	BDL	0.06
Fonicamid	0.025	BDL	0.05	Fludioxonil	0.01	BDL	0.02
Fluopyram	0.01	BDL	0.02	Hexythiazox	0.5	BDL	0.01
Imazalil	0.01	BDL	0.05	Imidacloprid	0.01	BDL	0.02
Iprodione	0.2	BDL	1.0	Kinoprene	1.25	BDL	1.25
Kresoxim-methyl	0.1	BDL	0.02	Malathion	0.01	BDL	0.02
Metalaxyl	0.01	BDL	0.02	Methiocarb	0.01	BDL	0.02
Methomyl	0.025	BDL	0.05	Methoprene	20.0	BDL	2.0
Methyl-parathion	0.5	BDL	0.05	Mevinphos	0.025	BDL	0.05
MGK-264	0.25	BDL	0.05	Myclobutanil	0.01	BDL	0.02
Naled	0.5	BDL	0.2	Novaluron	0.025	BDL	0.05
Oxamyl	1.5	BDL	3.0	Pacllobutrazol	0.01	BDL	0.02
Permethrin	2.5	BDL	0.5	Phenothrin	2.5	BDL	0.05
Phosmet	0.2	BDL	0.02	Piperonyl-butoxide	0.5	BDL	1.25
Pirimicarb	0.01	BDL	0.02	Prallethrin	0.5	BDL	0.05
Propiconazole	0.5	BDL	0.1	Propoxur	0.01	BDL	0.02
Pyraclostrobin	0.01	BDL	0.02	Pyrethrins	0.25	BDL	0.05
Pyridaben	0.02	BDL	0.05	Quintozene	0.75	BDL	0.02
Resmethrin	0.05	BDL	0.1	Spinetoram	0.01	BDL	0.02
Spinosad	0.01	BDL	0.1	Spirodiclofen	0.2	BDL	0.25
Spiromesifen	1.5	BDL	3.0	Spirotetramat	0.01	BDL	0.1
Spiroxamine	0.5	BDL	0.1	Tebuconazole	0.01	BDL	0.05
Tebufenozide	0.01	BDL	0.02	Teflubenzuron	0.025	BDL	0.05
Tetrachlorvinphos	0.01	BDL	0.02	Tetramethrin	0.5	BDL	0.1
Thiachloprid	0.1	BDL	0.02	Thiamethoxam	0.01	BDL	0.02
Thiophanate-methyl	0.25	BDL	0.05	Trifloxystrobin	0.01	BDL	0.02

DEN - Density Analysis



Analyzed Mar 15, 2022 | Instrument NA

Analyte	Result
Density	0.95 g/mL

LOD Limit of Detection
 LOQ Limit of Quantification
 NT Not Reported
 ND Not Detected
 BDL Below Detection Limit
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

 Nicole Taylor, MSC, Lab Director
 Fri, 25 Mar 2022 12:52:15 PM ADT


Adele Joyce, QA Coordinator

RES - Residual Solvents Testing Analysis

Analyzed Mar 16, 2022 | Instrument HS/GC/MS | Method BL-AL-ME-05

Analyte	LOD ug/g	Result ug/g	Limit	Analyte	LOD ug/g	Result ug/g	Limit
Acetic Acid	2500.0	ND		Acetone	1000.0	ND	
Anisole	1000.0	ND		1-Butanol	1000.0	ND	
2-Butanol	1000.0	ND		Butyl Acetate	1000.0	ND	
Butane	1000.0	ND		Tert-Butylmethyl Ether	100.0	ND	
Dimethyl Sulfoxide	1000.0	ND		Ethanol	1000.0	ND	
Ethyl Acetate	1000.0	ND		Ethyl Ether	1000.0	ND	
Ethyl Formate	1000.0	ND		Formic Acid	1000.0	ND	
Heptane	1000.0	ND		Isobutyl Acetate	100.0	ND	
Isopropyl Acetate	100.0	ND		Methyl Acetate	100.0	ND	
3-Methyl-1-Butanol	1000.0	ND		Methylethyl ketone	1000.0	ND	
2-Methyl-1-Propanol	100.0	ND		Pentane	1000.0	ND	
1-Pentanol	1000.0	ND		1-Propanol	1000.0	ND	
2-Propanol	1000.0	ND		Propane	1000.0	ND	
Propyl Acetate	500.0	ND		Triethylamine	1000.0	ND	

TER - Terpenes Testing Analysis

Analyzed Mar 17, 2022 | Instrument GC/FID | Method BLM-003

Analyte	LOD mg/g	(%)	(mg/g)	Analyte	LOD mg/g	(%)	(mg/g)
α-Pinene (α-Pin)	0.04	ND	ND	Camphene (Cam)	0.04	ND	ND
Sabinene (Sab)	0.07	ND	ND	b-Pinene (b-Pin)	0.06	ND	ND
Myrcene (Myr)	0.08	ND	ND	α-Phellandrene (α-Phe)	0.04	ND	ND
3-Carene (3-Car)	0.01	ND	ND	α-Terpinene (α-Ter)	0.02	ND	ND
p-Cymene (p-Cym)	0.03	0.00	0.03	Limonene (Lim)	0.15	0.00	0.02
Eucalyptol (Euc)	0.03	ND	ND	Ocimene (Oci)	0.05	ND	ND
g-Terpinene (g-Ter)	0.04	ND	ND	Sabinene Hydrate (SabHyd)	0.03	ND	ND
Terpinolene (Terp)	0.01	ND	ND	Linalool (Lin)	0.05	0.01	0.09
Fenchol (Fen)	0.05	0.07	0.67	Camphor (Cam)	0.03	ND	ND
Isoborneol (Isobo)	0.01	ND	ND	Borneol (Bor)	0.02	ND	ND
Menthol (Ment)	0.05	ND	ND	α-Terpineol (α-Terp)	0.03	0.73	7.34
Nerol (Nerl)	0.01	ND	ND	Pulegone (Pule)	0.01	ND	ND
Geraniol (Gera)	0.02	ND	ND	Geranyl acetate (Gera)	0.02	ND	ND
α-Cedrene (α-Ced)	0.03	ND	ND	b-Caryophyllene (b-Cary)	0.09	ND	ND
α-Humulene (α-Hum)	0.09	0.01	0.05	Valencene (Vale)	0.03	ND	ND
Nerolidol (cis and trans) (Ner)	0.03	0.01	0.12	Caryophyllene Oxide (CarOx)	0.04	0.01	0.09
Guaiol (Gua)	0.03	0.03	0.31	Cedrol (Ced)	0.04	0.00	0.03
α-bisabolol (α-Bbis)	0.07	0.25	2.48				
Total Terpene Concentration						1.12 %	11.23 mg/g

FMI - Foreign Material Inspection Analysis

Analyzed Mar 15, 2022 | Instrument Magnifier | Method BL-AL-ME-09

Analyte / Limit	Result	Analyte / Limit	Result
Foreign Material	Negative		

LOD Limit of Detection
 LOQ Limit of Quantification
 NT Not Reported
 ND Not Detected
 BDL Below Detection Limit
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

S. Nichole Taylor

Nichole Taylor, MSc, Lab Director
 Fri, 25 Mar 2022 12:52:15 PM ADT

Adele Joyce

Adele Joyce, QA Coordinator