

Certificate of Analysis

EXKA INC.
7625 route Arthur-Sauvé (CP: 3402)
Mirabel, Québec, Canada, J7N 2R4

Issue date: 2023-08-07

Sample (product) Information

Product description: **SPLASH CITRUS**

Lot number: **0001192**

Product number: 108113

Item size/ UOM: 3.5 ml

Packaging date: 2023-08-04


Testing date: 2023-05-15

Analysis	Spec. Values	Method	Results	
Total THC ((THCA%*0.877) + D9-THC%)	mg/g and mg/ml	CN0005	98 mg/g	93 mg/ml
D9-THC	mg/g	CN0005	98 mg/g	
THCA	mg/g	CN0005	< 1.0 mg/g	
D8-THC	mg/g	CN0005	98 mg/g	
Total CBD ((CBDA%*0.877) + CBD%)	mg/g and mg/ml	CN0005	< 1.0 mg/g	< 1.0 mg/ml
CBD	mg/g	CN0005	< 1.0 mg/g	
CBDA	mg/g	CN0005	< 1.0 mg/g	
CBG	mg/g	CN0005	< 1.0 mg/g	
CBGA	mg/g	CN0005	< 1.0 mg/g	
Total aerobic microbial counts (TAMC)	<50,000 CFU/g	USP 61	< 10 CFU/g	
Total yeast and mold count (TYMC)	<500 CFU/g	USP 61	< 10 CFU/g	
Bile Tolerant Gram-Negative Bacteria	<100 CFU/g	USP 62	< 10 CFU/g	
E. coli	Absent in 1 gram	USP 62	Absent	
Salmonella	Absent in 25 grams	USP 62	Absent	
Aflatoxin B1	<5.0 ppb	USP 561	< 2.00 ppb	
Total Aflatoxin (B1+B2+G1+G2)	<20.0 ppb	USP 561	< 2.00 ppb	

Pesticides	Below determined limit. Mandatory cannabis testing for pesticide active ingredients - List and limits mg/Kg (ppm)	CN0014	Complies
Heavy metals	Arsenic (< 1.5 ppm) Cadmium (< 0.5 ppm) Lead (< 0.5 ppm) Mercury (< 3 ppm)	USP 233	< 0.10 ppm < 0.10 ppm < 0.25 ppm < 0.05 ppm
Residual solvents	Ethanol (< 5000 ppm)	USP 467	< 2400 ppm
Foreign Material	< 2%	USP 561 (CN0062)	< 2 %
Weight accuracy	Declared net weight $\pm 10\%$	In-process check	conforms
Seal integrity	Visual inspection of seal	In-process check	conforms

Note 1: The certificate of analysis can be issued in French, if necessary.

I hereby attest that the above information is authentic and accurate. I further attest that the batch processing, packaging, and analysis records were reviewed and found to be in compliance with all applicable regulations, including Part 5 (Good Production Practices) of the Cannabis Regulations, and we, therefore, deem this product acceptable for sale.

Print name	Title
Samuel Eichhorn Bilodeau	QAP
Signature	Date
	2023-08-07



CERTIFICATE OF COMPLIANCE

CERTIFICAT DE CONFORMITÉ

Product name / Nom du produit	Lot	Quantity / Quantité
SPLASH CITRUS	0001192	516 UNITS

Exka Inc, under the cannabis license: LIC-UYZTMC6S10-2023, certifies that the cannabis products listed above meet the requirements of Health Canada and have been released in accordance with the requirements of Part 5 of the Cannabis Regulations for Good Production Practices regarding compliant processes and testing.

Exka Inc, sous la licence de cannabis : LIC-UYZTMC6S10-2023, certifie que les produits du cannabis énumérés ci-dessus répondent aux exigences de Santé Canada et ont été libérés conformément aux exigences de la partie 5 du Règlement sur le cannabis pour les bonnes pratiques de production concernant les processus et les tests conformes.

Print name / Nom en lettres moulées	Title / Titre
Samuel Eichhorn Bilodeau	QAP
Signature	Date
<i>Samuel Eichhorn Bilodeau</i>	<i>2023-08-07</i>