

Certificate of Analysis

Product Type: Vape Product Name: Tangerine Sky Lot: 22VF1335

*Total THC	749.00 mg/g	As reported	*Total CBD	0.00 mg/g	As reported
*THC	732.00 mg/g	As reported	*CBD	0.00 mg/g	As reported
TEST		UNITS	Extract Specification	Results	
Arsenic		ppm	≤ 0.2	☑ Pass 및 Fail	
Cadmium		ppm	≤ 0.3	☑ Pass 및 Fail	
Lead		ppm	≤ 0.5	☑ Pass ☐ Fail	
Mercury		ppm	≤ 0.1	☑ Pass ☐ Fail	
Total Yeast and Mold		CFU/ml	≤ 200	☑ Pass ☐ Fail	
Total Aerobic Count		CFU/ml	≤ 2000	☑ Pass 및 Fail	
Bile Tolerant Enumeration		CFU/ml	Absent in 1 ml	☑ Pass 및 Fail	
Staphylococcus aureus		CFU/ml	Absent in 1 ml	☑ Pass 및 Fail	
Pseudomonas aeruginosa		CFU/ml	Absent in 1 ml	☑ Pass 및 Fail	
Aflatoxin B ₁		ppb	≤ 2	☑ Pass 및 Fail	
Aflatoxin, Total $(B_1, B_2, G_1 \text{ and }, G_2)$		ppb	≤ 4	☑ Pass ☐ Fail	
*As per Health Canada's Limits for Residual Solvents		ppm	≤ 5000	☑ Pass 및 Fail	
*As per Health Canada's Max. Residue Limits for Pesticides		ppm	Not Detected	☑ Pass 및 Fail	

*See validated methods per approved Stigmagrow internal SOP's and lab testing methods. No expiry date has been assigned to this product.

This batch as been reviewed and found to follow LIC-EHU8AS7A56-2019; Stigmagrow analytical specifications, approved SOP's and meets required testing specifications.

QAP, Stigma Grow

Date