#### SAFETY DATA SHEET

**Product Name: FREE UP MASSAGE CREAM** 

(FRAGRANCE FREE) Issue Date: 01/01/2022

## 1. Product and Company Identification

PRODUCT TYPE: MASSAGE CREAM; FOR EXTERNAL USE ONLY.

COMPANY IDENTIFICATION: PrePak Products, Inc. 4055 Oceanside Blvd Ste L Oceanside, CA 92056 EMERGENCY TELEPHONE NUMBER: Local Emergency Contact: (800) 544-7257

(800) 544-7257

#### 2. Hazards Identification

EMERGENCY OVERVIEW
Color: Off white to very light yellow
Physical State: Heavy cream

Odor: unscented

Hazards of Product: None known when used as directed

#### OSHA HAZARD COMMUNICATION STANDARD

This product is not a "Hazardous Chemical" as defined by the OSHA Hazard communication Standard, 29 CFR 1910, 1200.

#### POTENTIAL HEALTH EFFECTS

Eye Contact: May cause slight eye irritation. Corneal injury is unlikely.

Skin Contact: Essentially nonirritating to skin.

Skin Absorption: Prolonged skin contact is unlikely to result in absorption of harmful amounts.

**Inhalation:** No adverse effects are anticipated from inhalation.

Ingestion: Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger

amounts may cause injury.

# 3. Hazardous Composition Information

COMPONENT CAS# AMOUNT

NONE KNOWN

#### 4 First-Aid Measures

Eye Contact: Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If irritation, burning or harmful effects occur, consult a physician, preferably an ophthalmologist.

Skin Contact: Wash skin with plenty of water.

Inhalation: No emergency medical treatment necessary.

Ingestion: If swallowed, seek medical attention immediately. Do not induce vomiting unless directed to do so by medical personnel.

Notes to Physician: No specific antidotes. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

# 5. Fire Fighting Measures

Extinguishing Media: Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguisher. Foam. Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire-affected zone until fire is out and danger of reigniting has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety devise or discoloration of the container. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Hand held dry chemical or carbon dioxide extinguishers may be used for small fires. Special Protective Equipment of Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

Unusual Fire and Explosion Hazards: Container may rupture from gas generation in a fire situation. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.

**Hazardous Combustion Products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition, which may be toxic and/or irritating. Combustion products may include and are not limited to: Carbon monoxide, Carbon dioxide.

# **Product Name: FREE UP MASSAGE CREAM (FRAGRANCE**

**FREE) Issue Date: 1/1/2022** 

#### 6. Accidental Release Measures

Steps to be taken if material is Released or Spilled: Contain spilled material if possible. Collect with vacuum equipment. Collect in suitable and properly labeled containers. Attempt to absorb or neutralize by adding materials such as Sand, Vermiculite, or Soda Ash. See Section 13, Disposal Considerations, for additional information.

**Personal Precautions:** Isolate area. Keep unnecessary and unprotected personnel from entering the area. Spilled material may cause a slipping hazard. Material becomes more slippery when wet. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection. Refer to Section 7, Handling, for additional precautionary measures.

Environmental Precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See section 12, Ecological Information.

#### 7. Handling, Storage and Shelf Life

General Handling: Avoid contact with eyes. Wash thoroughly after handling.

See Section 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION.

**Storage:** Store at 45 -76 degrees F (4 – 25 C), away from heat and sunlight. Store in accordance with good manufacturing practices. See Section 10 for more specific information.

Shelf Life: <u>Unopened</u> Jars or tubes of Free Up have a shelf life of 3 years from the date of manufacture (listed as expiration date). Expiration dates are on the bottom of the jar, stamped on the crimped end of a tube and printed on the back side of the packet. The shelf life of an <u>opened</u> jar/tube can vary due to sanitary issues, proper closure of the jar and exposure to heat or cold, therefore should be replaced after being open for a year.

## 8. Exposure Controls / Personal Protection

Exposure Limits Component List Type Value

#### **NOT TESTED**

**Personal Protection** 

Eye/Face Protection: Use safety Glasses

**Skin Protection:** No precautions other than clean body-covering clothing should be needed.

**Hand Protection:** Chemical protective gloves should not be needed when handling this material. Consistent with general hygienic practice for material. **Respiratory Protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse affects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most condition no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

#### **Engineering Controls**

Ventilation: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.

#### 9. Physical and Chemical Properties

Physical State: Heavy Cream

Color: Off-white to Very Light Yellow

Odor: Unscented

Flash Point - Closed Cup: No Test Data Available

Flammable Limits in Air:
Auto ignition Temperature: Vapor

Lower: No Test Data Available Upper:
No Test Data Available Not tested

Pressure: No Test Data Available

Boiling Point (760 mmHG): Vapor Not Applicable

Density (air=1): No Test Data Available Specific Gravity (H20=1) @ 25 C 0.90 – 0.91 g/ml

Specific Gravity (H20=1) @ 25 C 0.90 - 0.91 g/ml Freezing Point: 0.90 - 0.91 g/ml Not Applicable

Melting Point: No Test Data Available Miscible with Solubility in Water (by weight): pH: mechanical mixing 5.50 – 6.50

Viscosity @ 25 C: 500,000 - 700,000 cps

# **Product Name:** FREE UP MASSAGE CREAM (FRAGRANCE FREE) Issue Date: 01/01/2023

### 10. Stability and Reactivity

Stability / Instability: Thermally stable at typical use temperatures.

Conditions to Avoid: Avoid contact with air (oxygen). Product can oxidize at elevated temperatures. Generation of gas during decomposition can cause pressure in closed systems. Avoid moisture. Avoid direct sunlight or ultraviolet sources. Incompatible Materials: Avoid contact with: Strong acids, Strong bases, Strong oxidizers.

Hazardous Polymerization: Will not occur.

**Thermal Decomposition:** Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon dioxide, Alcohols, Ethers, Hydrocarbons, Ketones, Polymer fragments.

#### 11. Toxicological Information

**Acute Toxicity:** 

**Ingestion:** 

Not tested

**Skin Absorption:** 

Not tested

Sensitization:

Skin: Not tested

Repeated Dose Toxicity:

Based on available data, repeated exposure is not anticipated to cause significant adverse effects. Chronic Toxicity and

Carcinogenicity:

Not tested

Reproductive Toxicity:

Not tested

Genetic Toxicology:

Not tested

#### 12. Ecological Information

NOT TESTED

# 13. Disposal Considerations

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. PREPAK PRODUCTS, INC HAS NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION AS DESCRIBED IN THIS SDS. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a properly licensed and permitted landfill or incinerator, suitable for this type of product.

# 14. Transport Information

DOT Non-Bulk NOT REGULATED
DOT Bulk NOT REGULATED

Shipping name Shipping class

IMDG NOT REGULATED ICOA/IATA NOT REGULATED

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative, or from the agencies that govern or regulate transportation. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

**Product Name: FREE UP MASSAGE** 

**CREAM (FRAGRANCE FREE) Issue Date: 1/01/2023** 

#### 15.Regulatory Information

OSHA Hazard Communication Standard

This product is not a "Hazardous chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910,1200. Superfund Amendments and Reauthorization Act of 198/6 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health HazardNoDelayed (Chronic) Health HazardNoFire HazardNoReactive HazardNoSudden Release of Pressure HazardNo

# Superfund Amendments and Reauthorization Act of 198/6 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

To the best of our knowledge, this product does not contain chemicals at levels, which require reporting under this statute.

# Pennsylvania (Worker and Community Right-to-Know Act): Pennsylvania Hazardous Substance List and/or Pennsylvania Environmental Hazardous Substance List:

To the best of our knowledge, this product does not contain chemicals at levels, which require reporting under this statute.

# Pennsylvania (Worker and Community Right-to-Know Act): Pennsylvania Special Hazardous Substances List:

To the best of our knowledge, this product does not contain chemicals at levels, which require reporting under this statute.

#### California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

To the best of our knowledge, this product does not contain chemicals at levels, which require reporting under this statute.

#### **US Toxic Substances Control Act**

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

#### **CEPA – Domestic Substances List (DSL)**

laws. The information presented here pertains only to this product as shipped.

All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

#### 16. Other Information

**Revision: 08/12/11** 

#### Legend

Legena	
N/A	Not Available
W/W	Weight / Weight
OEL	Occupational Exposure Limit
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
ACGIH	American Conference of Governmental Industrial Hygienists, Inc.
WEEL	Workplace Environmental Exposure Level
HAZ DES	Hazard Designation
Action Level	A value set by OSHA that is lower than the PEL, which will trigger the need
	for activities such as exposure monitoring and medical surveillance if
	exceeded.

**PrePak Products, Inc.** urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's / user's responsibility to ensure that his activities comply with all federal, state, provincial or local