



TEST REPORT NO 426865/25/POZ

Client Artline Group d.o.o. Barjanska cesta, 070 1000 Ljubljana		Sample (according to declaration of Client) Sample description: Sample name: Artline Epoxy Resin brand epoxy resin product Designation: AER-CRY-00-150 Composition: • Epoxy resin (main component) • Amine hardener	
Sample reception date:	15.07.2025	Sample status: no objections Sample received from the Client	
Start of analysis	18.07.2025		
End of analysis	21.07.2025		
Test report date	21.07.2025		

Test Method	Unit	Result	Criteria	Statement of conformity
* Migration of elements EN 71-3: 2019+A1:2021 ¹⁾ PN-EN 71-3:2019+A1:2021				
Boron (B)	mg/kg	< 5,0	≤ 15000	Pass
Aluminum (Al)	mg/kg	< 5,0	≤ 28130	Pass
Total chromium (Cr)	mg/kg	< 0,02	-	-
Manganese (Mn)	mg/kg	< 0,50	≤ 15000	Pass
Cobalt (Co)	mg/kg	< 0,050	≤ 130	Pass
Nickel (Ni)	mg/kg	< 0,50	≤ 930	Pass
Copper (Cu)	mg/kg	< 0,50	≤ 7700	Pass
Zinc (Zn)	mg/kg	< 5,0	≤ 46000	Pass
Arsenic (As)	mg/kg	< 0,050	≤ 47	Pass
Selenium (Se)	mg/kg	< 0,50	≤ 460	Pass
Strontium (Sr)	mg/kg	< 5,0	≤ 56000	Pass
Cadmium (Cd)	mg/kg	< 0,050	≤ 17	Pass
Total tin (Sn)	mg/kg	< 0,20	≤ 180000	Pass
Antimony (Sb)	mg/kg	0,729 ± 0,146	≤ 560	Pass
Barium (Ba)	mg/kg	< 5,0	≤ 18750	Pass
Mercury (Hg)	mg/kg	< 0,050	≤ 94	Pass
Lead (Pb)	mg/kg	< 0,050	≤ 23	Pass

¹⁾ Limit values for materials of category III according to PN-EN 71-3:2019+A1:2021 was used to assess the compliance.

Authorized by:
ID: 230, Senior Analysis Specialist, Non-Food and Packaging Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:
Chwaszczyńska 180, 81-571 Gdynia



HAMILTON



AB 079

TEST REPORT NO 426865/25/POZ

The results refer only to the samples received and tested. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor $k=2$ at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the method. If an expanded measurement uncertainty is given for such a test outcome, it relates only to the lower or upper limit of the measuring range of the method, respectively. In the case where the Laboratory base on the obtained test outcome, "statement of conformity" column presents an opinion and interpretation. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited

Test performed by external provider



HAMILTON

FOSFA
INTERNATIONAL



AB 079

TEST REPORT NO 426865/25/POZ



THE END OF THE REPORT