



**Certificate of Analysis**  
Compliance Test

Client Information:

**CAKE**  
1912 N Batavia Street  
Unit H  
Orange, CA 92865

Batch # 3.0-TKO-2-DKC  
Batch Date: 2023-05-24  
Extracted From: Hemp

Test Reg State: Florida

Order # CAK230605-100001  
Order Date: 2023-06-05  
Sample # AAEN633

Sampling Date: 2023-06-05  
Lab Batch Date: 2023-06-05  
Completion Date: 2023-06-13

Initial Gross Weight: 139.181 g  
Net Weight: 11.833 g

Number of Units: 4  
Net Weight per Unit: 2958.250 mg  
Sampling Method: MSP 7.3.1



Product Image

**Potency Tested**
**Heavy Metals Passed**
**2,3-Butanedione Passed**
**Mycotoxins Passed**
**Pesticides Passed**

**Residual Solvents Passed**
**Pathogenic Microbiology Passed**
**Listeria Monocytogenes Passed**
**Vitamin E Passed**

**Potency - 11 + Potency 25 (LCUV)**

Specimen Weight: 51.450 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	1000.000	2.60E-5	0.0015	889.3100	88.9310
THCA-A	1000.000	3.20E-5	0.0015	4.3600	0.4360
CBNA	10.000	9.50E-5	0.0015	3.8810	0.3881
Delta-8 THCV	10.000	4.00E-5	0.0015	3.5230	0.3523
Delta8-THCP *	10.000	3.75E-4	0.0015	3.3900	0.3390
CBN	1000.000	1.40E-5	0.0015	1.4300	0.1430
CBT	10.000	2.00E-4	0.0015	1.1050	0.1105
Delta9-THCP *	10.000	1.17E-5	0.0012	0.8520	0.0852
CBC	1000.000	1.80E-5	0.0015	<LOQ	<LOQ
CBD	1000.000	5.40E-5	0.0015	<LOQ	<LOQ
CBDA	1000.000	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	1000.000	6.50E-5	0.0015	<LOQ	<LOQ
CBG	1000.000	2.48E-4	0.0015	<LOQ	<LOQ
CBGA	1000.000	8.00E-5	0.0015	<LOQ	<LOQ
Delta-9 THC	1000.000	1.30E-5	0.0015	<LOQ	<LOQ
THCV	1000.000	7.00E-6	0.0015	<LOQ	<LOQ
BCA	10.000	1.07E-4	0.0015	<LOQ	<LOQ
CBDA	10.000	1.40E-5	0.0015	<LOQ	<LOQ
CBL	10.000	3.50E-5	0.0015	<LOQ	<LOQ
Delta-8 THC-O Acetate	10.000	2.70E-5	0.003	<LOQ	<LOQ
Delta-9 THC-O Acetate	10.000	7.70E-5	0.003	<LOQ	<LOQ
Exo-THC	10.000	2.30E-4	0.0015	<LOQ	<LOQ
THCVA	10.000	4.70E-5	0.0015	<LOQ	<LOQ
Total Active CBD	1000.000			<LOQ	<LOQ
Total Active THC	1000.000			3.824	0.382

**Tested**

SOP13.002,SOP13.001 (LCUV)

**Potency Summary**

<b>0.382%</b>	<b>Total Active THC</b> 11.301mg	<b>-</b>	<b>Total Active CBD</b> None Detected
<b>-</b>	<b>Total CBG</b> None Detected	<b>0.483%</b>	<b>Total CBN</b> 14.288mg
<b>89.818%</b>	<b>Other Cannabinoids</b> 2657.041mg	<b>90.785%</b>	<b>Total Cannabinoids</b> 2685.65mg

Summary Results determined from two distinct Potency Tests - Potency - 11 + Potency 25 (LCUV)

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.87), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THC = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.877) + CBG, CBN Total = (CBNA \* 0.877) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta8-THC + Delta9-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, , LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.





**Certificate of Analysis**  
Compliance Test

Client Information:

**CAKE** Batch # 3.0-TKO:2-DKC Test Reg State: Florida  
1912 N Batavia Street Batch Date: 2023-05-24  
Unit H Extracted From: Hemp  
Orange, CA 92865

Order # CAK230605-100001 Sampling Date: 2023-06-05 Initial Gross Weight: 139.181 g Number of Units: 4  
Order Date: 2023-06-05 Lab Batch Date: 2023-06-05 Net Weight: 11.833 g Net Weight per Unit: 2958.250 mg  
Sample # AAEN633 Completion Date: 2023-06-13 Sampling Method: MSP 7.3.1

**2,3-butanedione(Diacetyl)**  
Specimen Weight: 12.800 mg

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
2,3-Butanedione	.024	0.024	<LOQ

**Passed**  
SOP13.039 (GCMS)

**Listeria Monocytogenes**  
Specimen Weight: 973.700 mg

Analyte	Action Level (cfu/g)	Result
Listeria Monocytogenes	1	Absence in 1g

**Passed**  
SOP13.032 (qPCR)

**Vitamin E (Tocopheryl Acetate)**  
Specimen Weight: 610.000 mg

Analyte	LOD (ppb)	Result (ppb)
Tocopheryl Acetate (Vitamin E Acetate)	.705	<LOQ

**Passed**  
SOP13.007 (LC-MS)

**Pathogenic Microbiology SAE (MicroArray)**

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g

**Passed**  
SOP13.019 (Micro Array)

Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.





**Certificate of Analysis**  
Compliance Test

**Client Information:**

**CAKE**  
1912 N Batavia Street  
Unit H  
Orange, CA 92865

Batch # 3.0-TKO:2-DKC  
Batch Date: 2023-05-24  
Extracted From: Hemp

Test Reg State: Florida

Order # CAK230605-100001  
Order Date: 2023-06-05  
Sample # AAEN633

Sampling Date: 2023-06-05  
Lab Batch Date: 2023-06-05  
Completion Date: 2023-06-13

Initial Gross Weight: 139.181 g  
Net Weight: 11.833 g

Number of Units: 4  
Net Weight per Unit: 2958.250 mg  
Sampling Method: MSP 7.3.1



**Heavy Metals**

Specimen Weight: 251.800 mg

**Passed**  
SOP13.048 (ICP-MS)

Dilution Factor: 198

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ	Mercury (Hg)	.58	100	3000	<LOQ



**Mycotoxins**

Specimen Weight: 610.000 mg

**Passed**  
SOP13.007 (LCMS)

Dilution Factor: 2.460

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					



**Residual Solvents - FL (CBD)**

Specimen Weight: 12.800 mg

**Passed**  
SOP13.039 (GCMS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	<LOQ
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	<LOQ	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.





**Certificate of Analysis**  
Compliance Test

Client Information:

**CAKE**  
1912 N Batavia Street  
Unit H  
Orange, CA 92865

Batch # 3.0-TKO:2-DKC  
Batch Date: 2023-05-24  
Extracted From: Hemp

Test Reg State: Florida

Order # CAK230605-100001  
Order Date: 2023-06-05  
Sample # AAEN633

Sampling Date: 2023-06-05  
Lab Batch Date: 2023-06-05  
Completion Date: 2023-06-13

Initial Gross Weight: 139.181 g  
Net Weight: 11.833 g

Number of Units: 4  
Net Weight per Unit: 2958.250 mg  
Sampling Method: MSP 7.3.1

**Pesticides**  
Specimen Weight: 610.000 mg

**Passed**  
SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.460

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazail	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metalaxyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	100	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Pacllobutrazol	6.5000E-2	30	100	<LOQ
Chlormequat Chloride	1.0800E-1	10	1000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Pemethrin	3.4300E-1	30	100	<LOQ
Clofentazine	1.1900E-1	30	200	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Ethionprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenproximate	1.3800E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ
Fonicamid	5.1700E-1	30	100	<LOQ					

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.

