

## PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-000098-LIC  
ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368Sample **DIMO D10 Runtz (Cartridge and Disposable)**

Sample ID	SD211021-002 (44641)	Matrix	Concentrate (Inhalable Cannabis Good)	
Tested for	DIMO			
Sampled	-	Received	Oct 20, 2021	
Analyses executed	CAN14, RES, MIBIG, MTO, PES, HME, FVI		Reported	Oct 26, 2021

## CAN14 - Cannabinoids Analysis

Analyzed Oct 22, 2021 | Instrument HPLC

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidiol (CBD)	0.002	0.16	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	1.49	14.91
Tetrahydrocannabinol (THCV)	0.001	0.16	ND	ND
Cannabinol (CBN)	0.001	0.16	0.36	3.64
Tetrahydrocannabinol ( $\Delta^9$ -THC)	0.003	0.16	ND	ND
$\Delta^8$ -tetrahydrocannabinol ( $\Delta^8$ -THC)	0.004	0.16	7.15	71.47
(6aR,9S)- $\Delta^10$ -Tetrahydrocannabinol ((6aR,9S)- $\Delta^10$ )	0.13	0.42	4.49	44.90
(6aR,9R)- $\Delta^10$ -Tetrahydrocannabinol ((6aR,9R)- $\Delta^10$ )	0.12	0.39	62.53	625.27
Cannabichromene (CBC)	0.002	0.16	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
THC-O-acetate (THC-O)	0.12	0.39	ND	ND
Total THC (THCa * 0.877 + THC)			ND	ND
Total CBD (CBDA * 0.877 + CBD)			ND	ND
Total CBG (CBGA * 0.877 + CBG)			1.49	14.91
TOTAL CANNABINOIDS			76.02	760.23

## Sample photography



## HME - Heavy Metals Detection Analysis

Analyzed Oct 22, 2021 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0002	0.05	ND	1.5	Cadmium (Cd)	3.0e-05	0.05	<LOQ	0.5
Mercury (Hg)	1.0e-05	0.01	<LOQ	3	Lead (Pb)	1.0e-05	0.125	<LOQ	0.5

ND Not Detected  
N/A Not Applicable  
NT Not Reported  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Authorized Signature

Dr. Aaron Stanick, Laboratory Director  
Tue, 26 Oct 2021 11:04:18 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1

## MIBIG - Microbial Testing Analysis

Analyzed Oct 26, 2021 | Instrument qPCR and/or Plating | Method SOP-007

Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	ND	ND per 1 gram	Salmonella spp.	ND	ND per 1 gram
Aspergillus fumigatus	ND	ND per 1 gram	Aspergillus flavus	ND	ND per 1 gram
Aspergillus niger	ND	ND per 1 gram	Aspergillus terreus	ND	ND per 1 gram

## MTO - Mycotoxin Testing Analysis

Analyzed Oct 26, 2021 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	
Aflatoxin B2	2.5	5.0	ND		Aflatoxin G1	2.5	5.0	ND	
Aflatoxin G2	2.5	5.0	ND		Total Aflatoxins	10.0	20.0	ND	20

ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



**PJLA**  
 Testing  
 Accreditation #85368

Authorized Signature

*Aaron Stanick*

Dr. Aaron Stanick, Laboratory  
 Director  
 Tue, 26 Oct 2021 11:04:18 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1

## PES - Pesticides Screening Analysis

Analyzed Oct 26, 2021 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.0078	0.02	ND	0.0078	Carbofuran	0.01	0.02	ND	0.01
Dimethoate	0.01	0.02	ND	0.01	Etofenprox	0.02	0.1	ND	0.02
Fenoxycarb	0.01	0.02	ND	0.01	Thiachloprid	0.01	0.02	ND	0.01
Daminozide	0.01	0.03	ND	0.01	Dichlorvos	0.02	0.07	ND	0.02
Imazalil	0.02	0.07	ND	0.02	Methiocarb	0.01	0.02	ND	0.01
Spiroxamine	0.01	0.02	ND	0.01	Coumaphos	0.01	0.02	ND	0.01
Fipronil	0.01	0.1	ND	0.01	Paclobutrazol	0.01	0.03	ND	0.01
Chlorpyrifos	0.01	0.04	ND	0.01	Ethoprophos (Prophos)	0.01	0.02	ND	0.01
Baygon (Propoxur)	0.01	0.02	ND	0.01	Chlordane	0.04	0.1	ND	0.04
Chlorfenapyr	0.03	0.1	ND	0.03	Methyl Parathion	0.02	0.1	ND	0.02
Mevinphos	0.03	0.08	ND	0.03	Abamectin	0.03	0.08	ND	0.1
Acephate	0.02	0.05	ND	0.1	Acetamiprid	0.01	0.05	ND	0.1
Azoxystrobin	0.01	0.02	ND	0.1	Bifenazate	0.01	0.05	ND	0.1
Bifenthrin	0.02	0.35	ND	3	Boscalid	0.01	0.03	ND	0.1
Carbaryl	0.01	0.02	ND	0.5	Chlorantraniliprole	0.01	0.04	ND	10
Clofentezine	0.01	0.03	ND	0.1	Diazinon	0.01	0.02	ND	0.1
Dimethomorph	0.02	0.06	ND	2	Etoxazole	0.01	0.05	ND	0.1
Fenpyroximate	0.02	0.1	ND	0.1	Flonicamid	0.01	0.02	ND	0.1
Fludioxonil	0.01	0.05	ND	0.1	Hexythiazox	0.01	0.03	ND	0.1
Imidacloprid	0.01	0.05	ND	5	Kresoxim-methyl	0.01	0.03	ND	0.1
Malathion	0.01	0.05	ND	0.5	Metalaxyl	0.01	0.02	ND	2
Methomyl	0.02	0.05	ND	1	Myclobutanil	0.02	0.07	ND	0.1
Naled	0.01	0.02	ND	0.1	Oxamyl	0.01	0.02	ND	0.5
Permethrin	0.01	0.02	ND	0.5	Phosmet	0.01	0.02	ND	0.1
Piperonyl Butoxide	0.02	0.06	ND	3	Propiconazole	0.03	0.08	ND	0.1
Prallethrin	0.02	0.05	ND	0.1	Pyrethrin	0.05	0.41	ND	0.5
Pyridaben	0.02	0.07	ND	0.1	Spinosad A	0.01	0.05	ND	0.1
Spinosad D	0.01	0.05	ND	0.1	Spiromesifen	0.02	0.06	ND	0.1
Spirotetramat	0.01	0.02	ND	0.1	Tebuconazole	0.01	0.02	ND	0.1
Thiamethoxam	0.01	0.02	ND	5	Trifloxystrobin	0.01	0.02	ND	0.1
Acequinocyl	0.02	0.09	ND	0.1	Captan	0.01	0.02	ND	0.7
Cypermethrin	0.02	0.1	ND	1	Cyfluthrin	0.04	0.1	ND	2
Fenhexamid	0.02	0.07	ND	0.1	Spinetoram J,L	0.02	0.07	ND	0.1
Pentachloronitrobenzene	0.01	0.1	ND	0.1					

ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



PJLA  
 Testing  
 Accreditation #85368

Authorized Signature

*Aaron Stanick*

Dr. Aaron Stanick, Laboratory  
 Director  
 Tue, 26 Oct 2021 11:04:18 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1

## RES - Residual Solvents Testing Analysis

Analyzed Oct 22, 2021 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.4	40.0	<LOQ	5000	Butane (But)	0.4	40.0	<LOQ	5000
Methanol (Metha)	0.4	40.0	ND	3000	Ethylene Oxide (EthOx)	0.4	0.8	ND	1
Pentane (Pen)	0.4	40.0	<LOQ	5000	Ethanol (Ethan)	0.4	40.0	<LOQ	5000
Ethyl Ether (EthEt)	0.4	40.0	<LOQ	5000	Acetone (Acet)	0.4	40.0	<LOQ	5000
Isopropanol (2-Pro)	0.4	40.0	<LOQ	5000	Acetonitrile (Acetonit)	0.4	40.0	<LOQ	410
Methylene Chloride (MetCh)	0.4	0.8	ND	1	Hexane (Hex)	0.4	40.0	<LOQ	290
Ethyl Acetate (EthAc)	0.4	40.0	<LOQ	5000	Chloroform (Clo)	0.4	0.8	ND	1
Benzene (Ben)	0.4	0.8	ND	1	1-2-Dichloroethane (12-Dich)	0.4	0.8	ND	1
Heptane (Hep)	0.4	40.0	<LOQ	5000	Trichloroethylene (TriClEth)	0.4	0.8	ND	1
Toluene (Toluene)	0.4	40.0	<LOQ	890	Xylenes (Xyl)	0.4	40.0	<LOQ	2170

## FVI - Filth & Foreign Material Inspection Analysis

Analyzed Oct 25, 2021 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	Negative	> 1/4 of the total sample area covered by mold	Negative
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	Negative	> 1/4 of the total sample area covered by an imbedded foreign material	Negative

ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



**PJLA**  
 Testing  
 Accreditation #85368

Authorized Signature

*Aaron Stanick*

Dr. Aaron Stanick, Laboratory Director  
 Tue, 26 Oct 2021 11:04:18 -0700