

2097/50 (clear bulbs)

Designed by Gino Sarfatti, 1958



LED retrofit - 50 x 15W

Suspension lamp providing diffused light. Steel central structure with brass arms, both available either chromium-plated, black or golded. Steel ceiling fitting and rose.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607000489
Mounting	Suspension
Enviroment	Indoor dry location
Light source type	Bulb
Lamp category	LED retrofit
Lamp holder	E14
Ilcos	IBS/F
Number of heads	50
Power (W)	15

Physical

Colour	Matte Black
Cord length (mm)	2800
Net weight (kg)	9.25
Package volume (m3)	0.03
IP	20



Download	
Mounting instructions	业 PDF
Spare Parts	↓ PDF
Photometric Files	
LDT / IES	¥ LDT
Technical Drawings	
2D	<u>↓</u> ZIP















Schematic light drawing



Photometric

Lighting type	Total
Light distribution	Asymmetric


Electrical

Insulation class	ſ
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Cord length (mm)	2800
Batteries inside	No
Charging min time	No









NOT INCLUDED

RF25316

LED Frosted Lamp 2,7W E14 150lm 2700K Dimmable T26 Dimmable

NOT INCLUDED

RF28422

LED Clear Lamp 2W E14 220-240 2200K T26 Dimmable

NOT INCLUDED


RF28889

LED Frosted Mini Lamp E14 2,7W 2700K Dimmable (Set 20pcs)

INCLUDED

RF28890

LED Clear Mini Lamp E14 2W 2200K Dimmable (Set 20pcs)





NOT INCLUDED

RF28987

LED Frosted Mini Lamp E14 2,7W 2700K Dimmable (set 32pcs)

INCLUDED

RF28988

LED Clear Mini Lamp E14 2W 2200K Dimmable (Set 32pcs)

Spare Parts









RF1400100

Opal black screw kit

RF1400300

Opal black lower cap

RF26022

Opal black short arm (200mm)

RF26024

Opal black medium arm (375mm)







RF26025

Opal black long arm (475mm)

RL7050100

2097 E14 lamp holder

RL7060700

Ceiling rose