

FLOS

 F6301046 Aluminized Bronze

KTribe Floor 3

Designed by Philippe Starck, 2007


Halogen - 250W



Floor lamp providing diffused lighting. Base, rod support and diffuser support in die-cast, polished and chrome-plated Zamak alloy. Galvanized P04 steel base cover. Injectionmolded PC (polycarbonate) opal inner diffuser and support for the lamp-holder. Outer diffusers in transparent or fumée PMMA (polymethylmethacrylate), and silver or bronze on the inner surface, by vacuum aluminum coating. Injection-molded PC (polycarbonate) upper ring, completely transparent or transparent diffuser and silver diffuser) or transparent brown for the outer bronze diffuser. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



Main specifications

EAN	8059607005903
Mounting	Floor
Enviroment	Indoor dry location
Light source type	Bulb
Lamp category	Halogen
Lamp holder	E27
Ilcos	HSGS
Number of heads	1
Power (W)	250

Physical

Colour	Aluminized Bronze
Net weight (kg)	16
Package volume (m3)	0.73
IP	20

Download

Mounting instructions	↓ PDF
Spare Parts	↓ PDF



<https://professional.flos.com/en/global/product/ktribe-floor-3-f6301046/>

F6301046

©2022 Flos - P.IVA 00290820174 - 9/22/2022

professional.flos.com | info@flos.com 1/4

In our constantly evolving world and business, technical upgrades happen every day. This means all product specifications and data are subject to change without warning in order to improve reliability, function, performance or otherwise. We make every effort to ensure the accuracy of our product images, however due to different lighting and screens used for viewing, the colours may vary. Images are indicative of the quality and style of the product but may not represent the precise details of the product you receive. This is because we are constantly working to make improvements. For aesthetic reasons, cables and/or electrical elements are often not shown. Refer to technical data sheets for all technical data. Images and colours are not part of any contract or warranty in any way.


Photometric

Lighting type	Indirect, Direct
Light distribution	Symmetric

Electrical


Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Plug type	Type C
Batteries inside	No
Charging min time	No

Bulbs



NOT INCLUDED

RF26998
LED 21W E27 2450lm 3000K
DIMMER



NOT INCLUDED

RF30429
LED Opal Lamp E27 21W 2700K
A65 Dimmable

Spare Parts



F6298046
Aluminized bronze diffuser
assembly



RF28045
Led rondo' dimmer 220/240v 40-
250w 4-100w



RF3020100
Kit of 5 white feed pads for base