




Skygarden 1

Designed by Marcel Wanders studio, 2007



Halogen - 105W

Suspension luminaire providing diffused lighting. Hemispherical, mechanically-processed cast plaster diffuser, painted white inside. Outer finish: rust, glossy black, glossy white or matte gold. Plaster diffuser support in die-cast aluminum alloy, liquid-painted white. Molded upper bushing in die-cast, polished aluminum alloy, protected with transparent paint on the entire visible part. Upper cable gland and blocking ring nut in black injection-molded PC (polycarbonate). Shaped, galvanized adjustment screws. Transparent, injection-molded, upper and lower silicone shock absorbers. Lamp holder and fixing support in black injection-molded PPS (polyphenylene sulfide). Flashed and blown opal glass diffuser. Molded fixing ring nut in die-cast aluminum alloy with alodine plating. Skygarden 1 frieze in photo-etched and mechanically drawn AISI 304 steel. Molded and galvanized steel ceiling attachment Gray, injection-molded PA6 (Nylon) rose.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607012772	
Mounting	Suspension	
Enviroment	Indoor dry location	
Light source type	Bulb	
Lamp category	Halogen	
Lamp holder	E27	
Ilcos	HSGS	
Number of heads	1	
Power (W)	105	

Physical

Colour	Gold
Cord length (mm)	2700
Net weight (kg)	13
Package height (cm)	44
Package width (cm)	73
Package length (cm)	73
Package volume (m3)	0.23
IP	20



ounting instructions	业 PDF
are Parts	↓ PDE

Photometric Files

LDT / IES



Technical Drawings

2D 3D





















https://professional.flos.com/en/global/product/skygarden-1-f0001044/

F0001044

Schematic light drawing



Beam	Beam Angle:	
h(m)	E(lx)	D(m)
1	416	3.36
2	104	6.72
3	46	10.08
4	26	13.44
5	17	16.79

Luminous flux luminaire 2400 lm


Photometric

Lighting type	Direct
Light distribution	Symmetric

Electrical

Insulation class	1
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Cord length (mm)	2700
Batteries inside	No
Charging min time	No

Bulbs



NOT INCLUDED

RF29388

LED T46 Lamp E27 20W 2700K Dimmable

Spare Parts

RF05382 RF6410100 RF6410144

Kit of 5 or rings Skygarden 1 glass diffuser Gold ceiling rose assembly