


# TNC 1055


## LL1393003

# Lombardo.



### Technical information:

Installation:	Wall, Ceiling
Material:	PMMA
Diffuser type:	PMMA
Lamp type:	LED
Colour temperature:	3000K
CRI:	>80
LB Factor 50.000 h:	L80B20
Photobiological risk:	RG0
Power consumption (Watt):	20
Lumen:	2200
Real Lumen:	1266
Power supply:	✗ not included
LED:	24V
Insulation class:	⚡ CL.III
Power cable:	1 m H05RN-F
Type of protection:	<b>IP 67</b>
Resistance to breakage:	<b>IK 09 10J xx7</b>
Standards and Marks of Conformity:	CE UK CA



**Lombardo S.r.l.**


Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - T 0039 035 939 411 - F 0039 035 939 496 - E [info@lombardo.it](mailto:info@lombardo.it)

**lombardo.it**

# TNC 1055

LL1393003

Lombardo.



## Installation images:




Lombardo S.r.l.

Via Pizzigoni 3, Villongo (BG) - 24060 - Italy - T 0039 035 939 411 - F 0039 035 939 496 - E [info@lombardo.it](mailto:info@lombardo.it)

**lombardo.it**

LL1393003

## Lighting simulation:



tnc\_1055

## Photometric curves:

