


# WallTrax™

## Assembly Instructions

Total Weight Capacity  
500 Lbs (65 Lbs Per Hook)



1-877-655-3443 (English, Español)  
7:00 am - 5:00 pm

Monday-Friday, Pacific Time, North America  
help@eagleindustrialgroup.com  
www.eagleindustrialgroup.com

### **WARNING:**

This product contains chemicals such as lead, which is known to the State of California to cause cancer and birth defects and other reproductive harm.  
**For more information, go to**  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### Components:




(Hardware Also Included)

### Required Tools:



## Wall Track Installation

- 1.** Locate and mark studs where you want to install the rail. Maximum rail weight capacity can be achieved if 4 studs across 48" span can be located.
- 2.** Start by lining the first set of holes in the middle of the first stud. Ideally, the last set of holes on the rail should end in the middle of the last stud.
- 3.** Level the rail.
- 4.** Mark the top and bottom holes over stud with "A" to denominate stud and mark the top holes every 8" in between studs with "B" to denominate drywall.



- 5.** Over the studs (mark "A"), drill 1/8" pilot holes. On the drywall (mark "B"), drill 5/16" holes.
- 6.** Insert drywall anchors into 5/16" holes.
- 7.** Mount the rail onto the wall using the screws provided in the fastener kit.

**8.** Slide the rail cover over the steel rail mount until the steel rail mount is entirely covered. (Figure 1)


**9.** If you do not have room to slide the rail cover over the steel rail mount, you can snap it on by lining the slot at the top of the steel rail mount (Figure 2), then slowly push the lower edge of the rail cover and work your way to the other side until the cover is fully engaged with the rail mount. (Figures 3)



**Figure 1**



**Figure 2**



**Figure 3**

## Hook Installation

---

- 1.** Choose your desired placement. Notch the top back end of the hook over the upper lip of the rail cover.
- 2.** Press down on the bottom of the hook until it snaps into place. Check to ensure the hook is securely fastened to the rail.
- 3.** Some hooks come with a locking mechanism. To install these hooks, simply repeat steps 1 and 2 while holding down the security button. Ensure the hook is fully locked onto the rail.



---

# ATTENTION:

**If you have any issues during your installation, please call 877-655-3443 or email us at [help@eagleindustrialgroup.com](mailto:help@eagleindustrialgroup.com)**

---

Multiple Kits Available!

