

# CERTIFICATE OF ANALYSIS



Faded  
**Customer:** 608 Dekalb Industrial Way,  
 Decatur, GA, 30033

**Batch #:** 06132022  
**Laboratory Number:** ATL-9373

**Report Issue Date:** 10/10/2022  
**Order Date:** 09/29/2022  
**Analysis Date:** 10/06/2022

**Sample Description:**  
 CBD-D9 Gummies - Pineapple Express



**Extraction Technician:** LL  
**Analytical Chemist:** LL

**Unit Weight:** 4.0977g / gummy

*Hernan Prieto*  
 Laboratory Manager

## CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/gummy	%
CBDV-A	<0.06	0	0
CBDV	<0.03	0	0
CBD-A	<0.03	0	0
CBG-A	<0.03	0	0
CBG	<0.02	0	0
CBD	<0.01	28.56	0.70
THCV	<0.01	0	0

Analyte	LOQ (mg/g)	Results mg/gummy	%
THCV-A	<0.06	0	0
CBN	<0.03	0	0
D9-THC	<0.03	3.24	0.08
D8-THC	<0.03	5.16	0.13
9R-D10-THC	<0.02	0	0
9S-D10-THC	<0.02	0	0
9R-HHC	<0.01	0	0

Analyte	LOQ (mg/g)	Results mg/gummy	%
9S-HHC	<0.01	0	0
CBC	<0.06	0	0
CBC-A	<0.03	0	0
THC-A	<0.03	0	0
D9-THCP	<0.03	0	0
D8-THCO	<0.02	0	0

<b>Max Active THC</b>	mg/gummy	%
	3.24	0.08
<b>Max Active CBG</b>	mg/gummy	%
	28.56	0.70

<b>Total Active Cannabinoids</b>	mg/gummy	%
	36.96	0.90
<b>Total Cannabinoids</b>	mg/gummy	%
	36.96	0.90

## NOTES

[Empty box for notes]

Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD) Cannabidiol(CBD)  
 Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC) Tetrahydrocannabinol(THC)  
 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) 9S-Hexahydrocannabinol(9S-HHC) 9R-Hexahydrocannabinol(9R-HHC)  
 Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC) Cannabichromene(CBC)

Document ID: ATL-225 Revision: 02 Effective Date: 7/15/2022

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

