GRADE 9

Mathematics

COMPLETE GRADE 9 MATH CURRICULUM

BC EDITION

* questions ranging from easy to advanced
* step by step guided examples
* chapter tests included

DYNAMIC MATH

LOOKING FOR MORE?

+ additional resources

+ guided video lessons

GET EXTRA SUPPORT
math-help.ca/more

DYNAMIC DC CLASSROOM

math-help.ca

THE DYNAMIC MATH PROGRAM

BOOKS

The Dynamic Math workbooks cover the mathematics curriculum for Grades 4 to 12. The books are grade and province specific, covering the same material that is taught in the classroom.

VIDEO LESSONS

Does your child need more help? We have a growing library of math video lessons that will help your child with over-the-shoulder instruction. It's like having your very own "tutor in your pocket"!

math-help.ca/videos

EXTRA ONLINE CONTENT

Our math instructors are always looking for ways to help students achieve greater success in math. Make sure to visit our website where you can find extra resources and the latest updates.

math-help.ca/more

TEACHERS

Teachers and schools can buy class sets of the Dynamic Math books to use in their classrooms as workbooks or textbooks. Since the books are specifically aligned with the curriculum in each province, they are a great resource for schools.

CALL TO DISCUSS OPTIONS FOR YOUR CLASSROOM   1-604-592-9309

WHY DYNAMIC MATH?

Dynamic Math workbooks are written by teachers directly for each province. This ensures that you are getting the exact same material that is being taught in the classroom. Our teachers also produce engaging online content to further support and enhance learning.

MORE THAN JUST A BOOK!

math-help.ca

Access extra support online

Go to www.math-help.ca/more

✓ Increase understanding and improve your grades

✓ Get extra help with guided video lessons, and more

✓ Learn about our math program at math-help.ca/more

DYNAMIC DC CLASSROOM

✉ Suite 207 8501 162nd Street
Surrey, BC V4N 1B2

☎ 604.592.9309

@ sales-inquiries@dynamic-classroom.ca

🖥 www.dynamic-classroom.ca

Contributing Authors: Alan R. Taylor, Ed.D.   &   Bill Kokoskin, M.A.

Dear Parents,

Helping kids understand and apply mathematics knowledge and skills is a collective responsibility of parents, teachers, and principals.

Students need to learn mathematics in a way that will serve them throughout their lives. Understanding mathematics can provide our students with many job and career opportunities.

This is why students need to know why mathematics works the way it does, how to use it with confidence and competence when solving problems.

Understanding mathematics enables us to:

- Solve problems, make sound decisions and perform calculations with ease
- Explain how we solved a problem and why we made a particular decision
- Understand patterns and trends so that we can make predictions
- Understand Financial Literacy to manage time and money
- Handle everyday situations that involve numbers and feel confident

Before your child can learn mathematics, he or she needs to believe in his or her ability to do so. That's where you come in!

Parents, you are your child's first role model for learning. When you engage with your child in a supportive, relaxed atmosphere, your child will enjoy exploring the world of mathematics.

Dynamic Math is committed to helping parents and students. We understand that not everyone learns the same way, and not everyone feels the same about math. This is why we are continually working to create math resources that help students of all abilities, while supporting the many learning styles and varying levels of enthusiasm towards math.

From our clear concise instructions and straightforward guided examples to our additional practice material and tests, there's something to suit everyone. Combined with our video tutorials, students will be able to get a tutor-like experience from anywhere and at a fraction of the cost of standard tutoring or after-school help programs.

Table of Contents
BC Grade 9 Mathematics

ABORIGINAL APPLICATIONS end of Units 1, 2, 3, 4, 6, 7, 9

UNIT 1
NUMBER CONCEPTS

$$\sqrt{7} \qquad \pi \qquad 2^3$$

If you need additional help, there are more resources available at math-help.ca/more.

1.1 The Real Number System

The system of **real numbers** consists of a collection of smaller sets of numbers that has evolved over several centuries. It began with numbers used to count objects, which were used for trading. It was then extended and refined as a need for numbers to represent parts of objects and locations on the number line became important. Below is a discussion of the sets of numbers that make up the real number system. Each of these sets builds on those contained in the preceding set.

Natural Numbers

Natural numbers can be thought of as counting numbers. They can be used to identify how many objects are in a collection. Since a collection of objects has at least one item, the natural numbers begin with the number 1 and then continue to represent additional objects in the set. Counting numbers can be listed as follows: 1, 2, 3, 4, 5, 6, 7, 8, …

Whole Numbers

Whole numbers consist of the natural numbers with the addition of the number 0. Although 0 does not represent an object in a set, it is an important addition to the number system. Whole numbers can be listed as follows: 0, 1, 2, 3, 4, 5, 6, 7, 8, … They correspond to locations on the number line as follows:

Integers

The set of **integers** builds on the set of whole numbers by adding the negative values of each. It includes numbers such as -1, -2, -3, -4, -5, … (Note: There is no negative value for 0.) Negative values of whole numbers are used in many situations, such as to represent a minus temperature (-22° C), distance below sea level (-8 m below the sea), or a golf score that is under par (-4 strokes under par). Integers correspond to locations on the number line as follows.

Rational Numbers

The set of **rational numbers** builds on the set of integers by including parts of the counting objects discussed earlier (such as, one-half of an item or quantity, or one quarter of a degree in temperature).

A **rational number** is any number that can be written in the form $\frac{a}{b}$ where a and b are integers and b $\neq 0$. This includes the natural numbers (1, 2, 3, …), the whole numbers (0, 1, 2, 3, …), and the integers (...-3, –2, -1, 0, 1, 2, 3 …). Natural, whole, and integer numbers are rational since each can be written in the form $\frac{a}{b}$ ($1 = \frac{2}{2}$, $-3 = -\frac{3}{1}$, $0 = \frac{0}{4}$).

The set of rational numbers begins to fill in many locations on the number line, but there still remain locations that do not have corresponding numbers associated with them.

Examples of Rational Numbers:

    All fractions and mixed numbers, both positive and negative

        $\frac{2}{3}$, $-\frac{3}{4}$, $\frac{5}{2}$, $-3\frac{1}{4}$ Note: $\frac{0}{7} = 0$ is rational but $\frac{7}{0}$ is **not rational** since it is not defined when the denominator equals 0.

    All integers

        (-11, -3, 0, 1, 5, 68)

    All terminating and repeating decimals, both positive and negative

        0.8, -0.32, $0.\overline{3}$, $7.\overline{12}$

Irrational Numbers

To complete our system of real numbers, it is necessary to add an additional set. These additional numbers are called **irrational numbers**. Irrational numbers are any numbers that cannot be written as the quotient of two integers $\frac{a}{b}$, where b $\neq 0$.

Examples of Irrational Numbers:

    Numbers that are roots of whole numbers that <u>cannot</u> be simplified to obtain a rational number

        $\sqrt{2}$, $\sqrt{5}$, $\sqrt{11}$ (Note: $\sqrt{9}$ is <u>rational</u> since it is equal to 3.)

    Numbers whose decimal representation does not repeat in a pattern

        0.1357421… (Note: $0.3\overline{3}$ is <u>rational</u> since it repeats a pattern and is equal to $\frac{1}{3}$.)

    Special numbers such as π (which is equal to 3.1415927…)

Real Numbers

The set of **real numbers** consists of all rational and irrational numbers. All locations on a number line correspond to a real number. We can think of the set of real numbers as filling all locations on the number line.

The diagram below shows the relationship between the sets of numbers discussed so far.

Real Numbers (R)

Rational Numbers (Ra)

Irrational Numbers (Ir)

Integers (I)

Whole (W)

Natural (N)

<u>Note</u>:

As shown in the above diagram, the set of rational numbers includes the following.

Natural Numbers: $N = \{1,2,3,4,\ldots\}$

Whole Numbers: $W = \{0,1,2,3,4,\ldots\}$

Integers: $I = \{\ldots -3, -2, -1,0,1,2,3,4,\ldots\}$

Rational: Ra = All of the above <u>plus</u> any other number that can be written in the form $\frac{a}{b}$, $b \neq 0$

All rational and all irrational numbers make up the set of real numbers.

Identification of Rational and Irrational Numbers

Rational numbers can be shown in several different formats, as long as they can be rewritten in the form $\frac{a}{b}$, b $\neq 0$.

1. Natural numbers, whole numbers, and integers
    Examples: 7, -43, 0, 2761, - 403

2. Proper fractions, mixed numbers, or improper fractions
    Examples: $\frac{3}{11}$, $-\frac{2}{9}$, $3\frac{1}{4}$, $\frac{7}{5}$, $-8\frac{1}{10}$, $-\frac{7}{3}$

3. Decimals (terminating or repeating)
    Examples: 0.8, -0.25, $0.22\overline{3}$, $2.\overline{61}$

Irrational numbers cannot be shown as common fractions.

1. Decimals that do not terminate or repeat in a pattern (0.12323569…)

2. Roots of numbers that are not rational ($\sqrt{2}, \sqrt{11}, -3\sqrt{5}$, …

3. Special numbers like π

Examples with Solutions

Identify which of the following are rational and which are irrational numbers. Give a reason for your answer.

	Rational or Irrational?	**Reason**
1. -1.25	Rational	It can be written as $-\frac{125}{100}$ or $-\frac{5}{4}$
2. 0.6010347…	Irrational	The decimal doesn't terminate or repeat the same pattern.
3. $-\sqrt{25}$	Rational	It can be written as -5.
4. 0.1111 …	Rational	It repeats the same pattern and can be written as $\frac{1}{9}$.
5. $\sqrt{13}$	Irrational	The decimal version doesn't repeat the same pattern $\sqrt{13} = 3.6055513…$
6. 4.01	Rational	It has a terminating decimal. It could be written as $4\frac{1}{100}$ or $\frac{401}{100}$.
7. $-7\frac{1}{2}$	Rational	It could be written as $\frac{-15}{2}$.
8. $2125\frac{1}{4}$	Rational	It could be written as $\frac{8501}{4}$.

9. 2.333…   Rational   The decimal repeats the same pattern and is equal to $2\frac{1}{3}$ or $\frac{7}{3}$.

10. 5.0100382…   Irrational   The decimal doesn't terminate or repeat the same pattern.

Comparing and Ordering Rational Numbers

Each rational number corresponds to a point on the number line. Below are several examples.

Numbers **increase in** size as you go from left to right on the line.

$1 < 3$; $2.1 < 4$; $-7 < -6$; and $2 > 1.8$; $–3 > -5$; $-1 > -10.5$

Examples: To compare the size of rational numbers when one is written in decimal and the other in common fraction form, write both either in decimal or in common fraction form and then compare.

1. Compare 0.1 with $\frac{3}{20}$ (convert both to fractions first).

   Change 0.1 to $\frac{1}{10}$.

   The common denominator is 20, $\therefore \frac{1}{10} = \frac{2}{20}$.

   $\frac{2}{20} < \frac{3}{20}$ or $0.1 < \frac{3}{20}$

2. Compare 3.15 with $3\frac{1}{11}$ (convert both to decimals first).

   Change $3\frac{1}{11}$ to a decimal $\rightarrow 3.\overline{09}$.

   $3.15 > 3.\overline{09}$ or $3.15 > 3\frac{1}{11}$

Exercises 1.1

Identify which of the following are rational and which are irrational numbers. Give a reason for your answer.

	Rational or Irrational	Reason
1. 0.013		
2. $5\frac{1}{2}$		
3. 7.0900134...		
4. 0.666…		
5. -10.001		
6. $\sqrt{49}$		
7. 0.122357…		
8. 0.212121…		
9. 210.013		
10. $\sqrt{8}$		
11. -5.999…		
12. 3.009		
13. $-345\frac{1}{3}$		

Use a check mark to indicate the set(s) to which each number belongs.

Set of Numbers

	N	W	I	Ra	Ir
14. 0.7					
15. -45					
16. $\frac{15}{7}$					
17. 0.13243…					

	N	W	I	Ra	Ir
18. $0.\overline{7}$					
19. 2					
20. $1\frac{5}{8}$					
21. -160					
22. 0					
23. $\sqrt{81}$					
24. 0.93					
25. $\sqrt{15}$					

Note: N = Natural Numbers, W = Whole Numbers, I = Integers, Ra = Rational Numbers, Ir = Irrational Numbers

26. Locate the following numbers on the number line: $3.1, 2\frac{5}{8}, -\frac{13}{12}, -\sqrt{6}, -\sqrt{16}$

$$\begin{array}{ccccccccc} -4 & -3 & -2 & -1 & 0 & 1 & 2 & 3 & 4 \end{array}$$

27. Arrange the following numbers from smallest to largest.

   a. -0.57, -0.507, -5.07, -5.70

   b. 3.4, $-\frac{11}{3}$, -3.4, -3.5

   c. $-\frac{3}{8}, -\frac{2}{3}, - 0.6, -0.4$

28. Put the correct symbol (>, =, <) between each pair of numbers.

   a.   0.15   ☐ $\frac{7}{40}$

   b.   -1.8   ☐ $-\frac{9}{5}$

   c.   -2.8   ☐ $-\frac{13}{5}$

29. Express each term in common fraction form (as a quotient of two integers).

    a. 0.17

                                        b. $-0.\overline{5}$

    c. $-1\frac{2}{3}$ d. 3.07

30. Which rational number is greater?

    a. $-0.\overline{6}$ or -0.6?

                                        b. -0.25 or $-\frac{1}{3}$?

    c. $-\frac{2}{3}$ or $-\frac{4}{5}$?

Extra for Experts

31. List the set of all integers greater than -4 and less than $\frac{1}{2}$.

32. Is $\sqrt{\frac{4}{9}}$ rational or irrational? Give a reason for your answer.

33. Is the sum of the following numbers rational or irrational? Give a reason for your answer.
        $0.1 + 0.01 + 0.001$

34.   Is the sum of the following numbers rational or irrational? Give a reason for your answer.
        $0.333\ldots + 0.666\ldots + 0.999\ldots$

35.   If the sum of $3.82 + 12\underline{ab}$ is an integer, what digits must go in place of *ab*?

36. If the sum of $-12 + -8\frac{1}{2} + n$ is a natural number, what is the smallest number that can replace *n*?

ABORIGINAL APPLICATIONS
THE HUMMINGBIRD

Artist: T. Isaac

First Nations consider the hummingbird to be a symbol of joy and playfulness, as well as the ability to adapt. It represents the enjoyment of life and the lightness of being. Despite its tiny size, it can travel great distances and it is able to fly stationary as well as backwards. It provides one with encouragement to develop adaptability and resiliency, as well as to maintain an optimistic outlook.

Other symbolic meanings attributed to the hummingbird are independence, positivity, swiftness, and sensibility.

Math Applications

1.   A hummingbird can flutter its wings up to 80 times per second. At this rate, how many times could it flutter its wings in one hour? Show your answer using a number greater than one and less than 10 that is multiplied by a power of 10.

2. A hummingbird's heart beats about 1300 times per minute. Write this number using a number greater than 1 and less than 10 multiplied by a power of 10, then raise the number to a power of two.

Answers

1. $80 \times 60 \times 60 = 288\ 000$
    It flutters its wings up to 2.88×10^5 times per hour.

2. $1300 = 1.3 \times 10^3$
    $(1.3 \times 10^3)^2 = 1.3^2 \times 10^{2 \times 3} = 1.69 \times 10^6$

# ANSWERS TO

EXERCISES AND

UNIT TESTS

UNIT 1

Exercises 1.1 (page 7)

	Rational/ Irrational	Reason
1. 0.013	Rational	Can be written as 13/1000
2. $5\frac{1}{2}$	Rational	Can be written as 11/2
3. 7.0900134...	Irrational	Decimal doesn't terminate or repeat
4. 0.666….	Rational	Repeating decimal equal to $\frac{2}{3}$
5. -10.001	Rational	Can be written as $-\frac{10\,001}{1000}$
6. $\sqrt{49}$	Rational	Equal to 7
7. 0.12231353…	Irrational	Decimal doesn't terminate or repeat
8. 0.212121…	Rational	Repeating decimal equal to $\frac{21}{99}$
9. 210.013	Rational	Terminating decimal
10. $\sqrt{8}$	Irrational	Decimal value doesn't terminate or repeat 2.8284271…
11. -5.333…	Rational	Decimal repeats and can be written as $-\frac{16}{3}$
12. 3.009	Rational	Decimal terminates and can be written as 3009/1000
13. $-345\frac{1}{3}$	Rational	Can be written as $-\frac{1036}{3}$

	Set of Numbers				
Number	N	W	I	Ra	Ir
14. 0.7				√	
15. -45			√	√	
16. $\frac{15}{7}$				√	
17. 0.13243…					√

		N	W	I	Ra	Ir
18.	$0.\overline{7}$				√	
19.	2	√	√	√	√	
20.	$1\frac{5}{8}$				√	
21.	-160			√	√	
22.	0		√	√	√	
23.	$\sqrt{81}$	√	√	√	√	
24.	0.93				√	
25.	$\sqrt{15}$					√

26.

A number line from -4 to 4 with arrows marking: -4, $-\sqrt{6}$, $-\frac{13}{12}$, $2\frac{5}{8}$, 3.1

27. a) -5.70, -5.07, -0.57, -0.507
b) $-\frac{11}{3}$, -3.5, -3.4, 3.4   **c)** $-\frac{2}{3}$, -0.6, -0.4, $-\frac{3}{8}$
28. a) <   **b)** =   **c)** <   **29. a)** $\frac{17}{100}$ **b)** $-\frac{5}{9}$ **c)** $-\frac{5}{3}$
d) $3\frac{7}{100} = \frac{307}{100}$ **30. a)** -0.6 (It is to the right of -$0.\overline{6}$ on the number line.)   **b)** -0.25   **c)** $-\frac{2}{3}$
(change to $-\frac{10}{15}$ and $-\frac{12}{15}$)   **31.** -3, -2, -1, 0
32. Rational; can be written as $\frac{2}{3}$
33. Rational; can be written as $\frac{111}{1000}$
34. Rational; can be written as 2   **35.** 18
**36.** $21\frac{1}{2}$

Exercises 1.2 (page 15)
1. a) 3   **b)** 15   **c)** $\frac{5}{7}$ **d)** $\frac{9}{4}$ **e)** 0.9   **f)** 0.02
2. a) 2.6   **b)** 5.3   **c)** 8.4   **d)** 14.1   **3. a)** $x = \pm6$
b) $x = \pm7.1$ **c)** $x = \pm0.9$ **d)** $x = \pm0.25$
e) $x = \pm200$ **4.** B, D, E   **5. a)** ±9   **b)** ±7
c) ±0.3   **6. a)** 2.75   **b)** 11.38   **c)** 0.55
7. a) ±10.25   **b)** ±6.18   **c)** ±5.91   **d)** ±6.90
8. 7.42 cm   **9. a)** 4.53 cm   **b)** 0.57 m
10. 40.16 m   **11. a)** 10.83 cm^2 **b.** 7.35 cm^2
c) 9.07 cm   **12. a)** 942 cm^3 **b)** 1.82 cm

Exercises 1.3 (page 23)
1. a) 8   **b)** 9   **c)** 64   **d)** 81   **e)** 25   **f)** 32   **g)** 216
h) 729   **i)** 125   **j)** 243   **2. a)** 25   **b)** 49   **c)** 16

Resources from Dynamic Classroom

BC and Yukon

Order Books - https://www.math-help.ca/dynamic-math-store

Enhance learning and results!

	Dynamic Math Videos
VIDEO	Get Started with a free trial https://www.math-help.ca/math-videos

Coming Soon!

Grade 3	**French Editions Gr 4 - 8**	**K to Grade 2**
Ontario	BC	BC
Grade 9 Ontario	AB/SK/MB	AB/SK/MB
	Atlantic Canada	Atlantic Canada

Sign up for your free account! https://www.math-help.ca/free

www.ClassroomReady.com - Reading Comprehension

Monthly News

Available in both English and French for Grades 3-5, Grades 5-7, and Grades 8-10.

Weekly News

Available in English for Grades 5-7 and Grades 8-10.

Science News

Available in English for Grades 3-5, Grades 5-7, and Grades 8-10.

Dynamic Math Resources

Dynamic Classroom has created resources that align with the provincial curriculum for Grades 3 to 12. The following resources are available in British Columbia.

Math Workbooks

ELEMENTARY	HIGH SCHOOL
Grade 3 Mathematics	Grade 8 Mathematics
Grade 4 Mathematics	Grade 9 Mathematics
Grade 5 Mathematics	Grade 10 Foundations and Pre-Calculus
Grade 6 Mathematics	Grade 11 Pre-Calculus
Grade 7 Mathematics	Grade 12 Pre-Calculus

Orders can be placed online at www.dynamicmath.ca.

Video Subscriptions

Access to all videos for Grades 4-10	Monthly - $9.95 per month
	6 Months - $49.95
	12 Months - $79.95

Orders for videos can be placed online at www.dynamicmath.ca.

If you would like to order Dynamic Math resources for your school, please email us at:
info@dynamic-classroom.ca

MORE THAN JUST A BOOK!

▶ Guided video lessons that align directly with the curriculum. Learn more and gain access at: **math-help.ca/videos**

Extra content available online. Visit our website for all the resources and updates: **math-help.ca/more**

➕ Students learn more and get better grades with the full Dynamic Math program. Get started today!

LEARN MORE ≫ math-help.ca/more

> My son would never have passed grade 10 without Dynamic Math. Thank you!
>
> My daughter loves your math books because she can work through them on her own. We'll definitely be buying the next grade in the fall.
>
> I was so happy to finally find a math workbook that was exactly what my son was doing in class.

DYNAMIC DC CLASSROOM

BC Grade 9 Mathematics