ENDEAVOR®

Date: 7/6/2018 Replaces: 3/31/2015



1. PRODUCT IDENTIFICATION

Product identifier on label	ENDEAVOR®
Product No.:	A9364J
Use:	Insecticide
Manufacturer:	Syngenta Crop Protection, LLC Post Office Box 18300 Greensboro NC 27419
Manufacturer Phone:	1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications:	Specific Target Organ Toxicity: Repeated Category 2
	Specific Target Organ Toxicity: Respiratory Irritation Category 3
	Carcinogenicity: Category 1A
Signal Word (OSHA):	Danger
Hazard Statements:	May cause respiratory irritation
	May cause cancer
	May cause damage to organs through prolonged or repeated exposure

Hazard Symbols:



Precautionary Statements:	Obtain special instructions before use.		
	Do not handle until all safety precautions have been read and understood.		
	Do not breathe dust.		
	Use only outdoors or in a well-ventilated area.		
	Wear protective gloves, protective clothing, eye protection.		
	If inhaled: Remove person to fresh air and keep comfortable for breathing.		
	If exposed or concerned: Get medical advice/attention.		
	Call a poison center, doctor or Syngenta if you feel unwell.		
	Store locked up.		
	Dispose of contents and container in accordance with local regulations.		
Other Hazard Statements:	May form combustible dust concentrations in air.		

ENDEAVOR®

Date: 7/6/2018 Replaces: 3/31/2015



3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration	
Crystalline Silica, Quartz and Cristobalite	Crystalline Silica, Quartz and Cristobalite	14808-60-7	Trade Secret	
Diatomaceous Earth	Diatomaceous Earth	61790-53-2	Trade Secret	
Other ingredients	Other ingredients	Trade Secret	<50.0%	
1,2,4-Triazin-3(2H)-one, 4,5-dihydro-6- methyl-4-[(3-pyridinylmethylene)amino]-	Pymetrozine	123312-89-0	50.0%	

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

- Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.
- Most important symptoms/effects:

Respiratory irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

This material can be thermally unstable at elevated temperatures. The material is thermally stable at normal ambient temperatures. It is good practice to store the material away from sources of heat such as steam pipes, radiators or heaters.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

See also Sec. 7.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

ENDEAVOR®

Date: 7/6/2018 Replaces: 3/31/2015



6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures: Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Avoid dust formation.

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Sweep up material and place in a compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities: Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Crystalline Silica, Quartz and Cristobalite	10 mg/m³/(%SiO2+2) (respirable dust)	0.025 mg/m³ (respirable silica)	0.05 mg/m ³ (respirable dust)	NIOSH
Diatomaceous Earth	80 mg/m³/%SiO2 (20 mppcf) TWA	Not Established	6 mg/m³ TWA	NIOSH
Other ingredients	Not Established	Not Established	Not Established	Not Applicable
Pymetrozine	Not Established	Not Established	0.8 mg/m³ TWA	Manufacturer

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

syngenta®

ENDEAV	OR®
Date:	7/6/2018
Replaces:	3/31/2015

Eye Contact:

Where eye contact is likely, use dust-proof chemical goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A particulate filter respirator may be necessary until effective engineering controls are installed to comply with occupational exposure limits. Use a NIOSH certified respirator with any R, P or HE filter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Gray beige to brown granules				
Odor: Weak				
Odor Threshold: Not Available				
pH: 7 - 11 (1% in deionized water)				
Melting point/freezing point: Not Available				
Initial boiling point and boiling range: Not Applicable				
Flash Point (Test Method): Not Applicable				
Flammable Limits (% in Air): Not Available				
Flammability: Combustible powder				
Vapor Pressure: Pymetrozine 7.3 x 10(-10) mmHg @ 68°F (20°C)				
Vapor Density: Not Available				
Relative Density: 0.4 - 0.6 g/cm ³				
Solubility (ies): Pymetrozine 270 mg/l @ 68°F (20°C)				
Partition coefficient: n-octanol/water: Not Available				
Autoignition Temperature: Not Available				
Decomposition Temperature: Not Available				
Viscosity: Not Available				
Other: None				

10. STABILITY AND REACTIVITY

Reactivity: Not reactive. Chemical stability: Stable under normal use and storage conditions. Possibility of hazardous reactions: Will not occur. Conditions to Avoid: None known. Incompatible materials: None known.

syngenta®

ENDEAVO	OR®		
Date:	7/6/2018		
Replaces:	3/31/2015		
Hazardous [Decomposition	Products: None known.	
11. TOXICOLOG	ICAL INFORM	ATION	
Health effects	s information		
Likely routes	of exposure:	Dermal, Inhalation	
Symptoms of	exposure:	Respiratory irritation	
Delayed, imm	nediate and ch	onic effects of exposure:	Possible carcinogenicity, Respiratory irritation
Numerical me	easures of toxi	city (acute toxicity/irritation	studies (finished product))
Ingestion:		Oral (LD50 Rat) :	> 5000 mg/kg body weight (based on data obtained from similar substance[s])
Dermal:		Dermal (LD50 Rat):	> 2000 mg/kg body weight (based on data obtained from similar substance[s])
Inhalation	:	Inhalation (LC50 Rat) :	> 3.09 mg/l air - 4 hours (based on data obtained from similar substance[s])
Eye Conta	act:	Non-Irritating (Rabbit) (bas	sed on data obtained from similar substances)
Skin Cont	act:	Non-Irritating (Rabbit)	
Skin Sens	sitization:	Not a Sensitizer (Guinea F	ig) (based on data obtained from similar substance[s])

Reproductive/Developmental Effects

Pymetrozine : Did not show reproductive toxicity effects in animal experiments. Did not show teratogenic effects in animal experiments.

Chronic/Subchronic Toxicity Studies

Pymetrozine : Liver, spleen, thymus, kidney, muscle, digestive tract, thyroids, and blood effects at high doses

Carcinogenicity

Pymetrozine : Did not show mutagenic effects in animal experiments. Increased levels of liver tumors were observed at high doses in rats and mice. The relevance of these findings to humans is questionable.

Chemical Name	NTP/IARC/OSHA Carcinogen			
Crystalline Silica, Quartz and Cristobalite	IARC 1; ACGIH A2			
Diatomaceous Earth	IARC 3			
Other ingredients	No			
1,2,4-Triazin-3(2H)-one, 4,5-dihydro-6-methyl- 4-[(3-pyridinylmethylene)amino]-	No			
Other Toxicity Information None				
Toxicity of Other Components Crystalline Silica, Quartz and Cristobalite Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. Experimental animals exposed to crystalline silica developed respiratory tract cancers.				

ENDEAVOR®

Date:

Replaces: 3/31/2015

Diatomaceous Earth

The carrier in this product is naturally occurring diatomaceous earth. Natural diatomaceous earth contains a small percentage of naturally occurring crystalline silica, which is considered a human carcinogen. Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. The amount of crystalline silica in this product is minimal and the potential for overexposure in manufacturing operations is low.

Other ingredients

Not Established

7/6/2018

Target Organs

Active Ingredients	
Pymetrozine :	Liver, spleen, thymus, kidney, muscle, digestive tract, blood, thyroids, eye
Inert Ingredients	
Crystalline Silica, Quartz and Cristobalite:	Respiratory tract
Diatomaceous Earth:	Respiratory tract
Other ingredients:	Not Established

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity Pymetrozine : Fish (Rainbow Trout) 96-hour LC50 > 128 ppm Green Algae 5-day EC50 17 ppm Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 87 ppm Bird (Mallard Duck) 14-day LD50 > 31.25 mg/kg

Environmental Fate

Pymetrozine :

The information presented here is for the active ingredient, pymetrozine. Persistent in soil. Stable in water. Low mobility in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification Ground Transport - NAFTA Not regulated

Comments Water Transport - International Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. syngenta®

ENDEAVOR®

Date: Replaces: 7/6/2018 3/31/2015

(PYMETROZINE) Marine Pollutant Hazard Class: Class 9 Identification Number: UN 3077 Packing Group: PG III

Air Transport Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (PYMETROZINE) Hazard Class: Class 9 Identification Number: UN 3077 Packing Group: PG III

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.

EPA Registration Number(s): 100-913

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes:	Acute Health Hazard Fire Hazard
Section 313 Toxic Chemicals:	None

CERCLA/SARA 304 Reportable Quantity (RQ): None RCRA Hazardous Waste Classification (40 CFR 261): Not Applicable TSCA Status: Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings		HMIS Hazard Ratings		0	Minimal
Health:	1	Health:	2*	1	Slight
Flammability:	2	Flammability:	2	2	Moderate
Instability:	0	Reactivity:	0	3	Serious
Syngenta Hazard Category: D,S			4	Extreme	
			*	Chronic	

Page 7 of 8



ENDEAVOR®

7/6/2018 Date: 3/31/2015

Replaces:



For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: Revision Date: Section(s) Revised:	8/15/2011 7/6/2018 14	Replaces:	3/31/2015
The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.			