

FUNKY LEVELLING KIT CALCULATING REQUIREMENTS

PATENT PENDING 2020204133

1


THE FUNKY LEVELLING KIT IS **ONLY** REQUIRED FOR SLOPES OR UNDULATED GROUND THAT IS GREATER THAN 100MM OR LESS THAN 600MM OVER A 3.0 METRE SPAN.

CALCULATING REQUIREMENTS

DESIGNED TO ASSIST IN CALCULATING THE NUMBER OF FUNKY LEVELLING KITS YOU WILL Require to install a funky monkey bars® frame on your slope. This will vary according to your frame selection. Installation instructions are provided in a separate document.


SELECT FRAME & ORIENTATION


Select your frame type from the next 3 pages. The chosen frame will generally have either 6,8,9,10 or 12 main legs (if not the same process applies). Use or draw up a leg location plan as shown (dimensions in mm-not to scale).





SELECT FRAME & ORIENTATION - CONTINUED


1


















SELECT FRAME & ORIENTATION - CONTINUED


1
















2 STAKE OUT LEG PLAN - (GORILLA FRAME SHOWN)




- Find the highest point where the highest leg will be located. ('A' for this example)
- 2. Measure and stake out the selected leg frame diagram from pages 1-3 in the chosen location for the frame.
- 3. Ensure that there is the minimum clear safe fall-zone away from the legs (generally 2m.)
- 4. Check the diagonals A-H and E-D are the same distance- this will confirm the frame is square.



Based on the Gorilla (8 legs from page 1).

 $_{\Re}$ 2.0 Metres clear fall zone from each leg



4 RECORD HEIGHT TABLE

- Record the measurement of fall from the highest leg (A) to all legs and record measurements in Table 'A'.
 Refer to Table B, calculate the quantity of leg bases and levellers you will require for each leg.
 Total up the quantities of bases and levellers you require.

- 4. Order the required combinations of either 'Funky Levelling Kit' and/or 'Extra Levellers x4' to suit your needs.

TABLE A : RECORD YO	JUR MEASUREMENTS
---------------------	------------------

FUNKY MONKEY BAR FRAME.					
LEG REFERENCE.	MEASUREMENT OF FALL FROM 'A'	NUMBER OF LEVELLERS	NUMBER OF BASE PLATES		
А	0mm	0 (refer to table B)	1 (refer to table B)		
A - B					
A - C					
A - D					
A - E					
A - F					
A - G					
A - H					
A - I					
A - J					
A - K					
A - L					

NUMBER OF LEVELLERS NUMBER OF BAS

se Plates

TOTAL.		
FUNKY LEVE	LLING KIT - 4 Base	e Plates + 4 Levellers (per kit)

EXTRA LEVELLERS - 4 Levellers (per kit)

TABLE B : NUMBER OF LEVELLERS REQUIRED FOR HEIGHT VARIATIONS

HEIGHT DIFFERENCE	NO. OF EXTENSIONS	NO. OF BASE PLATES	Notes
0 - 55mm	0	1	
*56mm - 104mm	1	1	* You may need to dig down a small amount refer to step 5.
105mm - 195mm	1	1	
*196mm - 224mm	2	1	* You may need to dig down a small amount refer to step 5.
225mm - 335mm	2	1	
336mm - 475mm	3	1	
476mm - 610mm	4	1	


MEASUREMENTS (CONTINUED)

5 DIG DOWN

There will be slopes where the base plate and the levellers will be too high for certain vertical legs of your frame.

In these instances you will be required to "dig down" a small amount on some vertical legs to recess your base plate as in figure 1.

NOTE: This will generally only occur if you have a measurement between 56mm -104mm or 196mm - 224mm.





ABN 72164496520

 \bigcirc

1300 912 198

info@funkymonkeybars.com

www.**funkymonkeybars**.com

9 Cutting Way, **Yangebup** WA 6164





All Funky Monkey Bars® designs are registered and protected under IP Australian certification.