

BRUSHED AXIAL FANS

VA22-BP11/C-50A

Diagrama de desempenho




Gráfico de desempenho


Pressão estática	Pressão estática	Fluxo de ar	Draw atual	Fluxo de ar	Pressão estática
Pa	mm H ₂ O	m ³ /h	A	CFM	in H ₂ O
0	0	510	2,3	301	0
25,0	2,5	480	2,3	283	0,1
50,0	5,0	450	2,3	266	0,2
75,0	7,5	420	2,4	248	0,3
100,0	10,0	380	2,4	224	0,4
125,0	12,5	340	2,4	201	0,5

This is a not-controlled copy electronically created from the web site www.spalautomotive.com. The information contained herein is subject to change without notice. This catalogue/web site does not imply that any such parts are available for supply. The publisher and any party associated with the production of this catalogue/web site do not accept any responsibility or liability whatsoever (to the extent permitted by law) for any inaccuracy, error, misinformation or misleading statements, whether negligently caused or otherwise, contained in this publication. This publication is protected by copyright and may not be reproduced or copied (using any method of reproduction or copying), sold, transmitted, circulated or otherwise forwarded to third parties, in whole or part, without prior written consent of the author.

Pressão estática	Pressão estática	Fluxo de ar	Draw atual	Fluxo de ar	Pressão estática
150,0	15,0	290	2,4	171	0,6
175,0	17,5	240	2,4	142	0,7
200,0	20,0	200	2,5	118	0,8
250,0	25,0	0	2,6	0	1,0

This is a not-controlled copy electronically created from the web site www.spalautomotive.com. The information contained herein is subject to change without notice. This catalogue/web site does not imply that any such parts are available for supply. The publisher and any party associated with the production of this catalogue/web site do not accept any responsibility or liability whatsoever (to the extent permitted by law) for any inaccuracy, error, misinformation or misleading statements, whether negligently caused or otherwise, contained in this publication. This publication is protected by copyright and may not be reproduced or copied (using any method of reproduction or copying), sold, transmitted, circulated or otherwise forwarded to third parties, in whole or part, without prior written consent of the author.

- N°8 FORI Ø3
INTERASSE Ø188.4
- N°8 HOLES Ø3
INTERAXLE Ø188.4



This is a not-controlled copy electronically created from the web site www.spalautomotive.com. The information contained herein is subject to change without notice. This catalogue/web site does not imply that any such parts are available for supply. The publisher and any party associated with the production of this catalogue/web site do not accept any responsibility or liability whatsoever (to the extent permitted by law) for any inaccuracy, error, misinformation or misleading statements, whether negligently caused or otherwise, contained in this publication. This publication is protected by copyright and may not be reproduced or copied (using any method of reproduction or copying), sold, transmitted, circulated or otherwise forwarded to third parties, in whole or part, without prior written consent of the author.