

SECTION1. Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product code : LA VIE EN ROUGE

UFI: FSF0-00YJ-T00W-FAAA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Essence for the fragrance of the environment.

Sectors of use:

Private households (= general public = consumers)[SU21]

Uses advised against

Do not use for purposes other than those listed

1.3. Details of the supplier of the safety data sheet

Cavoretto Snc di Cavoretto Lorenzo & C.

Via S. Giovanni Bosco 22

10073 Ciriè (TO)

tel. +39.(0).11.920.31.72 (from 08:30 to 12:30 and from 15:30 to 19:30 from Monday to Friday)

mail@cavoretto.net - www.cavoretto.net

Competent person responsible for SDS: mail@cavoretto.net

1.4. Emergency telephone number

Cavoretto Snc di Cavoretto Lorenzo & C.

tel. +39.(0).11.920.31.72 (from 08:30 to 12:30 and from 15:30 to 19:30 from Monday to Friday)

SECTION2. Hazards identification**2.1. Classification of the substance or mixture**

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:

GHS07, GHS09

Hazard Class and Category Code(s):

Skin Sens. 1B, Eye Irrit. 2, Aquatic Chronic 2

Hazard statement Code(s):

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

The product, if brought into contact with skin can cause skin sensitization.

The product is dangerous to the environment as it is toxic to aquatic life with long lasting effects

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):
GHS07, GHS09 - Warning



Hazard statement Code(s):
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H411 - Toxic to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):
not applicable

Precautionary statements:

General

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

Prevention

P273 - Avoid release to the environment.

Response

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

Disposal

P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

Contains:

Linalyl acetate, Linalool, Acetyl cedrene

UFI: FSF0-00YJ-T00W-FAAA

2.3. Other hazards

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

No information on other hazards

SECTION 3. Composition/information on ingredients

3.1 Substances

Irrilevant

3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Note C - Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.

Substance	% (w/w)	Classification	ID
3-Methoxy-Methyl-1-Butanol	>= 57,50 < 62,30%	Eye Irrit. 2, H319 ATE oral = 4.300,0 mg/kg	INDEX ND CAS 56539-66-3 CE 260-252-4 REACH 01-2119976333-33-XXXX
Patchouli oil	>= 6,59 < 7,39%	Asp. Tox. 1, H304; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral > 5.000,0 mg/kg	INDEX ND CAS ND CE 939-227-3 REACH 01-2119967775-18-XXXX
4-hydroxy-3-methoxybenzaldehyde	>= 4,59 < 5,39%	Eye Irrit. 2, H319 ATE oral = 3.978,0 mg/kg	INDEX ND CAS 121-33-5 CE 204-465-2 REACH 01-2119516040-60-XXXX
Linalyl acetate	>= 2,59 < 3,39%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319 ATE oral = 13.934,0 mg/kg ATE dermal > 5.000,0 mg/kg	INDEX ND CAS 115-95-7 CE 204-116-4 REACH 01-2119454789-19-XXXX
Ethyl vanillin	>= 2,09 < 2,89%	Eye Irrit. 2, H319	INDEX ND CAS 121-32-4 CE 204-464-7 REACH 01-2119958961-24-XXXX
Linalool	>= 1,96 < 2,76%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319 ATE oral = 2.790,0 mg/kg ATE dermal = 5.160,0 mg/kg	INDEX ND CAS 78-70-6 CE 201-134-4 REACH 01-2119474016-42-XXXX
d-limonene Note: C	>= 1,55 < 2,35%	Flam. Liq. 3, H226; Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 ATE oral = 4.400,0 mg/kg ATE dermal > 5.000,0 mg/kg ATE inhal = 5.600,0mg/l/4 h	INDEX 601-029-00-7 CAS 5989-27-5 CE 227-813-5 REACH 01-2119529223-47-XXXX
Methyl antranilate	>= 1,55 < 2,35%	Eye Irrit. 2, H319 ATE oral > 2.000,0 mg/kg ATE dermal > 5.000,0 mg/kg	INDEX ND CAS 134-20-3 CE 205-132-4 REACH 01-2120478941-44-XXXX
Acetyl cedrene	>= 1,55 < 2,35%	Skin Sens. 1B, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	INDEX ND CAS 32388-55-9 CE 251-020-3 REACH 01-2119969651-28-XXXX
Reaction product of 2-methyl buthyl silicate and pentyl silicate	>= 0,85 < 1,00%	Acute Tox. 4, H302; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	INDEX ND CAS ND CE 911-280-7 REACH 01-2119969444-27-XXXX
Citronellol	>= 0,44 < 0,72%	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Irrit. 2, H319 ATE oral = 3.450,0 mg/kg ATE dermal = 2.650,0 mg/kg	INDEX ND CAS 106-22-9 CE 203-375-0 REACH 01-2119453995-23-XXXX
Nopyl acetate	>= 0,35 < 0,63%	Skin Sens. 1, H317; Eye Irrit. 2, H319; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 1.960,0 mg/kg ATE dermal > 2.000,0 mg/kg	INDEX ND CAS 128-51-8 CE 204-891-9 REACH 01-2119982322-38-XXXX
2,6-di-tert-butyl-p-cresol	>= 0,34 < 0,62%	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	INDEX - CAS 128-37-0 CE 204-881-4 REACH 01-2119565113-46-XXXX
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexa methylindeno[5,6-c]pyran	>= 0,10 < 0,39%	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral > 4.640,0 mg/kg ATE dermal > 6.500,0 mg/kg	INDEX 603-212-00-7 CAS 1222-05-5 CE 214-946-9 REACH 01-2119488227-29-XXXX
Pin-2(3)-ene	>= 0,10 < 0,39%	Flam. Liq. 3, H226; Acute Tox. 4, H302; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic	INDEX ND CAS 80-56-8

Substance	% (w/w)	Classification	ID
		Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 1 ATE oral = 2.100,0 mg/kg ATE dermal = 5.005,0 mg/kg	CE 201-291-9 REACH 01-2119519223-49-XXXX
Ethyl 2,3-epoxy-3-phenylbutyrate	>= 0,10 < 0,39%	Skin Sens. 1B, H317; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1 ATE oral = 5.470,0 mg/kg ATE dermal > 2.000,0 mg/kg	INDEX ND CAS 77-83-8 CE 201-061-8 REACH 01-2119967770-28-XXXX
Essential oil of Canarium commune	>= 0,10 < 0,39%	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 2, H411 Acute toxicity M-factor = 1 Chronic toxicity M-factor = 1	INDEX ND CAS 97675-63-3 CE 945-898-3 REACH 01-2120735788-38-XXXX
1h-3a,7-Methanoazulene, Octahydro-3,8,8-Trimethyl-6-Methylene-, [3r-(3.alpha.,3a.beta.,7.beta.,8a.alpha.)]-	< 0,10%	Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 10 Chronic toxicity M-factor = 10	INDEX ND CAS 546-28-1 CE 208-898-8 REACH ND
Alpha Cedrene	< 0,10%	Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute toxicity M-factor = 10 Chronic toxicity M-factor = 10	INDEX ND CAS 469-61-4 CE 207-418-4 REACH ND

SECTION 4. First aid measures

4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area. If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Take contaminated clothing immediately off.

Wash immediately with plenty of running water and possibly with soap, the areas of the body that have, or are only suspected to have, come in contact with the product.

In case of contact with skin, wash immediately with water.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Ingestion:

Rinse mouth with water of the subject. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If medical advice is needed, have product container or label at hand.

SECTION 5. Firefighting measures

5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO₂, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Wear gloves and protective clothing

6.1.2 For emergency responders:

Wear gloves and protective clothing

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.

Discharge the remains in compliance with the regulations

6.3. Methods and material for containment and cleaning up

6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

6.3.2 For cleaning up:

After wiping up, wash the area and materials involved

6.3.3 Other information:

None in particular.

6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid contact and inhalation of vapors

At work do not eat or drink.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

See also paragraph 8 below.

7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool place, away from sources of heat and direct exposure of sunlight.

7.3. Specific end use(s)

Private households (= general public = consumers):

Handle in a well ventilated area.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Related to contained substances:

d-limonene:

MAK: 20 110 mg/m ppm skin sensitization (Sh); Peak limitation category: II (2); Risk group for pregnancy: C; (DFG 2005).

2,6-di-tert-butyl-p-cresol:

TLV-TWA=2mg/mL (ACGIH), A4, URT irr

Pin-2(3)-ene:

TLV-TWA=111mg/m³, 20ppm (sen, A4)

- Substance: Linalyl acetate

DNEL

Systemic effects Long term Workers inhalation = 2,75 (mg/m³)

Systemic effects Long term Workers dermal = 2,5 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 0,68 (mg/m³)

Systemic effects Long term Consumers dermal = 1,25 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 0,2 (mg/kg bw/day)

PNEC

Sweet water = 0,011 (mg/l)

sediment Sweet water = 0,609 (mg/kg/sediment)

Sea water = 0,001 (mg/l)

sediment Sea water = 0,061 (mg/kg/sediment)

intermittent emissions = 0,11 (mg/l)

STP = 1 (mg/l)

ground = 0,0115 (mg/kg ground)

- Substance: Linalool

DNEL

Systemic effects Long term Workers inhalation = 3,5 (mg/m³)
Systemic effects Long term Workers dermal = 24,58 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 4,33 (mg/m³)
Systemic effects Long term Consumers dermal = 1,25 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 2,49 (mg/kg bw/day)

PNEC

Sweet water = 0,2 (mg/l)
sediment Sweet water = 2,22 (mg/kg/sediment)
Sea water = 0,02 (mg/l)
sediment Sea water = 0,22 (mg/kg/sediment)
intermittent emissions = 2 (mg/l)
STP = 10 (mg/l)
ground = 0,327 (mg/kg ground)

- Substance: Citronellol

DNEL

Systemic effects Long term Workers inhalation = 161,6 (mg/m³)
Systemic effects Long term Workers dermal = 327,4 (mg/kg bw/day)
Systemic effects Long term Consumers inhalation = 47,8 (mg/m³)
Systemic effects Long term Consumers dermal = 196,4 (mg/kg bw/day)
Systemic effects Long term Consumers oral = 13,8 (mg/kg bw/day)

PNEC

Sweet water = 0,000002 (mg/l)
sediment Sweet water = 0,0256 (mg/kg/sediment)
Sea water = 0,000002 (mg/l)
sediment Sea water = 0,00256 (mg/kg/sediment)
STP = 580 (mg/l)
ground = 0,00321 (mg/kg ground)

8.2. Exposure controls

Appropriate engineering controls:

Private households (= general public = consumers):

Observe usual safety precautions in the handling of chemicals.

Individual protection measures:

a) Eye / face protection
Not needed for normal use.

b) Skin protection

i) Hand protection
Not needed for normal use.

ii) Other
Wear normal work clothing.

c) Respiratory protection
Not needed for normal use.

d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

SECTION9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Physical state	Liquid	
Colour	Colorless	
Odour	Characteristic	
Odour threshold	Undefined	
Melting point/freezing point	Undefined	
Boiling point or initial boiling point and boiling range	Undefined	
Flammability	Undefined	
Lower and upper explosion limit	Undefined	
Flash point	>60°C	
Auto-ignition temperature	Undefined	
Decomposition temperature	Undefined	
pH	Undefined	
Kinematic viscosity	<= 20,5 mm ² /sec (40°C)	
Solubility	Fat soluble (ethanol, oils and fats)	
Water solubility	Undefined	
Partition coefficient n-octanol/water (log value)	Undefined	
Vapour pressure	Undefined	
Density and/or relative density	Undefined	
Relative vapour density	Undefined	
Particle characteristics	Irrelevant	

9.2. Other information

9.2.1 Information with regard to physical hazard classes

Irrilevant

9.2.2 Other safety characteristics

Irrilevant

SECTION10. Stability and reactivity

10.1. Reactivity

No reactivity hazards

10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

There are no hazardous reactions

10.4. Conditions to avoid

Nothing to report

10.5. Incompatible materials

Nothing to report.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11. Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

ATE(mix) oral = 50.505,1 mg/kg

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

(a) acute toxicity: based on available data, the classification criteria are not met.

(b) skin corrosion/irritation: 3-Methoxy-Methyl-1-Butanol: Irritating

d-limonene: Irritating

(c) serious eye damage/irritation: If brought into contact with eyes, the product, causes significant irritations which may last for more than 24 hours.

3-Methoxy-Methyl-1-Butanol: Irritating

d-limonene: Mildly irritating

(d) respiratory or skin sensitisation: The product, if brought into contact with skin can cause skin sensitization.

(e) germ cell mutagenicity: based on available data, the classification criteria are not met.

(f) carcinogenicity: based on available data, the classification criteria are not met.

(g) reproductive toxicity: based on available data, the classification criteria are not met.

(h) specific target organ toxicity (STOT) single exposure: based on available data, the classification criteria are not met.

(i) specific target organ toxicity (STOT) repeated exposure: d-limonene: Repeated or prolonged contact may cause skin sensitisation

(j) aspiration hazard: based on available data, the classification criteria are not met.

Related to contained substances:

3-Methoxy-Methyl-1-Butanol:

LD50 (rat) Oral (mg/kg body weight) = 4300

Patchouli oil:

LD50 (rat) Oral (mg/kg body weight) > 5000

4-hydroxy-3-methoxybenzaldehyde:

LD50 (rat) Oral (mg/kg body weight) = 3978

Linalyl acetate:

LD50 (rat) Oral (mg/kg body weight) = 13934

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 5000

Linalool:

LD50 (rat) Oral (mg/kg body weight) = 2790

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5160

d-limonene:

LD50 (rat) Oral (mg/kg body weight) = 4400

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 5000

CL50 Inhalation (rat) vapour/dust/mist/fume (mg/l/4h) or gas (ppmV/4h) = 5600

Methyl antranilate:

LD50 (rat) Oral (mg/kg body weight) > 2000

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 5000

Citronellol:

LD50 (rat) Oral (mg/kg body weight) = 3450

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 2650

Nopyl acetate:

LD50 (rat) Oral (mg/kg body weight) = 1960

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 2000

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

LD50 (rat) Oral (mg/kg body weight) > 4640

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 6500

Pin-2(3)-ene:

LD50 (rat) Oral (mg/kg body weight) = 2100

LD50 Dermal (rat or rabbit) (mg/kg body weight) = 5005

Ethyl 2,3-epoxy-3-phenylbutyrate:

LD50 (rat) Oral (mg/kg body weight) = 5470

LD50 Dermal (rat or rabbit) (mg/kg body weight) > 2000

11.2. Information on other hazards

No data available.

SECTION 12. Ecological information**12.1. Toxicity**

1h-3a,7-Methanoazulene, Octahydro-3,8,8-Trimethyl-6-Methylene-, [3r-(3.alpha.,3a.beta.,7.beta.,8a.alpha.)]-:

Related to contained substances:

3-Methoxy-Methyl-1-Butanol:

LC50 > 1000 mg/L (fish, *Oryzias latipes*, 96h)EC50 > 1000 mg/L (*daphnia*, 48h)

LC50>1000mg/L (aquatic plants, 72h)

Linalyl acetate:

LC50 = 11 mg / L (pesvi, Cyprinus carpio, 96h)

EC50 = 15 mg / L (invertebrates, Daphnia magna, 48h)

EC50 = 62 mg / L (algae, Desmodesmus subspicatus, 72h)

Linalool:

LC50 - Species: Fish = 27.8 mg / l - Duration h: 96 - Notes: OECD 203

EC50 - Species: Daphnia = 59 mg / l - Duration h: 48 - Notes: OECD TG 202

EC50 - Species: Algae = 156.7 mg / l - Duration h: 96

d-limonene:

LC50 - Species: Fish = 0.72 mg / l - Duration h: 96

EC50 - Species: Fish = 0.688 mg / l - Duration h: 96

C(E)L50 (mg/l) = 0,688

Acetyl cedrene:

C(E)L50 (mg/l) = 2,3

Citronellol:

LC50 - Species: Fish = 14.66 mg / l - Duration h: 96 - Notes: Leuciscus idus

EC50 - Species: Daphnia = 17.48 mg / l - Duration h: 48 - Notes: Daphnia magna

2,6-di-tert-butyl-p-cresol:

The substance is harmful to aquatic organisms.

EC50 = 0,758mg/L (algae, 96h)

EC50 = 0,48mg/L (invertebrates, daphnia magna, 48 h)

LC50 = 0,199mg/L (fish, 83d)

EC50 = 1,7 mg/L (microorganisms, psaudomonas putida, 24h)

C(E)L50 (mg/l) = 0,199

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

LC50 - Species: Fish = 0.452 mg / l - Notes: Lepomis macrochirus

EC50 - Species: Daphnia = 0.9 mg / l - Duration h: 48 - Notes: Daphnia magna

C(E)L50 (mg/l) = 0,47

Pin-2(3)-ene:

LC50 = 0,28mg/L (fish, pimephales promelas, 96h)

Ethyl 2,3-epoxy-3-phenylbutyrate:

LC50 - Species: Oncorhynchus mykiss = 4.2 mg / l - Duration h: 96 OECD 203

EC50 - Species: Daphnia magna = 52 mg / l - Duration h: 48 OECD 202

EC50 - Species: Algae = 36 mg / l - Duration h: 72 OECD 201

1h-3a,7-Methanoazulene, Octahydro-3,8,8-Trimethyl-6-Methylene-, [3r-(3.alpha.,3a.beta.,7.beta.,8a.alpha.)]-:

Acute toxicity M-factor = 10

Chronic toxicity M-factor = 10

Alpha Cedrene:

EC50 = 0,05 mg/kg (invertebrates, daphnia magna)

Acute toxicity M-factor = 10

Chronic toxicity M-factor = 10

The product is dangerous for the environment as it is toxic to aquatic organisms following acute exposure.

Use according to good working practices to avoid pollution into the environment.

12.2. Persistence and degradability

Related to contained substances:

Linalyl acetate:

Degradability = 80% (28 days)

Concentration = 81 mg / L

Linalool:

OECD 301 D: 64.2%

Citronellol:

OECD TG 301 F - 80% 32d

2,6-di-tert-butyl-p-cresol:

Not rapidly biodegradable

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran:

Biodegradability: Not readily biodegradable - Test: Modified Sturm's assay - 2%

Ethyl 2,3-epoxy-3-phenylbutyrate:

Not rapidly biodegradable

12.3. Bioaccumulative potential

Related to contained substances:

Linalyl acetate:

BCF = 174

Log Pow = 3.9

Linalool:

Log Pow = 2.97

d-limonene:

Can be no bioaccumulation of this chemical in fish.

12.4. Mobility in soil

Related to contained substances:

Linalyl acetate:

Koc = 518

12.5. Results of PBT and vPvB assessment

Based on the available data, no PBT or vPvB substances are present in accordance with Regulation (EC) 1907/2006, annex XIII

12.6. Endocrine disrupting properties

Based on available data, there are no substances that interfere with the Endocrine System in accordance with Regulation (EU) 2017/2100

12.7. Other adverse effects

No adverse effects

SECTION 13. Disposal considerations


13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies. Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

SECTION 14. Transport information

14.1. UN number or ID number

ADR/RID/IMDG/ICAO-IATA: 3082



If subject to the following characteristics is ADR exempt:

Combination packagings: per inner packaging 5 L per package 30 Kg

Inner packagings placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg

14.2. UN proper shipping name

ADR/RID/IMDG: MATERIA PERICOLOSA PER L'AMBIENTE, LIQUIDA, N.A.S. (Limonene, Citronellolo, 2,6-di-ter-butyl-p-cresolo, 1,3,4,6,7,8-esaidro-4,6,6,7,8,8-esametillinden[5,6-c]pirano, Pin-2(3)-ene)

ADR/RID/IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-limonene, Citronellol, 2,6-di-tert-butyl-p-cresol, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, Pin-2(3)-ene)

ICAO-IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-limonene, Citronellol, 2,6-di-tert-butyl-p-cresol, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran, Pin-2(3)-ene)

14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 9

ADR/RID/IMDG/ICAO-IATA: Label : 9 + Ambiente

ADR: Tunnel restriction code : --

ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L

IMDG - EmS : F-A, S-F

14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: III

14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is environmentally hazardous

IMDG: Marine polluting agent : Yes

14.6. Special precautions for user

The goods must be transported by vehicles authorized to transport of dangerous goods according to the current edition of ADR requirements and applicable national regulations.

The goods must be in original packing, however, in packaging made of materials resistant to their content and not likely to generate with this dangerous reactions. People loading and unloading dangerous goods must be trained on the risks from these substances and that must be taken in case of emergency situations.

14.7. Maritime transport in bulk according to IMO instruments

It is not intended to carry bulk

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) 1907/2006 (REACH) - Annex XIV, Annex XVII as amended.

REGULATION (EC) 1272/2008 (CLP) as amended.

COMMISSION DELEGATED REGULATION (EU) 2020/1182

COMMISSION DELEGATED REGULATION (EU) 2021/643

COMMISSION DELEGATED REGULATION (EU) 2021/849

REGULATION (EU) 878/2020 (Requirements for the compilation of safety data sheets)

REGULATION (EC) 790/2009, Dir 96/82/EC as amended.

Seveso category:

E2 - ENVIRONMENTAL HAZARDS

REGULATION (EU) No 1357/2014 - waste:

HP4 - Irritant — skin irritation and eye damage

HP14 - Ecotoxic

Substances in the Candidate List (REACH Article 59)

Based on available data, no SVHC substances are present

15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

SECTION 16. Other information

16.1. Other information

Description of the hazard statements exposed to point 3

H319 = Causes serious eye irritation.

H304 = May be fatal if swallowed and enters airways.

H411 = Toxic to aquatic life with long lasting effects.

H315 = Causes skin irritation.

H317 = May cause an allergic skin reaction.

H226 = Flammable liquid and vapour.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

H302 = Harmful if swallowed.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

H317-May cause an allergic skin reaction.Classification procedure:Calculation method
H319-Causes serious eye irritation.Classification procedure:Calculation method
H411-Toxic to aquatic life with long lasting effects.Classification procedure:Calculation method

Bibliographic data :

SAX 12 Ed Van Nostrand Reinhold

MERCK INDEX 15 Ed

ECHA: European Chemicals Agency (<https://echa.europa.eu/it/information-on-chemicals>)

OSHA: European Agency for Safety and Health at Work

IARC: International Agency for Research on Cancer

IPCS: International Programme on Chemical Safety (Cards)

NIOSH: Registry of toxic effects of chemical substances (1983)

ACGIH: American Conference of Governmental Industrial Hygienists

TOXNET: Toxicology Data Network

WHO: World Health Organization

CheLIST: Chemical Lists Information System

GESTIS: International Limit Value (<https://limitvalue.ifa.dguv.de/>)

Acronyms:

- ACGIH American Conference of Governmental Industrial Hygienists
- ADR Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route (European accord regarding international transport of dangerous goods by land)
- bw body weight
- CLP Classification, Labelling and Packaging
- CSR Chemical Safety Report
- DMEL Derived Minimal Effect Level
- DNEL Derived No Effect Level
- dw dry weight
- EC Effective Concentration
- IATA International Air Transport Association
- IMDG International Maritime Dangerous Goods
- LC Lethal Concentration
- LD Lethal Dose
- m.w. molecular weight
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- OECD Organisation / Office for Economic Co-operation and Development
- STEL Short Term Exposure Limit
- SVHC Substance of Very High Concern
- TLV Threshold Limit Value
- TWA Time Weighted Average
- vPvB very Persistent, very Bioaccumulative and toxic
- WGK Wassergefährdungsklasse (Water hazard class)

NOTICE TO USERS

The information contained in this sheet are based on the knowledge available at the date of the preparation of this sheet.

The user must be aware of the possible risks associated with the use of the product, other than that for which the product is supplied. The sheet does not exonerate the user from knowing and applying all the regulations governing its activities. The set of regulations mentioned is simply to help the user to fulfill its obligations regarding the use of hazardous products.

This sheet does not exonerate the user from other legal obligations than those mentioned and from rules regulating possession and use of the product, since the user is the only responsible.

*** This sheet supersedes all previous editions.