

DYMO®

Rhino™ Industrial Labeling Full-Line Catalog



















RHINO™ 6000+

Leave any job looking better than you found it














Label Icon Index

Icons below are shown in catalog and highlight each labels best known for uses.

- | | | | |
|--|--|--|---|
|  <p>Files and Binders
DYMO® labels help organize files and binders.</p> |  <p>Asset Tracking
Barcode labels help track inventory and assets.</p> |  <p>Facilities and MRO
Durable labels provide solutions throughout facilities.</p> |  <p>Supplies Storage
Keep track of storage and supplies with labeled boxes.</p> |
|  <p>Wires and Cables
Wire and cable wraps identify components quickly, saving time and money.</p> |  <p>Cable Flag
Cable flags help quickly identify cables for repair or troubleshooting.</p> |  <p>Panel Block
Panel block labels minimize downtime.</p> |  <p>Flat Surface
Labels adhere to flat surfaces without fading or peeling.</p> |
|  <p>Curved Surface
Easy-to-peel split back design makes applying to curved surfaces quick and easy.</p> |  <p>Textured Surface
DYMO® industrial labels adhere to textured surfaces.</p> |  <p>Color Coding
Industrial vinyl tapes come in a variety of colors for easy identification.</p> |  <p>Heat and Cold Resistant
DYMO® labels are resistant to near extreme cold and heat.</p> |
|  <p>UV Resistant
DYMO® labels are UV ray resistant.</p> |  <p>Chemical Resistant
DYMO® labels are chemical resistant.</p> |  <p>Water Resistant
DYMO® labels are water resistant to prevent peeling.</p> |  <p>Oil Resistant
DYMO® labels are oil resistant.</p> |

Tape Color Index

Icons below are shown in tapes product offering within the catalog. Below notes text color on label color.

- | | | | | | |
|---|---|---|---|--|---|
|  Black on White |  Black on Yellow |  Black on Orange |  White on Red |  White on Green |  White on Blue |
|  White on Black |  Black on Clear |  Black on Metallic |  Embossed on Stainless Steel |  Embossed on Aluminum | |

Explore the Rhino™ range

DYMO® industrial labelers and authentic labels are tough, affordable and long-lasting. They're loaded with convenient features that speed up your productivity—and help you save time and money.

The Rhino™ product line-up:



Rhino™ 6000+



Rhino™ 5200



Rhino™ 4200



Rhino™ M1011 Embosser

Rhino™ Industrial Labels are reliable, tough and jobsite-tested labels for industrial applications.


Thermal transfer printing means labels won't smudge, smear or fade. Choose up to a 1" (24mm) label width in a broad assortment of materials and colors that meet OSHA, ANSI, ISO standards, Reach and RoHS standards.

All DYMO® Rhino™ Industrial Labels are packaged in easy-to-load cassettes made from 100% recycled materials. Labels have a split-back design making peeling and applying quick and easy.

DYMO® Rhino™ Industrial Labels are available in:



Indoor/Outdoor Vinyl



Permanent Polyester



Flexible Nylon



Heat-Shrink Tube



Self-Laminating

Complete your work with pride and professionalism

No matter what industry you work in, DYMO® industrial products give your installation work a clean, professional look that enhances your reputation. Our label printers and labels make it easier than ever to get results that meet industry standards—as well as yours. All our products stand up to the toughest conditions your industry can dish out.

One-touch “Hot Keys” – a DYMO® exclusive – save you time.

Shortcut keys for creating and formatting wire and cable wraps, flags and barcodes, patch panel, electrical panel, terminal and 110 block, vertical and fixed-length labels.



RHINO™ LABELING APPLICATIONS



Wire and Cable Wraps

Advanced wrap function automatically selects the right label and text size based on the wire gauge, cable diameter or cable type.



Panels and Blocks

Instantly format and serialize labels for patch panels, terminal blocks and modular components.



Flags

Create perfectly spaced flag labels allowing visibility from any angle.



Fixed-Length and Vertical

Fixed-length key automatically centers and prints fixed-length labels to your requirements. With the press of a button, align text vertically for easy-to-read labels.



Electrical Features

Pre-formatted for creating electrical panel, breaker and module labels.



Symbols and Terms Library

Provides fast access to common datacom, electrical, pro AV, security and safety symbols, including ohms, earth, phone, data and fax. Select and print 150+ industry terms from a built-in library.

Rhino™ Printer Selection Guide



Rhino™ Industrial Labels Overview	Rhino™ 6000+ Item Number: 2122499 (Hard Case Kit)	Rhino™ 5200 Item Number: 1755749 (Single Unit) Item Number: 1756589 (Hard Case Kit)	Rhino™ 4200 Item Number: 1801611 (Single Unit) Item Number: 1835374 (Soft Case Kit)
Barcodes	6	Code 39 + Code 128	Code 39 + Code 128
Patch Panels	Yes	Yes	–
110 Blocks	Yes	Yes	–
Terminal Blocks	Yes	Yes	–
Flags and Cable Wraps	Yes	Yes	Yes
Fixed and General	Yes	Yes	Yes
Breakers and Modules	Yes	Yes	Yes
Self Laminating	Yes	–	–
Serialization	Advanced	Advanced	Simple
Pre-Programmed Symbol Library	Yes	Yes	Yes
Pre-Programmed Term Library	Yes	–	Yes
Customizable Library	Yes	Yes	Yes
Memory	1000 Labels	100 Labels	25 Labels
PC Connectivity (USB)	Yes	–	–
DYMO® ID Software Compatible	Yes	–	–
Import Graphics	Yes	–	–
Import Data from Excel	Yes	–	–
Import DataCom Templates	Yes	–	–
Li-ion Rechargeable Battery	Included	Capable	Capable
Cutter Type	Electronic	Manual	Manual
Keyboard Type	ABC	ABC	QWERTY
Backlit Display	Yes	Yes	Yes
Integrated Rubber Bumper	Yes	Yes	Partial
Multi-Label View	Yes	Yes	Yes
Lanyard Loop	Yes	Yes	–
Number of Text Styles – <i>Regular, Narrow, Italic, Underline and Bold</i>	5*	5*	5
Maximum Lines of Print	5	5	5
Number of Character Sizes	7	7	7
Printing Process	Thermal Transfer	Thermal Transfer	Thermal Transfer
Print Resolution	180 dpi	180 dpi	180 dpi
Languages	11	17	20
Dimensions (W x H x D)	5.4" x 9.7" x 2.5" (137mm x 246mm x 64mm)	4.9" x 9.2" x 2.5" (124mm x 234mm x 64mm)	4.6" x 7" x 2.25" (117mm x 178mm x 57mm)
Weight	4 lbs (2 kg)	2 lbs (1 kg)	2 lbs (1 kg)
Tape System	Rhino™ Industrial Labels	Rhino™ Industrial Labels	Rhino™ Industrial Labels
Tape Width	1/4", 3/8", 1/2", 3/4", 1" (6mm, 9mm, 12mm, 19mm, 24mm)	1/4", 3/8", 1/2", 3/4" (6mm, 9mm, 12mm, 19mm)	1/4", 3/8", 1/2", 3/4" (6mm, 9mm, 12mm, 19mm)

*Supports any combination of the 5 styles, e.g. narrow + italic + underline.

Introducing the Rhino™ 6000+

The latest in the range of top-quality labeling tools from Rhino™. Create labels using DYMO® ID software on a PC and print on the Rhino™ 6000+ for easy editing.

Built to remain your labeling tool of choice for a long time.

The Rhino™ 6000+ has been designed to be “easy to use”, with special features to make it just that. Label cassettes can be loaded and unloaded with no hesitation; the generously sized LCD allows you to edit and preview multiple labels and the Rhino™ “hot-key” technology provides shortcuts to your most common applications. The Rhino™ 6000+ also prints on the Rhino™ range of industrial-strength labels, which are built to withstand solvents, high moisture and extreme temperatures as well as being almost totally smudge-proof.



Unit Specs			
Unit Dimensions (L x W x H)	10" x 5" x 3" 246.38mm x 137.16mm x 75mm	Print Speed	0.4"/sec 10mm/sec
Weight (excluding battery)	4 lbs (1.81 kg)	Barcodes	Yes
Mac®/PC Compatible	PC only	Cutter Type	Electronic
Accepts Label Sizes	1/4", 3/8", 1/2", 3/4", 1" (6mm, 9mm, 12mm, 19mm, 24mm)	Batteries	Rechargeable (included)
Tape Platform	Rhino™ Industrial Labels	AC Adapter	Yes (included)
Resolution	180 dpi	Networking	No
Printing System	Thermal Transfer	Country of Origin	China

Rhino™ 6000+ Hard Case Kit

Kit Specs	
Item Number	2122499
Description	Rhino 6000+ HCK NA/LATAM
Kit Dimensions (L x W x H)	18" x 4" x 14" 45.0cm x 10.2cm x 34.9cm
Weight	15 lbs (6.9 kg)
EAN	00071701062604
Quantity	1



Kit includes:

- Rhino™ 6000+ printer
- Industrial Rhino™ white vinyl 3/8" (9mm) and flexible nylon 1" (24mm) tapes
- Rechargeable battery pack
- AC adapter
- USB cable
- Carry case
- Quick start guide

PC-connected or portable labeling tool

Print up to 1" (24mm) Labels

Different colors, materials and sizes are available.

Intuitive Graphical Interface

Create, edit and preview multiple labels on our largest backlit LCD.

One-Touch, Power-Assisted Cutter

Eliminate the fatigue of manual cutting and increase efficiency.

Hot Keys

Eliminate guesswork and complicated menus; enjoy fast and easy formatting of commonly used label types.

Label Memory

Create and customize over 1000 labels with logos and symbols; and save them for instant recall.



Auto-Cutter

Convenient and simple.

Quick-Charge Li-Ion Rechargeable Battery

With on-screen battery life indicator.

Symbols

160 pre-programmed industry symbols.

Integrated Impact Bumper

Protects your tool against the daily knocks on site.

Use the Free DYMO® ID PC Software

Prints 8 barcode types including QR codes

QR Code



Code 39



Code 128



Codabar



UPC A/E



EAN 8/13



Mod 43 Variant



PDF 417



Rhino™ 5200


Advance labeling tool for use in datacom and facilities.

Outperforms industrial labelers costing twice as much.

Label up to 77% faster with the portable, affordable DYMO® Rhino™ 5200.* Press one “Hot Key” to format text into perfect patch panel labels; press another to print matching cable flags or faceplate tags, without retyping! It’s just as easy to print cable wraps, terminal/110 block labels, barcodes and more.

Features:

- Meets all ANSI and TIA/EIA-606-B industry labeling standards.
- Exclusive one-touch “Hot Keys” automatically size, space and format label text for electrical and patch panels, terminal and 110 blocks, wire and cable flags, wire and cable wraps, vertical and fixed-length applications.
- Prints Code 39 and Code 128 barcodes on 3/4" (19mm) wide labels – ideal for asset management.
- Uses DYMO® Rhino™ Industrial Labels with chemical-, heat- and UV-resistant materials; also prints directly on heat-shrink tubes.
- Large 14-character, two-line backlit display.
- 100-label memory for storing commonly used labels.



Item Number: 1755749

Single unit box includes:

- Rhino™ 5200 printer
- 3/4" (19mm) black on white vinyl tape
- Quick reference guide
- User manual on CD-ROM

Rhino™ 5200 Hard Case Kit

The “ready-to-go” labeling solution.

The Rhino™ 5200 hard case kit contains everything you need to be productive wherever you are. The labeler kit includes the Rhino™ 5200 labeler, tapes, a rechargeable lithium battery along with other accessories to ensure you are prepared for any job.



Item Number: 1756589

Kit includes:

- Rhino™ 5200 printer
- Durable hard carry case
- Rechargeable lithium-ion battery
- 3/4" (19mm) black on white vinyl tape
- 3/8" (9mm) black on white vinyl tape
- AC adapter
- Quick reference guide
- User manual on CD-ROM

Rhino™ 4200

All-purpose labeling tool with QWERTY keyboard for use in facilities, security and pro AV.

Compact, time-saving labeling for on-the-go pros.

Print labels 57% faster than the competition with the DYMO® Rhino™ 4200.** Easily navigate the familiar QWERTY keyboard. Use one-touch “Hot Key” shortcuts to quickly create and format wire/cable wraps, flags, Code 39 and Code 128 barcodes, fixed-length labels and more. Print labels up to 3/4" (19mm) wide in a variety of materials and colors—PLUS print directly on heat-shrink tubes.

Features:

- **Easy to navigate computer-style QWERTY keyboard** for quick and comfortable text entry.
- **Exclusive one-touch “Hot Keys”** use up to 45.5% fewer keystrokes to create a label than the competition†.
- **Industrial-strength labeling versatility**—print directly on heat-shrink tubes. 1/4", 3/8", 1/2" and 3/4" (6mm, 9mm, 12mm and 19mm) wide labels available in a variety of materials and colors.
- **“Favorites” key**—single-key access to your most commonly used labels, symbols and terms.
- **“Custom” key prevents needless repetition**—customize and save settings for individual label formats.




Item Number: 1801611

Single unit box includes:

- Rhino™ 4200 printer
- 1/2" (12mm) black on white vinyl tape
- Quick reference guide

Rhino™ 4200 Hot Keys



Rhino™ 4200 Soft Case Kit



Item Number: 1835374

Kit includes:

- Rhino™ 4200 printer
- Protective carry case
- Rechargeable lithium-ion battery
- 1/2" (12mm) black on white vinyl tape
- AC adapter
- Quick reference guide

**Based on independent testing of the DYMO® Rhino™ 4200 vs. Brother PT-1400 and Brother PT-7100 in default settings.
† Based on independent testing of DYMO® Rhino™ 4200 vs. Brother PT-1400 and Brother PT-7100 for wire/cable wrap and flag labels.

Rhino™ M1011 Embosser

Industrial metal embossing tool.



Innovation that began over 40 years ago and continues today.

The Rhino™ M1011 Embosser embosses 1/2" (12mm) stainless steel and aluminum labels —with or without adhesive—that resist corrosion due to extreme weather, temperature, chemical and UV exposure. This tough, durable embosser features an easy-to-use label cutting handle (cuts rounded edges), hole and cable tie punches, a trailing edge measuring gauge and much more.

Features:

- Uses 1/2" (12mm) stainless steel and aluminum labels.
- Built-in hole punch for creating hanging, screw-on or nail-on labels.
- Built-in cable tie slot punch for cable marking.
- Built-in measuring gauge—accurately set length of leading and trailing label edge.
- Easy-to-use cutting handle makes cutting stainless steel labels effortless—cuts slightly rounded edges.
- Print standard or reverse script labels—both character wheels included.



Item Number: 101105

Kit includes:

- Rhino™ M1011 Embosser for metal tapes
- Horizontal .188" (5mm) character wheel
- Reverse image wheel
- 1/2" x 12' (12mm x 4m) non-adhesive aluminum tape
- 1/2" x 12' (12mm x 4m) non-adhesive stainless steel tape
- Hard carry case

Rhino™ M1011 Embosser – Embossing Labels

For heavy-duty, extreme condition labeling.

Aluminum and stainless steel labels have excellent resistance to chemicals, extreme weather conditions, high and low temperatures and abrasion. Ideal for marking pipelines, underground cables, engine parts, building materials and much more.

1/2" (12mm) Metal Labels – Box of 10 Rolls			
Item Number	Description	Length	Color
31000	Non-Adhesive Aluminum	12' (4m)	Aluminum
32500	Non-Adhesive Stainless Steel	12' (4m)	Stainless
35800	Adhesive Aluminum	12' (4m)	Aluminum

Rhino™ Accessories



Rhino™ AC Adapter and Rechargeable Lithium-ion Batteries

Run or recharge your Rhino™ labeler and eliminate AA battery cost and waste.

Item Number: 15519

Universal AC Adapter
For Rhino™ 4200, 5200 and 6000+.



Item Number: 1759398

Rechargeable Battery
For Rhino™ 4200 and 5200
(Requires AC adapter for charging).



Item Number: 2163252

Rechargeable Battery
For Rhino™ 6000+
(Requires AC adapter for charging).



Rhino™ Industrial Labels



All DYMO® products are **REACH** and **RoHS** compliant.



Rhino™ Industrial Labels external cassettes are made from **100% recycled material**. Rhino™ Industrial Labels packaging is made from **up to 80% recycled material**.

Rhino™ Industrial Labels – Heat-Shrink Tube

For high-end cable identification. A 3:1 shrink ratio helps ensure a secure fit on wires and cables. Compatible with Rhino™ labelers.



UL recognized as a component to UL 224. Meets MIL-M-81531, MIL-STD-202G, SAE-DTL-23053/5 (Class 1 and 3).

Item #	Tape Dimensions	Text / Label Color
18051	1/4" x 5' (6mm x 1,5m)	(Aa)
18052	1/4" x 5' (6mm x 1,5m)	(Aa)
18053	3/8" x 5' (9mm x 1,5m)	(Aa)
18054	3/8" x 5' (9mm x 1,5m)	(Aa)
18055	1/2" x 5' (12mm x 1,5m)	(Aa)
18056	1/2" x 5' (12mm x 1,5m)	(Aa)
18057	3/4" x 5' (19mm x 1,5m)	(Aa)
18508DMO	3/4" x 5' (19mm x 1,5m)	(Aa)
1805443	1" x 5' (24mm x 1,5m)	(Aa)
1805444	1" x 5' (24mm x 1,5m)	(Aa)

Rhino™ Industrial Labels – Flexible Nylon

Specifically designed for curved surfaces and wire/cable marking. Compatible with Rhino™ labelers.



UL recognized as a component to UL 969.

Item #	Tape Dimensions	Text / Label Color
18488	1/2" x 11.5' (12mm x 4m)	(Aa)
18490	1/2" x 11.5' (12mm x 4m)	(Aa)
18489	3/4" x 11.5' (19mm x 4m)	(Aa)
18491	3/4" x 11.5' (19mm x 4m)	(Aa)
1734524	1" x 11.5' (24mm x 4m)	(Aa)
1734525	1" x 11.5' (24mm x 4m)	(Aa)

Rhino™ Industrial Labels – Permanent Polyester

Professional, polished finish ideal for panels, blocks, faceplates, shelves, bins, beams and more. Compatible with Rhino™ labelers.



UL recognized as a component to UL 969.

Item #	Tape Dimensions	Text / Label Color
1805441	1/4" x 18' (6mm x 5,5m)	(Aa)
18482	3/8" x 18' (9mm x 5,5m)	(Aa)
18508	3/8" x 18' (9mm x 5,5m)	(Aa)
18485	3/8" x 18' (9mm x 5,5m)	(Aa)
18483	1/2" x 18' (12mm x 5,5m)	(Aa)
622289	1/2" x 18' (12mm x 5,5m)	(Aa)
18486	1/2" x 18' (12mm x 5,5m)	(Aa)
18484	3/4" x 18' (19mm x 5,5m)	(Aa)
622290	3/4" x 18' (19mm x 5,5m)	(Aa)
18487	3/4" x 18' (19mm x 5,5m)	(Aa)
1734523	1" x 18' (24mm x 5,5m)	(Aa)

Rhino™ Industrial Labels – Self-Laminating

Protect your printed area from exposure to oil, solvents, water and abrasion when applied to wires and cables. Compatible with Rhino™ labelers.



Item #	Tape Dimensions	Text / Label Color
1734821	1" x 18' (24mm x 5m)	(Aa)

Rhino™ Industrial Labels – Embossing, Non-Adhesive

Labels have excellent resistance to chemicals, extreme weather conditions, high and low temperatures, and abrasion. Compatible with Rhino™ M1011 Embosser Kit.



Item #	Tape Dimensions	Text / Label Color
32500	1/2" x 12' (12mm x 4m)	(A)
31000	1/2" x 12' (12mm x 4m)	(A)

Networking Components

A01	A02	A03	A04
-----	-----	-----	-----

Rhino™ Industrial Labels – Vinyl

Available in the widest range of colors that meet OSHA, ANSI and ISO color standards. Compatible with Rhino™ labelers.



UL recognized as a component to UL 969.

Item #	Tape Dimensions	Text / Label Color
18443	3/8" x 18' (9mm x 5,5m)	(Aa)
1805437	3/8" x 18' (9mm x 5,5m)	(Aa)
18444	1/2" x 18' (12mm x 5,5m)	(Aa)
18432	1/2" x 18' (12mm x 5,5m)	(Aa)
18435	1/2" x 18' (12mm x 5,5m)	(Aa)
1805416	1/2" x 18' (12mm x 5,5m)	(Aa)
1805414	1/2" x 18' (12mm x 5,5m)	(Aa)
1805243	1/2" x 18' (12mm x 5,5m)	(Aa)
1805435	1/2" x 18' (12mm x 5,5m)	(Aa)
18445	3/4" x 18' (19mm x 5,5m)	(Aa)
18433	3/4" x 18' (19mm x 5,5m)	(Aa)
18436	3/4" x 18' (19mm x 5,5m)	(Aa)
1805422	3/4" x 18' (19mm x 5,5m)	(Aa)
1805420	3/4" x 18' (19mm x 5,5m)	(Aa)
1805417	3/4" x 18' (19mm x 5,5m)	(Aa)
1805436	3/4" x 18' (19mm x 5,5m)	(Aa)
1805430	1" x 18' (24mm x 5,5m)	(Aa)
1805431	1" x 18' (24mm x 5,5m)	(Aa)
1805432	1" x 18' (24mm x 5,5m)	(Aa)

Rhino™ Industrial Labels – Embossing, Adhesive

Labels have excellent resistance to chemicals, extreme weather conditions, high and low temperatures, and abrasion. Compatible with Rhino™ M1011 Embosser Kit.



Item #	Tape Dimensions	Text / Label Color
35800	1/2" x 12' (12mm x 4m)	(A)

General Identification

Expense Reports | Jan - Mar | 2022

KEEP DOOR LOCKED

Color Coding


COLOR

CODE


YOUR

FILES

Asset Tracking



Our Compliant Partners



Vinyl Colors



Rhino™ Industrial Labels

Find the right label for the right application.

Rhino™ Industrial Labels are reliable, tough and jobsite-tested labels for industrial applications.

How to choose the right DYMO® Rhino™ Industrial Label**:


Environment	Heat and Cold Resistant	UV Resistant	Oil Resistant	Water Resistant	Chemical Resistant	Color Coding
Surface						
Wires and Cables	Flexible Nylon Heat-Shrink Tube	Indoor/Outdoor Vinyl Heat-Shrink Tube	Indoor/Outdoor Vinyl Heat-Shrink Tube	Indoor/Outdoor Vinyl Heat-Shrink Tube	Indoor/Outdoor Vinyl Heat-Shrink Tube	Indoor/Outdoor Vinyl
Curved Surface	Flexible Nylon Indoor/Outdoor Vinyl	Indoor/Outdoor Vinyl Flexible Nylon	Indoor/Outdoor Vinyl	Indoor/Outdoor Vinyl Flexible Nylon	Indoor/Outdoor Vinyl	Indoor/Outdoor Vinyl
Flat Surface	Permanent Polyester Flexible Nylon	Permanent Polyester Indoor/Outdoor Vinyl	Permanent Polyester Indoor/Outdoor Vinyl	Permanent Polyester Indoor/Outdoor Vinyl	Permanent Polyester Indoor/Outdoor Vinyl	Indoor/Outdoor Vinyl
Textured Surface	Permanent Polyester Flexible Nylon	Indoor/Outdoor Vinyl Permanent Polyester	Indoor/Outdoor Vinyl Permanent Polyester	Indoor/Outdoor Vinyl Permanent Polyester	Indoor/Outdoor Vinyl Permanent Polyester	Indoor/Outdoor Vinyl



Vinyl

Aa Aa Aa Aa Aa Aa Aa


Temperature rating: -40°F (-40°C) to 176°F (80°C)



Permanent Polyester

Aa Aa Aa


Temperature rating: -40°F (-40°C) to 302°F (150°C)



Flexible Nylon

Aa Aa


Temperature rating: -40°F (-40°C) to 140°F (60°C)



Heat-Shrink Tube

Aa Aa


Temperature rating: -67°F (-55°C) to 275°F (135°C)



Self-Laminating

Aa

Temperature rating: -40°F (-40°C) to 176°F (80°C)



Note for Rhino™ Industrial Label offering that the **Top Choice = Best Option and Bottom Choice = Alternate Option.

Online resources for end users, installers and distributors

Visit www.DYMO.com

Check out our comprehensive resource collection for the full line of products. Learn about features, get step-by-step product trainings, view educational videos, industry blogs, upcoming events and more.

Online resources include:

Manufacturer Templates

Just download the template, open in DYMO® ID software, and add text to create labels that fit the equipment perfectly—with exact label spacing for patch panels, 110 and terminal blocks.

We've created templates for equipment from Honeywell, ICC, OCC, Leviton® Connected Home, Leviton® Network Solutions, Legrand® Ortronics, ADC, CommScope® and Belden.

Upcoming Tradeshows

Find a tradeshow near you and stop by to check us out.

Training Classes

Sign up for online training classes led by industry experts.

Software*

Download the latest version of DYMO® ID software.

Rhino™ Industrial Labels

Learn about our broad label assortment, including compliance with industry standards and certifications.

Product Training

Watch step-by-step product training and educational videos.



*Compatible with DYMO® Rhino™ 6000+.

DYMO® ID Software



Get added labeling ease with DYMO® ID software. Only DYMO® ID software provides the same great life-like on-screen print previews, built-in label applications and pre-loaded templates found on your Rhino™ 6000+ label maker, while adding in features to help further simplify high-volume labeling tasks.

Available as a FREE download from www.DYMO.com



Life-like on-screen print preview shows exactly how labels will look when applied to cables, pipes and more.



Instant access to hundreds of time-saving pre-loaded templates for patch panels, asset tracking, materials management and safety signage.

Built-In Label Applications

Simply select an application from the Home screen to get started quickly.



General



Cable Wrap



Patch Panel



Horizontal Breaker



Asset Tracking



Heat-Shrink Tube



Quick



Flag



Distribution Panel



Terminal Block



Vertical Breaker



DYMO®

Distributed By: DYMO, Atlanta, GA 30328

Phone: 800-426-7827 | **Website:** www.DYMO.com

newell
BRANDS

©2022 Newell Office Brands