



PRODESCO, S.L.
Aviación, 44
46940-MANISES
VALENCIA
ESPAÑA

E-mail admon@prodesco.es
www.prodesco.es

Teléfono +34 961545588
Fax +34 961533025

LEADLESS COLOURED ENGOBES HIGH TEMPERATURE READY TO USE AND IN POWDER FORM "EASP" SERIES

New Collection of 17 Coloured Engobes designed for glaze and decorates pieces of stoneware or porcelain. The series comes in both powder and suspension form.

They can be used both for decoration or engobing stoneware or porcelain pieces. The temperature range is from 980 to 1280 ° C, obtaining the maximum colour development at 1280 ° C. For maximum colour development of the engobes at 980°C it is necessary to cover the engobe with a transparent glaze.

They can be applied by brush, aerograph, dipping for craft works and spraying or disc machines for industrial uses.

Use in powder form:

Depending on the type of application to perform, it must be setting the appropriate parameters of rheology: density and viscosity adjusting each to glazing system. The ratio water/powder will depend on the glazing system and the porosity of the piece that we will decorate. It is recommended that a first test with water / powder ratio of 1: 1 and if necessary to add additives to adjust.

This collection of engobes is suitable for both single firing and double firing.

If they are used in single firing it is advisable to add 5% of Monocol V for better grip engobe to the piece.



PRODESCO, S.L.
Aviación, 44
46940-MANISES
VALENCIA
ESPAÑA

E-mail admon@prodesco.es
www.prodesco.es

Teléfono +34 961545588
Fax +34 961533025

Use in suspension form:

They are prepared with additives for engobing by brush or spray both single firing and double firing. In case you need to engobe pieces with high porosity the addition of water is recommended to dilute the material. Taking a quantity of engobe, we will apply it on the piece, covering the maximum surface, giving the necessary coat before it dries off.

In any case do not hesitate to contact our Technical Department for any question.

REFERENCES:

ENGOBE EASP-00 BASE
ENGOBE EASP -08 CHOCOLATE
ENGOBE EASP-01 WHITE
ENGOBE EASP-09 VICTORIA GREEN
ENGOBE EASP-02 YELLOW
ENGOBE EASP-10 GRASS GREEN
ENGOBE EASP-03 YOLK
ENGOBE EASP-11 BLUISH GREEN
ENGOBE EASP-04 MAKEUP
ENGOBE EASP-12 LIGHT BLUE
ENGOBE EASP-05 SALMON
ENGOBE EASP-13 MEDIUM BLUE
ENGOBE EASP-06 RED
ENGOBE EASP-14 COBALT BLUE
ENGOBE EASP-07 BROWN
ENGOBE EASP-15 GREY
ENGOBE EASP-16 BLACK



PRODESCO, S.L

PRODUCTORA DE ESMALTES Y COLORANTES CERÁMICOS

Aviación, 44. Manises (Valencia) ESPAÑA

www.prodesco.es

EASP

ENGOBES COLOREADOS
ENGOBES COLORES
COLOURED ENGOBES

TEMPERATURA 1280°C

MÁXIMO RENDIMIENTO DE COLOR A 1280°C



EASP-00



EASP-01



EASP-02



EASP-03



EASP-04



EASP-05



EASP-06



EASP-07



EASP-08



EASP-09



EASP-10



EASP-11



EASP-12



EASP-13



EASP-14



EASP-15



EASP-16



PRODESCO, S.L

PRODUCTORA DE ESMALTES Y COLORANTES CERÁMICOS

Aviación, 44. Manises (Valencia) ESPAÑA

www.prodesco.es

EASP

ENGOBES COLOREADOS
ENGOBES COLORES
COLOURED ENGOBES

T^a 980°C


MÁXIMO RENDIMIENTO DE COLOR A 1280°C



EASP-00



EASP-01



EASP-02



EASP-03



EASP-04



EASP-05




EASP-06



EASP-07



EASP-08




EASP-09



EASP-10



EASP-11



EASP-12



EASP-13



EASP-14



EASP-15



EASP-16