

Best SPORT / L-7296

Best SPORT S1P SRC Steel Toe / Steel Plate PU/PU Low Ankle Shoe



CE EN ISO 20345:2011 S1P SRC

FEATURES:

- Upper: Breathable yellow cow suede leather
- Lining: Breathable & Abrasion resistant sandwich
- Insock: Anti-static breathable EVA insock
- Outsole: PU/PU injection, dual density
- Tested : By UK Intertek lab (Approved body:0362)
- Toe: Steel toe cap to resist 200 joules impact
- Penetration: Steel Plate to resist 1100 newtons puncture

ERP Code: S5020233

Size: 38 – 46

G.Weight: 12kgs/carton

Carton dimension: 62x43x33cm

Cubic meter/Carton: 0.087978

Packing: 10PCS/Carton



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT



ELECTROSTATIC
DISCHARGE

Best SPORT / L-7296

Best SPORT S1P SRC Steel Toe / Steel Plate PU/PU Low Ankle Shoe



Outsole material:

The outsole is made in PU/PU dual density. The midsole is 45 degree hardness PU, which is soft and shock absorption. The outsole is 60-65 degree hardness PU, which is tough and abrasion resistant. The outsole can pass SRC slip-resistant test.



Insock material:

J-001 insock design, the ventilation fabric can absorb 90% sweat and dry feet efficiently. U-design support heel can disperse human weight pressure, and reduce friction between feet and shoes. EVA material is soft and flexible, to increase comfortability during walk.



SRC

SRC (SRA+SRB)

Sole 81
PU - PU

SRA CERAMIQUE + EAU ET	PLAT ≥ 0.32 TALON (incluse ?) ≥ 0.28	0.52
SRB ACIER + GLYCERINE	PLAT ≥ 0.18 TALON (incluse ?) ≥ 0.13	0.18

EN ISO 20345: 2011

Usage & Storage:

1. Recommended places: Basic workplace, construction, logistics, mechanics, chemical factory, electronic factory, mining, food & Health etc
2. It is very important that shoes selected must be suitable for the right workplace and environment. The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are not valid for fire, water, electric etc.
3. Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum upto 14/12/2010 for intermediate design category products. This has been shown through satisfactory testing to EN ISO 20345:2011 and examination of the Technical File Documentation.