

Gorilla EXTREME II

Full Nitrile Dipped Jersey
(Heavy Weight Nitrile, Excellent all-round protection)



Jersey Liner,
Safety cuff



V9900 Series Nitrile Smooth
Coating, Blue

Technical Details:

Liner: Knitted Jersey
Liner Color: White
Nitrile Coating
Texture: Smooth
Coating Color: Blue
Length: 26 cm

Features:

The gloves have a heavy weight nitrile full coated.
The inner is a 100% jersey with a cotton wristing, canvas safety cuff.
The gloves are excellent for all round general handling situations.

Standards:

CE, CATII
EN388:2016 3111X
EN420:2003/A1:2009

Packing:

12 pairs/bag
144 pairs/carton

Carton Dimension:

56x45x33cms

Carton Weight:

Gross weight: 20.296kgs/carton
Net weight: 19.296kgs/carton

Volume:

0.086CBM

Origin:

Bangladesh

Applications:


Cargo Handling
Handling Boxes
Recycling
Industrial Manufacturing
Mechanical
Warehousing

Sizes		Item Code
Medium	8	M143720102
Large	9	M143720103
XLarge	10	M143720104

Gorilla EXTREME II

Full Nitrile Dipped Jersey
(Heavy Weight Nitrile, Excellent all-round protection)

EN 388:2016



3111X



This Pictogram indicate that the product protects against mechanical risks and complies under EN 388:2016. The numbers indicate performance levels. Dexterity Performance level is 5 in according to EN 420:2003/A1:2009.

(INTERMEDIATE)

Safety Category (CAT II)

Mechanical test data	Result	Mechanical Property	Level 1	Level 2	Level 3	Level 4	Level 5	
Abrasion resistance	Level 3	Abrasion (Cycles)	100	500	2000	8000	-	
Cut resistance	Level 1	Cut (Index)	1.2	2.5	5.0	10.0	20.0	
Tear resistance	Level 1	Tear (Newton)	10	25	50	75	-	
Puncture resistance	Level 1	Puncture (Newton)	20	60	100	150	-	
TDM cut resistance	X	Cutting force (Newton)	A>2, B>5, C>10, D>15, E>22, F>30					

X-Means not tested

Test results are taken from the palm area of the gloves.

The protection level increases with performance class.

Description

The gloves have a Heavy Weight Nitrile Coating either on palm or fully coated. The inner is a 100% jersey with a cotton wristing, canvas safety cuff or PVC coated cuff. The gloves are excellent for all round general handling situations.

Cleaning / Maintenance

Both new and used gloves should be thoroughly inspected before being worn to ensure no damage is present. Gloves should not be Left in contaminated condition. Cleaning and disinfection is not intended for these gloves.

Warning

Do not use near moving machinery if there is a risk of entanglement.

Gloves with two or more layers the overall classification does not necessarily reflect the performance of outmost layer.

Gloves meeting the requirement for resistance to puncture may not be suitable for protection against sharply pointed objects such as hypodermic needles.

Note: The performance characteristics of worn and laundered gloves may differ from the results shown below.

Obsolescence

When stored as recommended will not suffer change in mechanical properties for up to 5 years from the date of manufacture. Service life cannot be specified and depends on the application and responsibility to user to ascertain suitability of the glove for its intended use.

Storage

Gloves should be ideally stored at 5-25°C in dry, well ventilated area in original package. Prevent direct sunlight.

Gorilla EXTREME II

Full Nitrile Dipped Jersey
(Heavy Weight Nitrile, Excellent all-round protection)



Disposal

Used gloves may be contaminated with infectious or other hazardous materials. Please dispose according to local authority regulations. Landfill or incinerate under controlled conditions.

Please Note

Hand protection is limited to the Nitrile rubber coated area of the glove. The information contained herein is intended to assist the wearer in selection of Personal Protective Equipment. The results of the laboratory tests should also help in glove selection, however it must be understood that the actual conditions of use cannot be simulated. It is therefore the responsibility of the user and not the manufacturer to determine the glove suitability for the intended use.

Certification carried by:

SATRA Technology Europe Limited.
Bracetown Business Park,
Colonee, D15YN2P, Republic of Ireland.
(Notified Body No. 2777) in accordance
with EU Regulation 2016/425.

