

## WARRANTY & RATING



## SPECIFICATIONS

- Wattage: 5W
- Voltage: 12-24V AC/DC
- Luminous Flux: 150lm
- Beam Angle: 120°
- Color Rendering Index (CRI): 90+
- Lifespan: 30,000hrs
- Light Source: LED
- Color Temperature (CCT): 3000K /4000K /5000K Adjustable
- Waterproof Rating: IP65
- Operating Temperature: -4°F to 104°F
- Material: Aluminum

## PRODUCT DESCRIPTION

Bring a retro vibe to your exterior lighting with LEONLITE's Pathway Lights, featuring seamless LED integration for extensive, even lighting that captures the beauty of classic landscape designs.

## FEATURES & BENEFITS

- Select from 3000K, 4000K, or 5000K color temperatures to customize pathway and garden illumination with high color accuracy, thanks to the CRI90 rating.
- User-friendly installation, Streamlined installation process with a special pedal stake and waterproof wire connectors.
- Robust aluminum housing with an oil-rubbed bronze finish ensures lasting outdoor use, offering both aesthetic appeal and resistance to the elements.

## POWER AND ELECTRICAL FEATURES

- Powered by a safe, prosumer-friendly AC/DC 12-24V input, the LEONLITE pathway lights are ETL certified for safety standards, with a UL-listed 4ft copper wire that's ready for all installations.

## DESIGN AND STRUCTURE

- The pathway lights feature an elegant design with a durable iron/aluminum/PC construction and an oil-rubbed bronze finish that beautifully withstands outdoor elements.


## ADDITIONAL COMPONENTS

- Each light is equipped with two waterproof wire caps and a die-cast aluminum pedal stake, ensuring a quick, secure, and durable mounting process.


## LED AND OPTICAL PERFORMANCE

- Features 12 SMD 3030 LED beads, allowing for 3000K, 4000K, or 5000K (3CCT) settings.
- Operates with an efficiency of 30 lumens per watt, providing bright lighting while conserving energy.
- The PC diffuser evenly distributes light, crafted without the need for an optical lens, utilizing compact bead dimensions for sleek integration.

## PRODUCT DIAGRAM



## PHOTOMETRICS



### Colorimetric parameters

Chromaticity coordinates:  $x=0.3778$   $y=0.3739$   $u=0.2245$   $v=0.3333$   $duv=-0.0005$   
 Correlated color temperature: 4054K Main wavelength : 579.2nm Color purity : 25.6%  
 Luminous flux Color ratio: R=19.8%, G=77.4%, B=2.8% Peak wavelength: 452.5nm and a half Width : 24.2nm

### Color rendering index: Ra= 95.0

<b>R1 =96</b>	<b>R2 =97</b>	<b>R3 =95</b>	<b>R4 =95</b>	<b>R5 =94</b>	<b>R6 =94</b>	<b>R7 =97</b>	<b>R8 =93</b>
<b>R9 =81</b>	<b>R10=90</b>	<b>R11=94</b>	<b>R12=71</b>	<b>R13=97</b>	<b>R14=97</b>	<b>R15=95</b>	

## 360° GentleGlow


Soft, all-around lighting for expansive landscape enhancement.



Piramide del Tempio LED Path Light



O-ring Unico/Colorato LED Path Light



Stella Bitta LED Path Light

## EdgeGlow OneWay Light

Precise, one-sided illumination for clear path lighting without overspill.



Crescente LED Path Light



Escavatori LED Path Light



Petali Rovesciato LED Path Light

## NatureDots FlexGarden Light

Brighten gardens and paths, ground or surface mount.




Emisferi Sky-up LED Path Light

## Designer Crafted Landscape Lighting

Function meets art, illuminating spaces with stylish, decorative designs.



Fulmine Gold LED Path Light



Luce Fiamma LED Path Light




Quadra Rotondo LED Path Light

## SmartLink


Wireless control for easy, smart outdoor lighting.



O-ring Colorato LED Path Light - Smart Control



XGEN™ Dual-spot LED Path Light




XGEN™ Smart LED Path Light

## All Color Options

some models may have limited choices.



Brass Yellow



Ebony Black



oiled rubbed bronze

## Compatible Accessories



Outdoor Transformer, AC to DC, 12V 60W, Timer & Photocell



Outdoor Transformer, AC to DC, 12V 100W, Timer & Photocell



Outdoor Transformer, AC to DC, 12V 120W, Timer & Photocell



LeonLite® Waterproof Wire Nuts - Large



LeonLite® Waterproof Wire Nuts - Medium



Low Voltage Landscape Lighting Cable, 100ft, 16/2



LeonLite® Landscape Light Wire Connector



LeonLite® EasyConnect Wire Connector