

WARRANTY & RATING



SPECIFICATIONS

- Wattage: 5W
- Voltage: 12V-24V AC/DC
- Luminous Flux: 150lm
- Beam Angle: 120°
- Color Rendering Index (CRI): 90+
- Lifespan: 30,000hrs
- Light Source: LED
- Color Temperature (CCT): 3000K/4000K/5000K Adjustable
- Waterproof Rating: IP65
- Operating Temperature: -4°F-104°F
- Material: Aluminum

PRODUCT DESCRIPTION

LEONLITE Pathway Lights blend classic brass lamp design with modern LED efficiency. Ideal for outdoor areas, they offer a vintage look with consistent, reliable illumination, perfect for lighting paths and gardens with a retro yet functional twist

FEATURES & BENEFITS

- 3000K/4000K/5000K Selectable: Tailor lighting to fit every occasion, from warm to bright.
- Saucer Head Design: Adds a touch of vintage elegance to outdoor spaces.
- Low Voltage Safety: Ensures a safe environment for families and pets.
- IP65 Weather-Resistant: Reliable in all weather conditions, from intense heat to freezing cold.
- Easy Installation & Long Lifespan: Quick setup process with a durable design for lasting use.

POWER AND ELECTRICAL FEATURES

- The product is ETL listed, ensuring its compliance with industry standards. Additionally, it features a UL-listed 4ft external power cord, guaranteeing safety and reliability in electrical components.
- Made with high-quality tinned copper wire, measuring 0.2 inches in stripping length, which is not designed to be trimmed. This ensures durable and efficient electrical connectivity.

DESIGN AND STRUCTURE

- The light's housing is crafted from aluminum and PC, featuring an Oil Rubbed Bronze (ORB) color, providing a stylish and durable structure suitable for various outdoor environments.


ADDITIONAL COMPONENTS

- Each light comes with two waterproof wire caps and a die-cast aluminum pedal stake for easy ground installation.


LED AND OPTICAL PERFORMANCE

- Contains 12 SMD LEDs per unit, each sized at 3030, offering a compact and efficient light source.
- Each LED bead provides 30 lm/w, with the entire fixture emitting a total of 150 lumens.
- Equipped with a PC diffuser but without an optical lens, it ensures a consistent and uniform front-facing light emission.

PRODUCT DIAGRAM



PHOTOMETRICS



Colorimetric parameters

Chromaticity coordinates: $x=0.3784$ $y=0.3738$ $u=0.2249$ $v=0.3333$ $duv=-0.0008$
 Correlated color temperature: 4036K Main wavelength : 579.4nm Color purity : 25.7%
 Luminous flux Color ratio: R=19.9%, G=77.2%, B=2.8% Peak wavelength: 452.5nm and a half Width :24.4nm

Color rendering index: Ra= 95.0

R1 =96	R2 =97	R3 =95	R4 =95	R5 =94	R6 =93	R7 =97	R8 =92
R9 =81	R10=91	R11=95	R12=71	R13=97	R14=97	R15=95	

360° GentleGlow


Soft, all-around lighting for expansive landscape enhancement.



Piramide del Tempio LED Path Light



O-ring Unico/Colorato LED Path Light



Stella Bitta LED Path Light

EdgeGlow OneWay Light

Precise, one-sided illumination for clear path lighting without overspill.



Crescente LED Path Light



Escavatori LED Path Light



Petali Rovesciato LED Path Light

NatureDots FlexGarden Light

Brighten gardens and paths, ground or surface mount.




Emisferi Sky-up LED Path Light

Designer Crafted Landscape Lighting

Function meets art, illuminating spaces with stylish, decorative designs.



Fulmine Gold LED Path Light



Luce Fiamma LED Path Light




Quadra Rotondo LED Path Light

SmartLink


Wireless control for easy, smart outdoor lighting.



O-ring Colorato LED Path Light - Smart Control



XGEN™ Dual-spot LED Path Light




XGEN™ Smart LED Path Light

All Color Options

some models may have limited choices.



Brass Yellow



Ebony Black



oiled rubbed bronze

Compatible Accessories



Outdoor Transformer, AC to DC, 12V 60W, Timer & Photocell



Outdoor Transformer, AC to DC, 12V 100W, Timer & Photocell



Outdoor Transformer, AC to DC, 12V 120W, Timer & Photocell



LeonLite® Waterproof Wire Nuts - Large



LeonLite® Waterproof Wire Nuts - Medium



Low Voltage Landscape Lighting Cable, 100ft, 16/2



LeonLite® Landscape Light Wire Connector



LeonLite® EasyConnect Wire Connector