

WARRANTY & RATING



SPECIFICATIONS

- Wattage: 5 watts
- Voltage: 12-15 Volts AC/DC
- Luminous Flux: 400 Lumen
- Beam Angle: 150°
- Color Rendering Index (CRI): 80.00
- Lifespan: 50000 Hours
- Light Source: LED
- Color Temperature (CCT): 3000K Warm White
- Waterproof Rating: IP65
- Operating Temperature: -13°F to 104°F
- Material: Die cast aluminum

PRODUCT DESCRIPTION

LEONLITE's LED Pathway Lights are designed for the discerning prosumer and the experienced contractor, offering focused, shell-shade lighting that highlights paths without spilling into the surroundings. Efficient and reliable, these lights provide a consistent glow, ensuring functionality meets style in every garden or walkway project.

FEATURES & BENEFITS

- Directional shell shade for focused path lighting.
- 400LM, 5W LED efficiency for clear, bright paths.
- Robust die-cast aluminum, IP65, endures elements.
- Safe 12-15V operation for family and pet safety.
- Long 50,000-hour life with a solid 2-year warranty.

POWER AND ELECTRICAL FEATURES

- Operates on a versatile 12V-15V AC/DC input voltage.
- Features a 1-meter (3.28 feet) long power cord for flexible installation.

DESIGN AND STRUCTURE

- Features a unique shell shade design, enhancing the visual appeal of outdoor spaces.
- Directional lighting focuses illumination on one side, ideal for pathways and defining light-dark boundaries without spilling light into neighboring areas or interfering with other landscape lighting.


ADDITIONAL COMPONENTS

- all-in-one lighting solution, No extra component.

LED AND OPTICAL PERFORMANCE

- Utilizes six efficient SMD LEDs, providing a warm 3000K light.
- Offers a significant 400 lumens output with just 5W power, ensuring bright yet energy-efficient illumination for walkways and landscapes.


PRODUCT DIAGRAM




Size in mm
 1" = 25.4mm.

PHOTOMETRICS

ISOCANDELA DIAGRAM



Flux out: 238.9 lm



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distance.

360° GentleGlow

Soft, all-around lighting for expansive landscape enhancement.



Piramide del Tempio LED Path Light



O-ring Unico/Colorato LED Path Light



Stella Bitta LED Path Light

EdgeGlow OneWay Light

Precise, one-sided illumination for clear path lighting without overspill.



Crescente LED Path Light



Escavatori LED Path Light



Petali Rovesciato LED Path Light

NatureDots FlexGarden Light

Brighten gardens and paths, ground or surface mount.




Emisferi Sky-up LED Path Light

Designer Crafted Landscape Lighting

Function meets art, illuminating spaces with stylish, decorative designs.



Fulmine Gold LED Path Light



Luce Fiamma LED Path Light




Quadra Rotondo LED Path Light

SmartLink


Wireless control for easy, smart outdoor lighting.



O-ring Colorato LED Path Light - Smart Control



XGEN™ Dual-spot LED Path Light




XGEN™ Smart LED Path Light

All Color Options

some models may have limited choices.



Brass Yellow



Ebony Black



oiled rubbed bronze

Compatible Accessories



Outdoor Transformer, AC to DC, 12V 60W, Timer & Photocell



Outdoor Transformer, AC to DC, 12V 100W, Timer & Photocell



Outdoor Transformer, AC to DC, 12V 120W, Timer & Photocell



LeonLite® Waterproof Wire Nuts - Large



LeonLite® Waterproof Wire Nuts - Medium



Low Voltage Landscape Lighting Cable, 100ft, 16/2



LeonLite® Landscape Light Wire Connector



LeonLite® EasyConnect Wire Connector