



WARRANTY & RATING



SPECIFICATIONS

- Wattage: 0.2W
- Voltage: 3.7V
- Luminous Flux: 6lm
- Beam Angle: 360°
- Color Rendering Index (CRI): N/A
- Lifespan: 2 years
- Light Source: LED
- Color Temperature (CCT): Multi-Color (Cool/ Warm White, Red, Green, Blue, Purple)
- Waterproof Rating: IP65
- Operating Temperature: -4°F to 104°F
- Material: ABS & PS

PRODUCT DESCRIPTION

These solar-powered pathway lights automatically illuminate your outdoor spaces from dusk till dawn. With easy installation and no wiring required, they provide a sustainable, decorative solution for gardens, front porches, and backyards.

FEATURES & BENEFITS

- Solar-Powered, Auto On/Off: Charges by day, automatic 10-hour night lighting.
- Color-Changing LEDs: Six color options with memory and fade function for varied lighting.
- Durable Design: Polycrystalline solar panel, ABS housing, suitable for outdoor use.
- Weatherproof: IP65, functional from -4°F to 104°F.
- Easy Setup: Tool-free installation, overcharge and discharge protection for longevity.

POWER AND ELECTRICAL FEATURES

- Built-in Protection: Features overcharge and over-discharge protection for safety.
- Battery Specs: Includes a 1200mAh lithium battery (18650 model), ensuring reliable power supply.
- Solar Panel: Utilizes a polycrystalline panel with an 80mA charging current, efficiently harnessing solar energy.

DESIGN AND STRUCTURE

- Certifications: The product holds CE and RoHS certifications, ensuring compliance with safety and environmental standards.
- Material: The housing is made of ABS, and the lens is constructed from PS material, offering durability and resilience.
- Sensor Type: Equipped with a light-control sensor for automatic operation.


ADDITIONAL COMPONENTS

- Certifications for Components: The product includes a battery that is certified with UN38.3 testing and MSDS, ensuring safety and compliance.
- Installation Accessory: Comes with one plastic installation spike for easy setup.

LED AND OPTICAL PERFORMANCE

- LED Specifications: Contains 33 LEDs (22 pcs 2835 SMD and 11 pcs RGB), delivering a diverse lighting experience.
- Luminosity: Offers 6 lumens for both cool white and warm white settings.
- Non-Dimmable: Designed without a dimming feature to maintain consistent light output.

PRODUCT DIAGRAM



360° GentleGlow


Soft, all-around lighting for expansive landscape enhancement.



Piramide del Tempio LED Path Light



O-ring Unico/Colorato LED Path Light



Stella Bitta LED Path Light

EdgeGlow OneWay Light

Precise, one-sided illumination for clear path lighting without overspill.



Crescente LED Path Light



Escavatori LED Path Light



Petali Rovesciato LED Path Light

NatureDots FlexGarden Light

Brighten gardens and paths, ground or surface mount.




Emisferi Sky-up LED Path Light

Designer Crafted Landscape Lighting

Function meets art, illuminating spaces with stylish, decorative designs.



Fulmine Gold LED Path Light



Luce Fiamma LED Path Light




Quadra Rotondo LED Path Light

SmartLink


Wireless control for easy, smart outdoor lighting.



O-ring Colorato LED Path Light - Smart Control



XGEN™ Dual-spot LED Path Light




XGEN™ Smart LED Path Light

All Color Options

some models may have limited choices.



Brass Yellow



Ebony Black



oiled rubbed bronze

Compatible Accessories



Outdoor Transformer, AC to DC, 12V 60W, Timer & Photocell



Outdoor Transformer, AC to DC, 12V 100W, Timer & Photocell



Outdoor Transformer, AC to DC, 12V 120W, Timer & Photocell



LeonLite® Waterproof Wire Nuts - Large



LeonLite® Waterproof Wire Nuts - Medium



Low Voltage Landscape Lighting Cable, 100ft, 16/2



LeonLite® Landscape Light Wire Connector



LeonLite® EasyConnect Wire Connector