

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
 Product name : 2WORK LEMON FLOOR GEL  
 Product code : 2W04569  
 Type of product : Detergent  
 Product group : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use  
 Industrial/Professional use spec : Industrial  
 For professional use only  
 Use of the substance/mixture : Cleaning/washing agents and additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

VOW EUROPE LTD  
 1ST FLOOR  
 1 EUROPA DRIVE  
 SHEFFIELD, S9 1XT  
 T: 0844 980 8000  
 WWW.VOWEUROPE.COM

#### 1.4. Emergency telephone number

| Country        | Official advisory body   | Address                                  | Emergency number   | Comment |
|----------------|--|--|--|---------|
| Ireland        | National Poisons Information Centre<br>Beaumont Hospital                     | PO Box 1297<br>Beaumont Road<br>9 Dublin | +353 1 809 2566<br>(Healthcare professionals-<br>24/7)<br>+353 1 809 2166 (public,<br>8am - 10pm, 7/7) |         |
| United Kingdom | National Poisons Information Service<br>(Birmingham Centre)<br>City Hospital | Dudley Road<br>B18 7QH Birmingham        | 0344 892 0111  |         |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319

Full text of hazard classes and H-statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

CLP Signal word : Warning  
 Hazard statements (CLP) : H319 - Causes serious eye irritation.  
 Precautionary statements (CLP) : P102 - Keep out of reach of children.  
 P264 - Wash hands thoroughly after handling.  
 P280 - Wear eye protection.  
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 - If eye irritation persists: Get medical advice/attention.  
 EUH-statements : EUH208 - Contains 1,2-benzisothiazol-3(2H)-one (BIT), Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), Pine Oil. May produce an allergic reaction.

# 2WORK LEMON FLOOR GEL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name   | Product identifier  | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP]   |
|--|---|---------|---|
| Fatty acids, Castor oil, Potassium salts   | (CAS-no) 8013-05-6<br>(Einecs nr) 232-388-4   | 1 – 3   | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319   |
| Sodium dodecylbenzenesulfonate   | (CAS-no) 25155-30-0<br>(Einecs nr) 246-680-4<br>(EG annex nr) /<br>(REACH-no) 01-2119565112-48            | 1 – 3   | Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318  |
| Pine Oil   | (CAS-no) 8002-09-3<br>(REACH-no) 01-2119553062-49   | 0.1 – 1 | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411   |
| 1,2-benzisothiazol-3(2H)-one (BIT)   | (CAS-no) 2634-33-5<br>(Einecs nr) 220-120-9<br>(EG annex nr) 613-088-00-6<br>(REACH-no) 01-2120761540-60  | < 0.1   | Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317<br>Aquatic Acute 1, H400 (M=10)  |
| Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) | (CAS-no) 55965-84-9<br>(Einecs nr) 611-341-5<br>(EG annex nr) 613-167-00-5<br>(REACH-no) 01-2120764691-48 | < 0.1   | Acute Tox. 2 (Inhalation), H330<br>Acute Tox. 2 (Dermal), H310<br>Acute Tox. 3 (Oral), H301<br>Skin Corr. 1C, H314<br>Eye Dam. 1, H318<br>Skin Sens. 1A, H317<br>Aquatic Acute 1, H400 (M=100)<br>Aquatic Chronic 1, H410 (M=100) |

### Specific concentration limits:

| Name   | Product identifier  | Specific concentration limits  |
|--|---|--|
| 1,2-benzisothiazol-3(2H)-one (BIT)   | (CAS-no) 2634-33-5<br>(Einecs nr) 220-120-9<br>(EG annex nr) 613-088-00-6<br>(REACH-no) 01-2120761540-60  | ( 0.05 ≤C < 100) Skin Sens. 1, H317  |
| Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) | (CAS-no) 55965-84-9<br>(Einecs nr) 611-341-5<br>(EG annex nr) 613-167-00-5<br>(REACH-no) 01-2120764691-48 | ( 0.0015 ≤C ≤ 100) Skin Sens. 1A, H317<br>( 0.06 ≤C < 0.6) Eye Irrit. 2, H319<br>( 0.06 ≤C < 0.6) Skin Irrit. 2, H315<br>( 0.6 ≤C ≤ 100) Eye Dam. 1, H318<br>( 0.6 ≤C ≤ 100) Skin Corr. 1C, H314 |

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General advice

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation

: Allow affected person to breathe fresh air. Allow the victim to rest.

Skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

Eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Acute effects eyes

: Causes serious eye irritation.

Acute effects oral route

: May cause irritation to the digestive tract.

# 2WORK LEMON FLOOR GEL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash hands, forearms and face thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Packaging materials : polyethylene. stainless steel.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses

#### Other information:

Do not eat, drink or smoke during use.

# 2WORK LEMON FLOOR GEL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

|  |                               |
|--|-------------------------------|
| Physical state                             | : Liquid                      |
| Physical state/form                        | : Liquid.                     |
| Colour                                     | : Yellow. Fluorescent yellow. |
| Odour                                      | : Characteristic. lemon.      |
| Odour threshold                            | : No data available           |
| pH   | : 7 – 9                       |
| Relative evaporation rate (butylacetate=1) | : No data available           |
| Melting point/range                        | : 0 °C                        |
| Freezing point                             | : No data available           |
| Boiling point/Boiling range                | : 100 °C                      |
| Flash point                                | : No data available           |
| Autoignition temperature                   | : No data available           |
| Decomposition temperature                  | : No data available           |
| Flammability (solid, gas)                  | : Non flammable.              |
| Vapour pressure                            | : No data available           |
| Relative vapour density at 20 °C           | : No data available           |
| Relative density                           | : 1.004                       |
| Solubility                                 | : Miscible with water.        |
| Log Pow                                    | : No data available           |
| Viscosity, kinematic                       | : No data available           |
| Viscosity, dynamic                         | : 6500 – 8500 cP at 20 °C     |
| Explosive properties                       | : No data available           |
| Oxidising properties                       | : No data available           |
| Explosive limits                           | : No data available           |

#### 9.2. Other information

VOC content : 20 g/l

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

#### 1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)

|                  |                       |
|------------------|-----------------------|
| LD50 oral        | 490 mg/kg bodyweight  |
| LD50 dermal rat  | 2000 mg/kg bodyweight |
| ATE CLP (oral)   | 670 mg/kg bodyweight  |
| ATE CLP (dermal) | 5000 mg/kg bodyweight |

#### Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)

|               |          |
|---------------|----------|
| LD50 oral rat | 64 mg/kg |
|---------------|----------|

# 2WORK LEMON FLOOR GEL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                                   |                     |
|-----------------------------------|---------------------|
| LD50 dermal rat                   | 87.12 mg/kg         |
| LD50 dermal rabbit                | 78 mg/kg            |
| LC50 Inhalation - Rat             | 0.33 mg/l/4h        |
| LC50 Inhalation - Rat (Dust/Mist) | 0.33 mg/l/4h        |
| ATE CLP (oral)                    | 64 mg/kg bodyweight |
| ATE CLP (dermal)                  | 78 mg/kg bodyweight |
| ATE CLP (gases)                   | 700 ppmv/4h         |
| ATE CLP (vapours)                 | 0.33 mg/l/4h        |
| ATE CLP (dust,mist)               | 0.33 mg/l/4h        |

### Pine Oil (8002-09-3)

|                    |              |
|--------------------|--------------|
| LD50 oral rat      | > 3200 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |

|   |   |
|---|---|
| Skin corrosion/irritation                           | : Not classified<br>pH: 7 – 9                                       |
| Additional information                              | : Based on available data, the classification criteria are not met  |
| Serious eye damage/irritation                       | : Causes serious eye irritation.<br>pH: 7 – 9                       |
| Respiratory or skin sensitisation                   | : Not classified  |
| Additional information                              | : Based on available data, the classification criteria are not met  |
| Germ cell mutagenicity                              | : Not classified  |
| Additional information                              | : Based on available data, the classification criteria are not met  |
| Carcinogenicity                                     | : Not classified  |
| Additional information                              | : Based on available data, the classification criteria are not met  |
| Reproductive toxicity                               | : Not classified  |
| Additional information                              | : Based on available data, the classification criteria are not met  |
| STOT-single exposure                                | : Not classified  |
| Additional information                              | : Based on available data, the classification criteria are not met  |
| STOT-repeated exposure                              | : Not classified  |
| Additional information                              | : Based on available data, the classification criteria are not met  |
| Aspiration hazard                                   | : Not classified  |
| Additional information                              | : Based on available data, the classification criteria are not met  |
| Potential adverse human health effects and symptoms | : Based on available data, the classification criteria are not met. |

## SECTION 12: Ecological information

### 12.1. Toxicity

|   |                  |
|---|------------------|
| Hazardous to the aquatic environment, short-term (acute)  | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |

### 1,2-benzisothiazol-3(2H)-one (BIT) (2634-33-5)

|                        |            |
|------------------------|------------|
| LC50 fish 1            | 1.3 mg/l   |
| EC50 Daphnia 1         | 2.94 mg/l  |
| ErC50 (algae)          | 0.084 mg/l |
| NOEC chronic fish      | 0.74 mg/l  |
| NOEC chronic crustacea | 0.7 mg/l   |

# 2WORK LEMON FLOOR GEL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                    |            |
|--------------------|------------|
| NOEC chronic algae | 0.043 mg/l |
|--------------------|------------|

### Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)

|                                |                                      |
|--------------------------------|--------------------------------------|
| LC50 fish 1                    | 0.19 mg/l Rainbow trout              |
| LC50 fish 2                    | zonnebaars                           |
| EC50 Daphnia 1                 | 0.16 mg/l                            |
| EC50 other aquatic organisms 1 | 0.126 mg/l waterflea                 |
| EC50 other aquatic organisms 2 | 0.003 mg/l                           |
| EC50 72h algae (1)             | 0.027 mg/l                           |
| ErC50 (algae)                  | 0.003 mg/l Skeletonema costatum      |
| ErC50 (other aquatic plants)   | 0.018 mg/l selenastrum capricornutum |
| NOEC chronic fish              | 0.05 mg/l                            |
| NOEC chronic crustacea         | 0.1 mg/l                             |
| NOEC chronic algae             | 0.0014 mg/l                          |

### Pine Oil (8002-09-3)

|                    |              |
|--------------------|--------------|
| LC50 fish 1        | 68 – 80 mg/l |
| EC50 Daphnia 1     | 73 mg/l      |
| EC50 72h algae (1) | 68 mg/l      |

## 12.2. Persistence and degradability

### CLOVER GEL LEMON

|                               |   |
|-------------------------------|---|
| Persistence and degradability | Biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. |
|-------------------------------|---|

### Pine Oil (8002-09-3)

|                               |   |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |
|-------------------------------|---|

### Fatty acids, Castor oil, Potassium salts (8013-05-6)

|                               |                  |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

## 12.3. Bioaccumulative potential

### CLOVER GEL LEMON

|                           |                     |
|---------------------------|---------------------|
| Bioaccumulative potential | No bioaccumulation. |
|---------------------------|---------------------|

### Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9)

|         |     |
|---------|-----|
| Log Pow | 0.4 |
|---------|-----|

### Pine Oil (8002-09-3)

|                           |                  |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

### Fatty acids, Castor oil, Potassium salts (8013-05-6)

|                           |                  |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

## 12.4. Mobility in soil

No additional information available

# 2WORK LEMON FLOOR GEL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.5. Results of PBT and vPvB assessment

#### CLOVER GEL LEMON

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### Component

Pine Oil (8002-09-3)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII  
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Waste / unused products : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR                                     | IMDG          | IATA          |
|---|---------------|---------------|
| <b>14.1. UN number</b>                  |               |               |
| Not regulated                           | Not regulated | Not regulated |
| <b>14.2. UN proper shipping name</b>    |               |               |
| Not regulated                           | Not regulated | Not regulated |
| <b>14.3. Transport hazard class(es)</b> |               |               |
| Not regulated                           | Not regulated | Not regulated |
| <b>14.4. Packing group</b>              |               |               |
| Not regulated                           | Not regulated | Not regulated |
| <b>14.5. Environmental hazards</b>      |               |               |
| Not regulated                           | Not regulated | Not regulated |
| No supplementary information available  |               |               |

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 20 g/l

# 2WORK LEMON FLOOR GEL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Detergent Regulation (648/2004/EC): Labelling of contents:

| Component   | %   |
|---|-----|
| anionic surfactants                                     | <5% |
| BENZISOTHIAZOLINONE                                     |     |
| METHYLCHLOROISOTHIAZOLINONE (AND) METHYLISOTHIAZOLINONE |     |
| perfumes  |     |

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

### Full text of H- and EUH-statements:

|                           |   |
|---------------------------|---|
| Acute Tox. 2 (Dermal)     | Acute toxicity (dermal), Category 2                               |
| Acute Tox. 2 (Inhalation) | Acute toxicity (inhal.), Category 2                               |
| Acute Tox. 3 (Oral)       | Acute toxicity (oral), Category 3                                 |
| Acute Tox. 4 (Oral)       | Acute toxicity (oral), Category 4                                 |
| Aquatic Acute 1           | Hazardous to the aquatic environment — Acute Hazard, Category 1   |
| Aquatic Chronic 1         | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 2         | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Asp. Tox. 1               | Aspiration hazard, Category 1                                     |
| Eye Dam. 1                | Serious eye damage/eye irritation, Category 1                     |
| Eye Irrit. 2              | Serious eye damage/eye irritation, Category 2                     |
| Flam. Liq. 3              | Flammable liquids, Category 3                                     |
| Skin Corr. 1C             | Skin corrosion/irritation, Category 1, Sub-Category 1C            |
| Skin Irrit. 2             | Skin corrosion/irritation, Category 2                             |
| Skin Sens. 1              | Skin sensitisation, Category 1                                    |
| Skin Sens. 1A             | Skin sensitisation, category 1A                                   |
| H226                      | Flammable liquid and vapour.                                      |
| H301                      | Toxic if swallowed.   |
| H302                      | Harmful if swallowed.   |
| H304                      | May be fatal if swallowed and enters airways.                     |
| H310                      | Fatal in contact with skin.                                       |
| H314                      | Causes severe skin burns and eye damage.                          |
| H315                      | Causes skin irritation.   |
| H317                      | May cause an allergic skin reaction.                              |
| H318                      | Causes serious eye damage.  |
| H319                      | Causes serious eye irritation.                                    |
| H330                      | Fatal if inhaled.   |
| H400                      | Very toxic to aquatic life.                                       |
| H410                      | Very toxic to aquatic life with long lasting effects.             |
| H411                      | Toxic to aquatic life with long lasting effects.                  |



# 2WORK LEMON FLOOR GEL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|        |  |
|--------|--|
| EUH208 | Contains 1,2-benzisothiazol-3(2H)-one (BIT), Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1), Pine Oil. May produce an allergic reaction. |
|--------|--|

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

|              |      |                    |
|--------------|------|--------------------|
| Eye Irrit. 2 | H319 | Calculation method |
|--------------|------|--------------------|

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.