

SAFETY INFORMATION SHEET

Date of Issue: February 2004
Revision: March 2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

1.1 Product Identifier: NIPPON ANT KILLER POWDER
1.2 Relevant uses of the substance or mixture and uses advised against:
 Insecticide
1.3 Manufacturer/Distributor: Vitax Limited
 Owen Street
 Coalville
 LE67 3DE
 Tel: 01530 510060 Fax: 01530 510299 Email: info@vitax.co.uk
1.4 Emergency Contact: Tel: 01530 510060 (Office Hours)

2. HAZARDS IDENTIFICATION

2.1 Classification: Classification according to Regulation (EC) No 1272/2008 (EU-GHS/CLP)
 Health hazards Elicitation - EUH208
 Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410
2.2 Label Elements: Contains 0.488% Permethrin (EC 258-067-9)



Signal word: Warning
Hazard statements: H410 Very toxic to aquatic life with long lasting effects.
Precautionary Statements: P102 Keep out of reach of children.
 P273 Avoid release to the environment.
 P501 Dispose of contents/container in accordance with local regulations.
2.3 Other Hazards: EUH208 Contains PERMETHRIN. May produce an allergic reaction.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

| Chemical Name | CAS-No./ EINECS-No. | Annex Index or REACH number | Symbol(s) and Phrases | Precautionary Statements: | Concentration [%] |
|---------------|-------------------------|--------------------------------|---|------------------------------|----------------------|
| Permethrin | 52645-53-1 258-067-9 | N/A | Acute Tox. 4 - H302, H332 Skin Sens. 1B - H317 Aquatic Acute 1 - H400, H410 M factor (Acute) = 1000 M factor (Chronic) = 1000 | | 0.488% |
| talc | 14807-96-6 | n/a | n/a | | 60-100% |

4. FIRST AID MEASURES

4.1. Description of first aid measures

General information

Inhalation

Remove victim immediately from source of exposure. Provide fresh air, warmth and rest, preferably in a comfortable upright sitting position. Get medical attention if any discomfort continues.

Ingestion

Rinse mouth thoroughly. Drink plenty of water. Get medical attention if any discomfort continues.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.

Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

In some individuals a characteristic and reversible skin irritation effect characteristic of natural pyrethrins may be experienced. Deliberate ingestion could lead to neurological signs and symptoms such as ataxia, tremors or convulsions.

4.3 Indication of immediate medical attention and special treatment needed:

Not available.

SAFETY INFORMATION SHEET

Date of Issue: February 2004

Revision: March 2020

5. FIRE FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products None under normal conditions.

Unusual Fire & Explosion Hazards Not known.

5.3. Advice for firefighters

Special Fire Fighting Procedures Avoid breathing fire vapours.

Protective equipment for fire-fighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Do not discharge onto the ground or into water courses.

6.3. Methods and material for containment and cleaning up

Collect spillage with shovel, broom or the like and reuse, if possible. Dispose of large amounts of spillage/waste according to agreement with local authorities.

6.4. Reference to other sections

None

7. HANDLING & STORAGE

7.1. Precautions for safe handling

Avoid inhalation of dust and contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place.

Keep separate from food, feedstuffs, fertilisers and other sensitive material.

Miscellaneous hazardous material storage.

Storage Class

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

Usage Description

Pesticide.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1 Control parameters:

PERMETHRIN Long-term exposure limit (8-hour TWA): 5 mg/m³

Talc Long-term exposure limit (8-hour TWA): 1 mg/m³

OEL = Occupational Exposure Limit.

WEL = Workplace Exposure Limit

8.2 Exposure Controls:

Protective equipment Dust mask

Engineering measures Provide adequate general and local exhaust ventilation.

Respiratory equipment If ventilation is insufficient, suitable respiratory protection must be provided.

Hand protection Gloves.

Eye protection No specific eye protection noted, but may be required anyway.

Hygiene measures Wash hands at the end of each work shift and before eating, smoking and using the toilet.

9. PHYSICAL & CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

Appearance Powder, dust

Colour Grey.

Odour Slight odour.

Solubility Slightly soluble in water.

9.2 Other information:

None.

10. STABILITY & REACTIVITY

10.1. Reactivity Not known

10.2. Chemical stability Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Not known.

Hazardous Polymerisation Will not polymerise.

10.4. Conditions to avoid

Not relevant

SAFETY INFORMATION SHEET

Date of Issue: February 2004

Revision: March 2020

10.5. Incompatible materials

Materials To Avoid

No incompatible groups noted.

10.6. Hazardous decomposition products

Not known.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

PERMETHRIN TECHNICAL 25/75

Oral LD50 OECD 401

554 mg/kg bw Rat (male/female)

Dermal LD50 OECD 402

> 2000 mg/kg 14 day(s) Rat (male/female)

Inhalation (aerosol) LC50 OECD 403

> 4.638 mg/l 4 h Rat (male/female) (maximum attainable aerosol concentration)

Corrosion/irritation

PERMETHRIN TECHNICAL 25/75

Eye OECD 405 4 h

Not irritating 1; 24; 48; 72 hours Rabbit

Skin OECD 404 4 h

Not irritating 1; 24; 48; 72; 168 hours Rabbit

Respiratory or skin sensitisation

PERMETHRIN TECHNICAL 25/75

OECD 406

Not sensitizing Guinea pig (male/female) Skin 24; 48 hours

Classification of this substance according to Annex VI is debatable as it does not correspond to the conclusion from the test

Specific target organ toxicity

PERMETHRIN TECHNICAL 25/75

Oral (diet) NOAEL OECD 408

8.6 mg/kg bw/day No effect 90 day(s) Rat (male/female)

Dermal NOAEL OECD 411

1000 mg/kg bw/day No effect 13 weeks (6h/day, 5 days/week) Rat (male/female)

Inhalation (aerosol) NOAEL OECD 413

0.2201 mg/l air No effect 13 weeks (6h/day, 5 days/week) Rat (male/female)

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

PERMETHRIN TECHNICAL 25/75

OECD 473 Chinese hamster ovary (CHO) Negative with metabolic activation, negative without metabolic activation

Mutagenicity (in vivo)

PERMETHRIN TECHNICAL 25/75

OECD 475 2 dose(s)/24-hour interval

Negative Mouse (male/female) Bone marrow

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

PERMETHRIN TECHNICAL 25/75

Oral NOAEL OECD 453

75 mg/kg bw/day Rat (male/female) No carcinogenic effect

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

PERMETHRIN TECHNICAL 25/75

Developmental toxicity NOAEL OECD 414 500 mg/kg bw/day Rabbit (female) No effect

Maternal toxicity NOAEL OECD 414 250 mg/kg bw/day Rabbit (female) No effect

Effects on fertility NOAEL OECD 416 500 mg/kg bw/day Rat (male/female) No effect

Conclusion

Not classified for reprotoxic or developmental toxicity

Toxicity other effects

PERMETHRIN TECHNICAL 25/75

No (test) data available

Chronic effects from short and long-term exposure

PERMETHRIN TECHNICAL 25/75

ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation.

12. ECOLOGICAL INFORMATION

Ecotoxicity

This product has not been tested but contains ingredients which are toxic or very toxic to aquatic organisms and may cause long term adverse effects in the aquatic environment.

12.1 Toxicity:

PERMETHRIN TECHNICAL 25/75

Acute toxicity fishes LC50 OECD 203

8.9 µg/l 96 h Poecilia reticulata Semi-static system Fresh water

0.145 mg/l 96 h Cyprinus carpio

Acute toxicity crustacea

SAFETY INFORMATION SHEET

Date of Issue: February 2004
Revision: March 2020

| | |
|--|---|
| EC50 OECD 202 | 0.00127 mg/l 48 h Daphnia magna |
| Toxicity algae and other aquatic plants | |
| EC50 OECD 201 | > 1.13 mg/l 72 h Pseudokirchneriella subcapitata |
| NOAEL OECD 201 | > 0.013 mg/l 72 h Pseudokirchneriella subcapitata |
| Long-term toxicity fish | |
| NOEC OECD 210 | 0.00041 mg/l 35 day(s) Danio rerio |
| Long-term toxicity aquatic crustacea | |
| NOEC OECD 211 | 0.0047 µg/l 21 day(s) Daphnia magna |
| Toxicity aquatic micro- organisms | |
| EC50 OECD 209 | > 1000 mg/l 3 h Activated sludge |
| NOEC OECD 209 | 0.00495 mg/l 3 h Activated sludge |
| Toxicity soil macro-organisms | |
| EC50 OECD 207 | 126 mg/kg soil dw 14 day(s) Lampito mauritii |
| Toxicity other terrestrial organisms LD50 | 0.163 µg/l Apis mellifera |
| 12.2 Persistence and degradability: | |
| PERMETHRIN TECHNICAL 25/75 | |
| Biodegradation water | |
| OECD 301B: CO2 Evolution Test | 5 % 28 day(s) |
| Phototransformation air (DT50 air) | |
| AOPWIN v1.91 0.701 day(s) 500000 /cm ³ QSAR | |
| Half-life water (t1/2 water) | > 1 year(s); pH < 7 > 1 year(s); pH = 7 35 day(s) - 42 day(s); pH > 7 |
| Half-life soil (t1/2 soil) | 11 day(s) - 21.2 day(s) |
| 12.3 Bioaccumulative potential: | |
| PERMETHRIN TECHNICAL 25/75 | |
| BCF fishes | 290 - 620 Cyprinodon variegatus |
| Log Kow | 4.67 at 25 °C |
| 12.4 Mobility in soil: | |
| PERMETHRIN TECHNICAL 25/75 | |
| Volatility (Henry's Law constant H) | 0.0046 Pa.m ³ /mol |
| 12.5 Results of PBT and vPvB: | Substance does not meet the criteria of PBT, nor the criteria of vPvB according to Annex XIII of Regulation (EC) No 1907/2006, so is neither PBT nor vPvB.. |
| 12.6 Other adverse data: | no data |

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods This material and its container must be disposed of in a safe way.

14. TRANSPORT INFORMATION

General

This product is packed in accordance with the Limited Quantity Provisions of CDGCP2, ADR and IMDG. These provisions allow transport to be exempt from control providing that they are labelled in accordance with the requirements of these regulations to show that they are being transported as Limited Quantities. Product not so packed and labelled must show the following.

14.1. UN number

| | |
|----------------------|------|
| UN No. (ADR/RID/ADN) | 3077 |
| UN No. (IMDG) | 3077 |
| UN No. (ICAO) | 3077 |

14.2. UN proper shipping name Proper Shipping Name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(PERMETHRIN)

14.3. Transport hazard class(es)

| | |
|-------------------|---|
| ADR/RID/ADN | Class 9 |
| ADR/RID/ADN Class | Class 9: Miscellaneous dangerous substances and articles. |
| ADR Label | No. 9 |
| IMDG | Class 9 |
| ICAO | Class/Division 9 |
| Transport Labels | MISCELLANEOUS DANGEROUS GOODS 9 |

14.4. Packing group

| | |
|-------------|-------------------|
| ADR/RID/ADN | Packing group III |
|-------------|-------------------|



SAFETY INFORMATION SHEET

Date of Issue: February 2004

Revision: March 2020

| | |
|--|--|
| IMDG | Packing group III |
| ICAO | Packing group III |
| 14.5. Environmental hazards | Environmentally Hazardous Substance/Marine Pollutant |
| 14.6. Special precautions for user | |
| EMS | F-A, S-F |
| Emergency Action Code | 2Z |
| Hazard No. (ADR) | 90 |
| Tunnel Restriction Code | (E) |
| 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific to this substance:

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

15.2 Chemical Safety Assessment not undertaken for this material

16. OTHER INFORMATION

Reason for revision:

Replaces version dated May 2019. Revision to sections 11, 12 & 16.

Hazard statements in full

EUH208 Contains PERMETHRIN. May produce an allergic reaction.
H302 Harmful if swallowed.
H317 May cause an allergic skin reaction.
H332 Harmful if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Liability

The product label provides information on the use of the product: do not use otherwise, unless you have assessed any potential hazard involved and the safety measures required. Prepared by VITAX LTD, for Health and Safety purposes from the best knowledge available at the time of printing.