



Gorilla Epoxy (Resin)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name	Gorilla Epoxy (Resin)
Synonyms	bis-[4-(2,3-epoxipropoxy)phenyl]propane
CAS No.	Not applicable.
EC No.	Not applicable.
REACH Registration No.	Not known.
Unique Formula Identifier (UFI)	N312-W00T-Q00C-KE5Q

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Adhesives.
Uses Advised Against	Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer	
Company Identification	Gorilla Glue Europe Ltd
Address of Manufacturer	26 Eaton Avenue Matrix Park Buckshaw Village Chorley Lancashire
Postal code	PR7 7NA
Telephone:	01257 241 319
Fax	Not known.
E-mail	Eucustomer@gorillaglu.com
Office hours	08:30 - 17:00
Supplier	
Company Identification	Gorilla Glue Europe Ltd.
Address of Supplier	26 Eaton Avenue Matrix Park Buckshaw Village Chorley Lancashire
Postal code	PR7 7NA
Telephone:	01257 241 319
Fax	Not known.
E-mail	Eucustomer@gorillaglu.com
Office hours	08:30 - 17:00

1.4 Emergency telephone number

Emergency Phone No.	+44 (0)843 507 1200
Contact	Stuart Shotton
National response centre	



Gorilla Epoxy (Resin)

Address NHS Direct
Emergency Phone No. +44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567

Skin Irrit. 2 :Causes skin irritation.
Skin Sens. 1 :May cause an allergic skin reaction.
Eye Irrit. 2 :Causes serious eye irritation.
Aquatic Chronic 2 :Toxic to aquatic life with long lasting effects.

2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

Product Name Gorilla Epoxy (Resin)

Hazard Pictogram(s)



GHS07



GHS09

Signal Word(s) Warning

Hazard Statement(s)

H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H319: Causes serious eye irritation.
H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P261: Avoid breathing vapours.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS



Gorilla Epoxy (Resin)

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration number(s)	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
bis-[4-(2,3-epoxypropoxy)phenyl]propane	1675-54-3	216-823-5	<99	Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Irrit. 2 H319 Aquatic Chronic 2 H411	GHS07 GHS09
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	2530-83-8	219-784-2	<2	Eye Dam. 1 H318 Aquatic Chronic 3 H412	GHS05
1-chloro-2,3-epoxypropane	106-89-8	203-439-8	<0.001	Flam. Liq. 3 H226 Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1B H314 Skin Sens. 1 H317 Acute Tox. 3 H331 Carc. 1B H350	GHS02 GHS06 GHS05 GHS08 GHS07
Methanol	67-56-1	200-659-6	<0.001	Flam. Liq. 2 H225 Acute Tox. 3 H301 Acute Tox. 3 H311 Acute Tox. 3 H331 STOT SE 1 H370	GHS02 GHS06 GHS08
bisphenol A	80-05-7	201-245-8	<0.001	Skin Sens. 1 H317 Eye Dam. 1 H318 STOT SE 3 H335 Repr. 1B H360F	GHS05 GHS08 GHS07

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Treat symptomatically.



Gorilla Epoxy (Resin)

Skin Contact	Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see on this label).
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Treat symptomatically.

4.2 Most important symptoms and effects, both acute and delayed

May cause irritation. Allergic contact dermatitis.

4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see on this label). Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable extinguishing media	None.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling



Gorilla Epoxy (Resin)

Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing vapours.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	None known.

7.3 Specific end use(s)

Adhesives.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTCL (8 hr TWA ppm)	LTCL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
1-Chloro-2,3- epoxypropane (Epichlorohydrin)	106-89-8	0.5	1.9	1.5	5.8	Carc
Methanol	67-56-1	200	266	250	333	Sk
Bisphenol A	80-05-7		2			

Region	Source
United Kingdom	UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark	Notes
Carc	Capable of causing cancer and/or heritable genetic damage.
Sk	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection Wear eye protection with side protection (EN166).



Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374).



Gorilla Epoxy (Resin)



Respiratory protection Normally no personal respiratory protection is necessary.



Thermal hazards None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Liquid. Colour : Clear.
Odour	Not known.
Odour threshold	Not known.
pH	Not known.
Melting point/freezing point	Not known.
Initial boiling point and boiling range	Not known.
Flash Point	>94° C [Closed cup]
Evaporation rate	Not known.
Flammability (solid, gas)	Not known.
Upper/lower flammability or explosive limits	Not known.
Vapour pressure	Not known.
Vapour density	Not known.
Density (g/ml)	1.1-1.2g/cm ³
Relative density	Not known.
Solubility(ies)	Solubility (Water) : Slightly soluble (bis-[4-(2,3-epoxipropoxy)phenyl]propane) Solubility (Other) : Not known.
Partition coefficient: n-octanol/water	Log Pow 3.242@ 25° C (bis-[4-(2,3-epoxipropoxy)phenyl]propane)
Auto-ignition temperature	Not known.
Decomposition Temperature (° C)	Not known.
Viscosity	Not known.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.



Gorilla Epoxy (Resin)

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 1000000.00000 bis-[4-(2,3-epoxipropoxy)phenyl]propane LD50 (oral,rat) mg/kg: >2000
Acute toxicity - Skin Contact	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 1000000.00000
Acute toxicity - Inhalation	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 158730.16000
Skin corrosion/irritation	Calculation method : Causes skin irritation.
Serious eye damage/irritation	Calculation method : Causes serious eye irritation.
Skin sensitization data	Calculation method : May cause an allergic skin reaction.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.

11.2 Other information

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity



Gorilla Epoxy (Resin)

Toxicity - Aquatic invertebrates	Toxic to aquatic life with long lasting effects. bis-[4-(2,3-epoxipropoxy)phenyl]propane EC50 Acute (Daphnia magna) (48 hour) : 2.7mg/l NOEC Chronic (Daphnia magna) (21 days) : 0.3mg/l
Toxicity - Fish	bis-[4-(2,3-epoxipropoxy)phenyl]propane LC50 Acute (Rainbow trout) (96 hour) : 1.5mg/l
Toxicity - Algae	bis-[4-(2,3-epoxipropoxy)phenyl]propane EC50 Acute (Green algae) (72 hour) : 9.4mg/l
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

12.2 Persistence and degradability

The product is not biodegradable.
bis-[4-(2,3-epoxipropoxy)phenyl]propane : Not readily biodegradable.

12.3 Bioaccumulative potential

The product has no potential for bioaccumulation.
bis-[4-(2,3-epoxipropoxy)phenyl]propane : Bioconcentration factor (BCF) : 31

12.4 Mobility in soil

The product is predicted to have moderate mobility in soil.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation.
Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

UN No. 3082

14.2 UN proper shipping name

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class 9

ADR Classification Code M6

Special Provisions 274 335 375 601


**Gorilla Epoxy (Resin)**

Limited Quantities	5 L
Excepted Quantities	E1
Emergency Action Code	•3Z
Mixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	PP1
Mixed Packing Instructions for Packages	MP19
Packing Instructions for Portable Tanks	T4
Special Provisions for Portable Tanks	TP1 TP29
Tank Code for Tanks	LGBV
Special Provisions for Tanks	
Vehicle for Tank Carriage	AT
ADR Transport Category	3
Tunnel Restriction Code	-
Special Provisions for Carriage - Packages	V12
Special Provisions for Carriage - Bulk	
Special Provisions for Carriage - Loading, Unloading and Handling	CV13
Special Provisions for Carriage - Operation	
ADR HIN	90
IMDG	
IMDG Class	9
Special Provisions	274 335 375 601
Limited Quantities	5 L
Excepted Quantities	E1
Mixed Packing Instructions for Packages	P001 IBC03 LP01 R001
Special Packing Provisions for Packages	PP1
Packing Instructions for Portable Tanks	T4
Special Provisions for Portable Tanks	TP1 TP29
IMDG EMS	F-A S-F
Stowage and Handling	Category A
Segregation	
Marine Pollutant	
ICAO/IATA	
IATA Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Excepted Quantities	E1
Passenger and Cargo Aircraft Limited Quantities Packing Instructions	Y964



Gorilla Epoxy (Resin)

Passenger and Cargo Aircraft Limited	30Kg G
Quantities Max net Qty	
Passenger and Cargo Aircraft Packing	964
Instructions	
Passenger and Cargo Aircraft Max net	450L
Qty	
Cargo Aircraft Packing Instructions	964
Cargo Aircraft Max net Qty	450L
Special Provisions	A97, A158 A197
Emergency Response Guidebook (ERG)	9L
Code	
Labels	
Labels	9



14.4 Packing group

Packing group III

14.5 Environmental hazards

Environmental hazards Classified as a Marine Pollutant.

14.6 Special precautions for user

Special precautions for user Not known.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances of Very High Concern for Authorisation Decamethylcyclotetrasiloxane (541-02-6), octamethylcyclotetrasiloxane (556-67-2), 4,4'-isopropylidenediphenol (80-05-7)

UK REACH Authorisation List (Annex XIV) list of substances subject to authorisation Not listed

UK REACH Restrictions List (Annex XIV) Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Carcinogens: category 1B (106-89-8), Decamethylcyclotetrasiloxane (541-02-6), octamethylcyclotetrasiloxane (556-67-2), Methanol (67-56-1), 4,4'-isopropylidenediphenol (80-05-7), bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3), [3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8), Cyclosiloxanes, di-Me (69430-24-6)

The Persistent Organic Pollutants Regulations 2007 (SI 2007/3106) as amended Not listed



Gorilla Epoxy (Resin)

The Ozone-Depleting Substances and Not listed

Fluorinated Greenhouse Gases
(Amendment etc.) (EU Exit) Regulations
2019 (SI 2019/583)

The Prior Informed Consent (PIC) Not listed

Regulations concerning the export and
import of hazardous chemicals
SI2008/2108 as amended

European Regulations - Authorisations and/or Restrictions On Use

Community Rolling Action Plan 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane (1675-54-3), Methanol (67-56-1), 4,4'-isopropylidenediphenol (80-05-7)

15.2 Chemical Safety Assessment

United Kingdom

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS07



GHS09

GHS02: GHS: Flame

GHS05: GHS: Corrosion

GHS06: GHS: Skull and crossbones

GHS08: GHS: Health hazard

Hazard classification

Flam. Liq. 2 : Flammable liquid, Category 2

Flam. Liq. 3 : Flammable liquid, Category 3

Acute Tox. 3 : Acute toxicity, Category 3

Acute Tox. 3 : Acute toxicity, Category 3

Skin Corr. 1B : Skin corrosion/irritation, Category 1B

Skin Irrit. 2 : Skin corrosion/irritation, Category 2

Skin Sens. 1 : Skin sensitization, Category 1

Eye Dam. 1 : Serious eye damage/irritation, Category 1

Eye Irrit. 2 : Serious eye damage/irritation, Category 2

Acute Tox. 3 : Acute toxicity, Category 3



Gorilla Epoxy (Resin)

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Carc. 1B : Carcinogenicity, Category 1B

Repr. 1B : Reproductive toxicity, Category 1B

STOT SE 1 : Specific target organ toxicity — single exposure, Category 1

Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2

Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s)

H225: Highly flammable liquid and vapour.

H226: Flammable liquid and vapour.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H335: May cause respiratory irritation.

H350: May cause cancer.

H360F: May damage fertility.

H370: Causes damage to organs.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing vapours.

P264: Wash hands and exposed skin thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see on this label).

P332+P313: If skin irritation occurs: Get medical advice/attention.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.



Gorilla Epoxy (Resin)

P337+P313: If eye irritation persists: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P391: Collect spillage.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CAS : Chemical Abstracts Service

DNEL : Derived No Effect Level

EC : European Community

EINECS : European Inventory of Existing Commercial Chemical Substances

IATA : International Air Transport Association

IBC : Intermediate Bulk Container

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

LTEL : Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic

PNEC : Predicted No Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STEL : Short term exposure limit

STOT : Specific Target Organ Toxicity

UN : United Nations

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS

GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose.

Gorilla Glue Europe Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Gorilla Glue Europe Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.



Gorilla Epoxy (Hardener)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name	Gorilla Epoxy (Hardener)
Synonyms	Poly[oxy(methyl-1,2-ethanediy)], α -hydro- ω -hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether; 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine
CAS No.	Not applicable.
EC No.	Not applicable.
REACH Registration No.	Not known.
Unique Formula Identifier (UFI)	K2Y8-80AU-N00J-Y7A8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Hardener.
Uses Advised Against	Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer	
Company Identification	Gorilla Glue Europe Ltd
Address of Manufacturer	26 Eaton Avenue Matrix Park Buckshaw Village Chorley Lancashire
Postal code	PR7 7NA
Telephone:	01257 241 319
Fax	Not known.
E-mail	Eucustomer@gorillaglu.com
Office hours	08:30 - 17:00
Supplier	
Company Identification	Gorilla Glue Europe Ltd
Address of Supplier	26 Eaton Avenue Matrix Park Buckshaw Village Chorley Lancashire
Postal code	PR7 7NA
Telephone:	01257 241 319
Fax	Not known.
E-mail	Eucustomer@gorillaglu.com
Office hours	08:30 - 17:00

1.4 Emergency telephone number

Emergency Phone No.	+44 (0)843 507 1200
---------------------	---------------------



Gorilla Epoxy (Hardener)

Contact	Stuart Shotton
National response centre	
Address	NHS Direct
Emergency Phone No.	+44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567

Skin Irrit. 2 :Causes skin irritation.
Skin Sens. 1A :May cause an allergic skin reaction.
Eye Dam. 1 :Causes serious eye damage.
Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.

2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

Product Name Gorilla Epoxy (Hardener)

Hazard Pictogram(s)



GHS05



GHS07

Signal Word(s) Danger

Hazard Statement(s)

H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P261: Avoid breathing vapours.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS



Gorilla Epoxy (Hardener)

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration number(s)	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Poly[oxy(methyl-1,2-ethanediyl)], α -hydro- ω -hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether	72244-98-5	615-735-8	<85	Skin Sens. 1 H317 Aquatic Chronic 3 H412	GHS07
2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine	25513-64-8	247-063-2	<20	Acute Tox. 4 H302 Skin Corr. 1A H314 Skin Sens. 1A H317 Eye Dam. 1 H318	GHS05 GHS07
1,4-diazabicyclooctane	280-57-9	205-999-9	<1	Flam. Sol. 1 H228 Acute Tox. 4 H302 Skin Irrit. 2 H315 Eye Dam. 1 H318	GHS02 GHS05 GHS07
2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4	<0.5	Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS09

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	Treat symptomatically.
Skin Contact	Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see Medical Advice on this label).
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.
Ingestion	Treat symptomatically.

4.2 Most important symptoms and effects, both acute and delayed

Causes burns. Allergic contact dermatitis.

4.3 Indication of any immediate medical attention and special treatment needed



Gorilla Epoxy (Hardener)

Specific treatment (see Medical Advice on this label). Immediately call a POISON CENTRE/doctor. Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.
Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire, giving off toxic and irritant vapours.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing vapours.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature Ambient.
Storage life Stable under normal conditions.
Incompatible materials None known.

7.3 Specific end use(s)

Hardener.



Gorilla Epoxy (Hardener)

Melting point/freezing point	Not known.
Initial boiling point and boiling range	Not known.
Flash Point	Not known.
Evaporation rate	Not known.
Flammability (solid, gas)	Not known.
Upper/lower flammability or explosive limits	Not known.
Vapour pressure	Not known.
Vapour density	Not known.
Density (g/ml)	1.12g/cm ³
Relative density	Not known.
Solubility(ies)	Solubility (Water) : Not known. Solubility (Other) : Not known.
Partition coefficient: n-octanol/water	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature (° C)	Not known.
Viscosity	Not known.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion

Calculation method : Not classified.

Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE -
3191.22000



Gorilla Epoxy (Hardener)

Acute toxicity - Skin Contact
Acute toxicity - Inhalation
Skin corrosion/irritation
Serious eye damage/irritation
Skin sensitization data
Respiratory sensitization data
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
Lactation
STOT - single exposure
STOT - repeated exposure
Aspiration hazard

Calculation method : Not classified.
Calculation method : Not classified.
Self classification: Causes skin irritation.
Calculation method : Causes serious eye damage.
Calculation method : May cause an allergic skin reaction.
Calculation method : Not classified.
Calculation method : Not classified.
Calculation method : Not classified.
Calculation method : Not classified.
Calculation method : Not classified.
Calculation method : Not classified.
Calculation method : Not classified.
Calculation method : Not classified.
Calculation method : Not classified.

11.2 Other information

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates Not known.
Toxicity - Fish Not known.
Toxicity - Algae Not known.
Toxicity - Sediment Compartment Not classified.
Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

No information on this formulation.

12.3 Bioaccumulative potential

No information on this formulation.

12.4 Mobility in soil

No information on this formulation.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation.
Send to a licensed recycler, reclaimer or incinerator. Dispose of this material



Gorilla Epoxy (Hardener)

and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not known

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances of Very High Concern for Authorisation Not listed

UK REACH Authorisation List (Annex XIV) list of substances subject to authorisation Not listed

UK REACH Restrictions List (Annex XIV) Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Poly[oxy(methyl-1,2-ethanediyl)], α -hydro- ω -hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether (72244-98-5), 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine (25513-64-8), 1,4-diazabicyclooctane (280-57-9), 2,6-di-tert-butyl-p-cresol (128-37-0)

The Persistent Organic Pollutants Regulations 2007 (SI 2007/3106) as amended Not listed

The Ozone-Depleting Substances and Fluorinated Greenhouse Gases Not listed



Gorilla Epoxy (Hardener)

(Amendment etc.) (EU Exit) Regulations
2019 (SI 2019/583)

The Prior Informed Consent (PIC) Not listed

Regulations concerning the export and
import of hazardous chemicals

SI2008/2108 as amended

European Regulations - Authorisations and/or Restrictions On Use

Community Rolling Action Plan 2,6-di-tert-butyl-p-cresol (128-37-0)
(CoRAP)

15.2 Chemical Safety Assessment

United Kingdom

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS05



GHS07

GHS02: GHS: Flame

GHS09: GHS: Environment

Hazard classification

Flam. Sol. 1 : Flammable solid, Category 1

Acute Tox. 4 : Acute toxicity, Category 4

Skin Corr. 1A : Skin corrosion/irritation, Category 1A

Skin Irrit. 2 : Skin corrosion/irritation, Category 2

Skin Sens. 1 : Skin sensitization, Category 1

Skin Sens. 1A : Skin sensitization, Category 1A

Eye Dam. 1 : Serious eye damage/irritation, Category 1

Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1

Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1

Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s)

H228: Flammable solid.

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.



Gorilla Epoxy (Hardener)

H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.
H412: Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P261: Avoid breathing vapours.
P264: Wash hands and exposed skin thoroughly after handling.
P272: Contaminated work clothing should not be allowed out of the workplace.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352: IF ON SKIN: Wash with plenty of water.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTRE/doctor.
P321: Specific treatment (see Medical Advice on this label).
P332+P313: If skin irritation occurs: Get medical advice/attention.
P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
P362+P364: Take off contaminated clothing and wash it before reuse.
P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service
DNEL : Derived No Effect Level
EC : European Community
EINECS : European Inventory of Existing Commercial Chemical Substances
LTEL : Long term exposure limit
PBT : Persistent, Bioaccumulative and Toxic
PNEC : Predicted No Effect Concentration
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
STEL : Short term exposure limit
STOT : Specific Target Organ Toxicity
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS

GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy



Gorilla Epoxy (Hardener)

themselves of the suitability of the product for their own particular purpose.

Gorilla Glue Europe Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Gorilla Glue Europe Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.