



# TACHLINE™

## Micronutrient

**KEEP OUT OF THE REACH OF CHILDREN, PETS AND LIVESTOCK**



### WARNING

**Grade: 0-0-0  
Guaranteed Analysis**

Sulfur (S) .....	3.6%
3.6% Combined Sulfur (S)	
Boron (B) .....	0.1%
0.1% Water Soluble Boron (B)	
Manganese (Mn) .....	3.0%
3.0% Water Soluble Manganese (Mn)	
Zinc (Zn) .....	4.0%
4.0% Water Soluble Zinc (Zn)	

Derived from Boric Acid, Manganese Sulfate and Zinc Sulfate.

**Warning: This plant nutrient contains Boron, which may be injurious to certain crops. Contact your local county agent or field consultant for specific information.**  
Store Above 20° F

#### PRECAUTIONARY STATEMENTS

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye Protection /face protection. Wear eye/face protection. Store away from incompatible material. Dispose of waste and residues in accordance with local authority requirements.

#### FIRST AID:

**IF SWALLOWED:** Rinse mouth. DO NOT induce vomiting. Immediately call a poison center/doctor if you feel unwell.

**IF ON SKIN (OR HAIR):** Take off contaminated clothing. Wash with plenty of water.

**IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor if you feel unwell.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

#### GENERAL INFORMATION:

**Tachline™** is recommended as a foliar applied plant nutrient for use on alfalfa, corn, peanuts, potato, soybeans, sugarbeets, or any food or fiber crop where the addition of one or more of the nutrients contained in **Tachline™** would be beneficial. The use of the plant nutrient on any crop(s) other than those recommended may result in serious injury to the crop(s).

#### DIRECTIONS FOR USE:

##### FOLIAR APPLICATION:

Apply 1 to 2 quarts per acre to alfalfa, corn, peanuts, potato, soybeans or sugarbeets prior to or immediately after deficiency symptoms occur to prevent or alleviate losses from nutrient deficiencies. Apply 1 to 2 pints per acre to cotton between 1st true leaf and boll fill. Apply 1 to 2 pints per acre to dry edible beans just prior to bloom. Applications to other crops should only be made as recommended by a professional crop advisor where boron, manganese or zinc would be advantageous.

**For use in Wisconsin:** The Nutrient Application Guidelines for Field, Vegetable, and Fruit Crops in Wisconsin - publication A2809 indicates that certain crops such as Alfalfa, Corn, Potato, and certain other crops or specific conditions will respond to the nutrients found in **Tachline™** when applied as a foliar application, and applied at the proper use rate. For all crops in Wisconsin, any nutrients in starter plant nutrients are to be counted against the amounts of nutrients recommended based on the crop to be grown and soil test results.

Mixing Instructions when tank mixing with Glyphosate herbicides:

- 1) Start with clean spray tank.
- 2) Fill the spray tank 1/3 to 1/2 full of water.
- 3) If adding Wettable powders or water dispersible granules (WDG)s, slurry in with water.
- 4) while continuing to fill with water, add water conditioner at recommended rate.
- 5) Add **Tachline™**
- 6) Add glyphosate herbicide
- 7) Add other pesticides if applicable
- 8) Fill remainder of tank and agitate.

NOTE: All micronutrient additives have the potential to cause antagonism of glyphosate herbicides. A quality water conditioner such as Jackhammer™, Jackhammer™ Elite or Ammonium Sulfate is recommended to help to alleviate antagonism potential. Excessive use of Boron containing products may cause Boron toxicity on some crops. DO NOT exceed recommended rates of Boron for the crop that this product is being applied.

#### STORAGE:

**Tachline™** should be stored above 20° F. **Tachline™** should be stored in polyethylene or stainless steel tanks with polyethylene or stainless steel fittings.

#### DISPOSAL:

Do not reuse empty container. Triple rinse (or equivalent) after mixing and loading product. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler, visit the ACRC web page at [www.acrcycling.org](http://www.acrcycling.org). Decontaminated containers and materials must be disposed of in a manner allowed by local, state, and federal laws and regulations.

#### ENVIRONMENTAL HAZARD:

In the case of a spill, contain spill and maximize recovery.

For emergency, spill, leak, fire, exposure, or accident, call: CHEMTREC 1-800-424-9300

#### CONDITIONS OF SALE AND WARRANTIES:

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. Seller makes no other express or implied warranties either of merchantability or fitness for a particular use. In no case will seller be held liable for consequential, special or indirect damages resulting from the handling, storage, or incorrect use of this product.

Jackhammer™ Jackhammer™ Elite and **Tachline™** are trademarks of West Central Distribution, LLC.

**NET CONTENTS: 250 GALLONS  
NET WEIGHT: 2,650 LBS  
DENSITY: 10.6 lbs per Gallon**

01.17



Registered by:  
**West Central Distribution, LLC.**  
P.O. Box 897  
Willmar, MN 56201  
800.242.4277  
[wcdst.com](http://wcdst.com)