



# SAFETY DATA SHEET

## 1. Identification

Product identifier	Nycon-RC (nylon fiber)
Other means of identification	
SDS number	1020
Synonym(s)	Nylon 66
Recommended use	Concrete / Mortar reinforcement fibers
Recommended restrictions	None known

### Manufacturer/Importer/Supplier/Distributor information

Nycon Corporation  
300 Ben Fairless Drive  
Fairless Hills, PA 19030  
USA  
Emergency telephone : 1-800-456-9266  
General Information : Phone: 1-215-310-2139  
fax: 215-310-2138  
E-mail : [sales@nycon.com](mailto:sales@nycon.com)

## 2. Hazard(s) identification

Physical hazards	Not classified
Health hazards	Not classified
OSHA defined hazards	Combustible dust
Label elements	
Hazard symbol	None
Signal word	Warning
Hazard Statement	May form combustible dust concentrations in the air
Prevention	Not assigned
Response	Not assigned
Storage	Not assigned
Disposal	Dispose of or recycle in accordance with local and/or state laws
Hazard(s) not otherwise classified	N/A

## 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Nylon Polyamide		32131-17-2	92-99 %
Carbon Black		1333-86-4	0-5 %
Titanium Dioxide		13463-67-7	0-5 %
Pigments		Mixture	0-3 %
Fiber Finish		Mixture	0-2 %

Composition comments	This fiber may have been produced with carbon black and or titanium dioxide. These compounds, as present in this material are not water soluble and are encapsulated in the polymnet. They are not extracted or released in normal processing and handling. Therefore these compounds are not expected to present a hazard in normal handling, processing, use and disposal.
----------------------	--

#### 4. First-aid Measures

Inhalation	If exposed to excessive levels of dust or fumes, move to a fresh air environment and get medical attention if respiratory symptoms develop.	
Skin contact	With skin contact there should be no hazardous outcome however, if rash appears, rinse.	
Eye contact	Proceed to the eyewash station and rinse until product is removed from eye.	
Ingestion	If swallowed, do not induce vomiting, should vomiting occur naturally lean forward to prevent aspiration then rinse mouth.	
Most important symptoms/effects, acute and delayed :	Inhalation	May cause shortness of breath, tightness of the chest, a sore throat, and cough
	Skin	May cause redness and or itching
	Eyes	May cause itching, burning, redness, and tearing
	Ingestion	With large amounts ingested may cause gastrointestinal blockage
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.	
General information	Ensure that employees are aware of the materials involved, and take precautions to protect themselves	

#### 5. Fire-fighting measures

Suitable extinguishing media	Dry Chemical, Water Spray, Foam, Carbon Dioxide. Avoid using direct streams of water on molten burning material.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	Carbon monoxide, carbon dioxide, original monomer other hydrocarbon oxidation products may be present
Special protective equipment and precautions for firefighting	Wear self-contained breathing apparatus and protective suit.
Fire-fighting equipment / instructions	Use standard firefighting procedures and consider the hazards of other involved material

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Use personal protective equipment (PPE).
Methods and materials for containment and clean up	Land Spill: Spilled material should be swept up and discarded. Comply with applicable federal, state and local regulations. Water Spill: Notify local authorities if spilled in waterway or sewer. Skim from surface of water if possible. Waste Disposal: Reclaim where possible. Dispose of in accordance with local and state regulations. This is not an RCRA
Environmental precautions	Prevent further leakage or spillage if safe to do so.

#### 7. Handling and storage

Precautions for safe handling	Keep away from sparks heat and flame. This product may react with strong oxidizing agents and should not be stored near such materials. Store boxes and bags of material in areas protected with automatic sprinklers. Use proper grounding procedures. Inspect handling system regularly for possible accumulation of fines. Fines can present an explosive hazard when exposed to
Conditions for safe storage, including and incompatibilities	Keep in tightly closed and dry containers. To maintain product quality, do not store in heat or direct sunlight. Keep from freezing. Routine housekeeping should be done to ensure that dust does not accumulate on surfaces.

## 8. Exposure controls/personal protection

Occupational exposure limits	No exposure limites noted for ingredient(s).
Biological limit values	No biological exposure imilts noted for the ingredient(s).
Appropriate engineering controls	Provide mechanical ventilation; in general such ventilation should be provided at compounding/convertng areas and at fabricating/ filling work stations where the material is heated. Local exhaust ventilation should be used over and in the vicinity of machinery involved in handling the molten material.

### Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses in compliance with OSHA regulations
Hand protection	Wear clean, long-sleeved, body-covering clothing.
Other	N/A
Respiratory protection	If handling at elevated temperatures and overexposure has been determined, an air-respirator is advised in the absence of proper environmental control.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary
General hygiene consideration	Wash hands before breaks and immediately after handling product

## 9. Physical and chemical properties

### Appearance

Physical state	Solid
Form	Fibers
Color	Various white color
Odor	Slight to none
Odor threshold	Not available
pH	Not available
Melting point/freezing point	260°C (392°F)
Initial boiling point and boiling range	Not available
Flash point	420°C (788°F)
Evaporation rate	Not available
Flammability ( solid, gas )	Not available

### Upper/lower flammability or explosive limits

Flammability limit - lower %	Not available
Flammability limit - lower %	Not available
Explosive limit - lower %	Not available

Explosive limit - upper %	Not available
Vapor pressure/density	Not available
Specific gravity	1.14 (g/cm <sup>3</sup> @ 23°C)
Relative density	0.88 to 1.35 (g/cm <sup>3</sup> @ 23°C)
Solubility(ies)	Insoluble in water
Partiton coefficient (n-octanol/water)	Not available
Auto-ignition temperature	>650 °F
Decompostion temperature	>600 °F
Viscosity	Not available

## 10. Stability and reactivity

Reactivity	Strong oxidizing agents
Chemical stablity	Material is stable under normal conditions
Possibility of hazardous reactions	No Dangourous reactions known under conditions of normal use
Conditions to avoid	Minimize dust generation. Avoid heat, sparks, open flames and other ignition sources
Incompatible materials	Strong oxidizing agents
Hazardous decomposition products	Small quantities of low molecular weight hydrocarbons, alcohols, aldehydes (incl. Formaldehyde), carboxylic acids, carbon oxides and ketones can be formed during thermal processing

## 11. Toxicological infomation

### Information on likely routed of exposure

Ingestion	Ingestion is not likely route of exposeure. if ingested seek medical attention
Inhalation	Remove person to fresh air. If irritation develops obtain medical attention.
Skin contact	If irritation develops, flush with running water. Wash affected area with soap and water
Eye contact	If irritation develops do not scrach or rub, flush with running water for 10-15 minutes.
Symptoms related to the Physical, chemical and toxicological characteristics	See information on likely routes of exposure.

### Information on toxicological effects

Acute toxicity	Due to this material's high molecular weight, this material is considered to be little to no toxicological concern
Skin corrosion/irritation	Not available
Serious eye damage/eye irritation	Not available
Respiratory sensitization	Not available
Skin sensation	Not available
Germ cell mutagenicity	Not available
Carcinogenicity	International Agency for Research on Cancer (IARC): Group3 - NOT classifiable as to its carcinogenicity to humans.

Reproductive toxicity	Not available
Specific target organ toxicity single exposure	Not available
Specific target organ toxicity repeat exposure	Not available
Aspiration hazard	Not likely, due to the form of the product
Chronic effects	None Known
Further information	Exposure to powder or dust may be irritating to eyes, nose and throat.

**12. Ecological information**

Ecotoxicity	No known or expected ecotoxicity.
Persistence and degradability	Not available
Bioaccumulative potential	Not available
Mobility in soil	Not available
Other adverse effects	Not available

**13. Disposal considerations**

Disposal instructions	Dispose in accordance with all applicable regulations
Waste from residue / unused product	Empty containers or liners may retain so product residues. this material and its container must be disposed of in a safe manner
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling

**14. Transport information**

DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

**15. Regulatory information**

US Federal Regulations	This Material is not Hazardous by OSHA Hazardous Communication Standard 29 CFR 1910.1200
------------------------	--

**Superfund Amendments and Reauthorization Act of 1986 (SARA) (Y/N)**

Hazard categories : Immediate Hazard	No
Delayed hazard	No
Fire hazard	Yes
Pressure hazard	No
Reactivity hazard	No
SARA 302 Extremely hazardous substance	No
SARA 311/312 Hazardous Chemical	Yes

**16. Other information, including date of preparation or last revision**

Issue date	Jan. 04, 2016
Revision date	Jan. 04, 2016
Version #	1.0

Futher information

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions frm the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

HMIS ratings : (Scale)

Health  Flammability  Physical hazard

NFPA ratings : (Scale)

Health  Flammability  Instability

List of abbreviations :

IARC - International Agency for Research and Cancer.

DISCLAIMER: This Safety Data Sheet ("SDS") contains selected information about a specific NYCON CORPORATION product or group of products. It relates only to the identified uses and is based on information available as of the date hereof. Additional information may be needed to evaluate processes other than those specifically referenced. Information provided herein with respect to any hazards that may be associated with the product is not meant to suggest that use of the product in a given application will necessarily result in any exposure or risk to workers or the general public. THIS SDS WAS PREPARED PURSUANT TO GOVERNMENT REGULATIONS THAT IDENTIFY SPECIFIC TYPES OF INFORMATION TO BE PROVIDED HEREIN. IT IS THEREFORE NOT INTENDED AS, AND DOES NOT CONTAIN, A COMPLETE STATEMENT OF, AND DOES NOT CONSTITUTE A REPRESENTATION, WARRANTY OR GUARANTY WITH REGARD TO, A PRODUCT'S CHARACTERISTICS, USES, QUALITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR THE SUITABILITY, SAFETY, EFFICACY, HAZARDS OR HEALTH EFFECTS OF THE PRODUCT, EXCEPT TO THE EXTENT REQUIRED BY THE RELEVANT LAW AND REGULATIONS. Purchasers and users of the products are responsible for determining that the product is suitable for the intended use and that their workers and the general public are advised of any risks resulting for such use. Nothing contained in the SDS shall be construed to modify any of the commercial terms pursuant to which the product was sold by NYCON CORPORATION including, but not limited to, terms and conditions addressing each party's respective rights and obligations with regard to warranties, remedies and indemnification.